

2000 Stock Assessment Survey

Area 3B

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
5001	8/10	55° 60.00'	153° 35.95' W	51	6.9	6,647	359	0	0	0
5002	8/10	55° 59.98'	153° 54.20' W	72	7.0	2,812	495	0	20	0
5003	8/11	55° 60.00'	154° 13.11' W	59	6.8	6,395	207	0	24	24
5004	8/11	55° 59.98'	154° 31.36' W	234	7.0	317	10	99	0	35
5005	8/11	55° 59.99'	154° 48.08' W	118	6.9	2,113	180	39	10	0
5006	7/29	56° 00.00'	155° 05.96' W	31	6.9	953	1,017	0	64	0
5007	8/9	56° 10.00'	153° 36.23' W	89	7.0	710	81	105	20	0
5008	8/9	56° 10.00'	153° 53.11' W	124	7.0	6,546	103	15	0	0
5009	8/10	56° 10.00'	154° 11.17' W	64	7.0	791	1,252	0	50	0
5010	8/8	56° 10.00'	154° 29.27' W	50	7.0	4,931	1,272	0	0	0
5011	7/29	56° 10.00'	154° 47.27' W	42	7.0	1,132	1,285	0	45	0
5014	8/12	56° 10.00'	155° 40.84' W	32	6.9	2,708	831	0	5	0
5015	8/9	56° 20.00'	153° 51.15' W	47	7.0	2,772	1,008	0	5	0
5016	8/8	56° 20.00'	154° 07.87' W	50	7.1	3,047	696	0	35	0
5017	8/8	56° 19.00'	154° 28.20' W	38	7.0	2,398	397	0	100	0
5018	8/12	56° 20.00'	155° 22.31' W	25	6.9	1,704	1,069	0	0	0
5019	8/12	56° 20.00'	155° 40.24' W	38	7.0	2,008	638	0	5	0
5020	7/30	56° 30.00'	155° 21.13' W	28	7.0	1,168	757	0	10	0
5021	7/28	56° 30.00'	155° 39.00' W	63	7.1	2,111	176	5	111	0
5022	7/31	56° 40.00'	155° 00.29' W	20	7.0	2,925	299	0	0	0
5024	7/30	56° 40.00'	155° 38.02' W	130	7.0	1,945	89	54	0	0
5026	8/1	56° 50.00'	154° 24.00' W	33	7.0	3,878	482	0	79	0
5027	8/1	56° 50.00'	154° 42.04' W	25	7.0	1,868	539	0	0	0
5028	7/31	56° 50.00'	155° 00.00' W	40	7.0	2,970	611	0	74	0
5029	7/31	56° 50.00'	155° 18.96' W	124	7.0	1,631	75	15	25	5
5031	6/5	56° 50.02'	155° 55.12' W	142	8.0	3,079	117	17	23	0
5032	8/1	56° 60.00'	154° 41.12' W	22	7.1	2,405	558	0	0	0
5034	6/2	56° 59.98'	155° 18.81' W	139	7.0	2,232	177	15	45	0
5035	6/2	56° 59.99'	155° 35.42' W	154	7.0	1,851	107	60	0	0
5036	6/5	57° 00.01'	155° 54.37' W	158	7.0	2,198	68	18	123	0
5037	8/7	57° 10.00'	154° 40.19' W	31	7.1	2,678	850	0	0	0
5039	8/17	57° 10.00'	155° 15.85' W	135	7.0	1,515	50	40	0	0
5041	8/17	57° 10.00'	155° 53.26' W	138	7.0	3,614	112	55	25	0
5043	8/19	57° 19.99'	155° 15.25' W	135	7.0	2,638	101	30	40	0
5045	8/18	57° 19.99'	155° 51.97' W	59	7.0	3,861	139	0	65	5
5046	8/18	57° 20.02'	156° 11.00' W	102	7.0	1,759	0	0	223	0
5047	7/23	57° 29.99'	155° 14.52' W	141	6.5	2,052	61	27	70	0
5048	7/23	57° 30.00'	155° 32.91' W	163	7.0	2,938	157	10	20	0
5096	6/13	54° 51.05'	157° 33.00' W	171	7.0	655	9	149	0	0
5097	6/14	54° 50.73'	157° 50.00' W	84	7.0	2,865	461	15	69	0
5098	6/13	55° 00.00'	157° 15.06' W	105	7.0	1,315	144	20	54	5
5099	6/13	54° 59.98'	157° 32.25' W	54	6.9	4,479	364	0	118	5
5100	6/14	55° 00.00'	157° 49.96' W	44	6.9	6,927	182	0	10	0
5101	6/14	55° 00.57'	158° 07.07' W	73	7.0	2,690	612	0	124	0
5102	5/31	55° 10.75'	156° 22.34' W	235	7.0	1,372	46	155	0	25
5103	5/31	55° 10.77'	156° 39.70' W	248	7.0	2,798	76	75	0	0
5104	6/11	55° 10.05'	156° 56.95' W	85	6.9	1,750	185	0	167	0
5105	6/13	55° 10.01'	157° 13.30' W	61	7.0	2,529	428	0	129	0
5106	6/12	55° 10.00'	157° 32.11' W	45	6.9	3,660	372	0	0	0
5107	6/12	55° 10.00'	157° 49.22' W	42	6.8	649	1,709	0	0	0
5108	6/15	55° 09.93'	158° 07.00' W	56	6.8	3,217	445	0	165	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey

Area 3B

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
5109	6/10	55° 20.16'	156° 38.98' W	64	7.0	4,995	1,504	0	0	0
5110	6/11	55° 20.12'	156° 55.22' W	50	6.8	2,554	1,265	0	0	0
5111	6/11	55° 19.86'	157° 14.28' W	49	6.9	1,536	680	0	20	0
5112	6/12	55° 20.11'	157° 30.69' W	47	6.8	2,881	929	0	0	0
5113	6/12	55° 20.00'	157° 48.92' W	43	6.9	2,153	1,222	0	10	0
5114	6/15	55° 19.91'	158° 06.04' W	59	6.9	3,619	684	0	29	0
5115	6/15	55° 20.00'	158° 24.29' W	79	7.0	2,803	394	25	35	0
5116	6/10	55° 29.95'	156° 37.90' W	96	7.0	2,296	177	0	99	0
5117	6/10	55° 30.12'	156° 55.30' W	48	6.9	4,593	760	0	10	0
5118	6/2	55° 29.89'	157° 12.55' W	46	7.0	3,501	982	0	45	0
5119	6/2	55° 29.84'	157° 31.09' W	50	7.0	1,500	819	0	60	0
5120	6/3	55° 30.03'	157° 48.49' W	51	7.0	3,865	629	0	45	0
5121	6/3	55° 29.99'	158° 06.01' W	70	7.0	2,265	367	5	170	0
5122	6/15	55° 30.00'	158° 24.07' W	78	6.9	2,055	165	25	25	0
5123	6/10	55° 40.12'	156° 55.05' W	48	6.9	3,677	914	0	10	0
5124	6/2	55° 39.51'	157° 13.42' W	45	7.0	961	511	0	168	0
5125	6/2	55° 39.80'	157° 29.82' W	55	6.9	2,113	322	0	44	0
5126	6/3	55° 39.83'	157° 48.17' W	73	7.0	1,197	168	15	137	0
5127	6/3	55° 39.92'	158° 05.71' W	70	7.0	2,353	234	0	145	0
5128	6/16	55° 40.10'	158° 23.08' W	70	7.0	2,211	200	0	35	0
5129	6/16	55° 40.35'	158° 41.05' W	49	7.0	2,012	1,384	0	5	0
5130	6/1	55° 50.02'	157° 12.09' W	54	7.0	1,021	515	0	137	0
5131	6/1	55° 49.89'	157° 30.12' W	54	7.0	777	230	0	151	0
5132	6/4	55° 49.92'	157° 48.47' W	66	7.0	1,572	347	0	115	0
5133	6/4	55° 49.89'	158° 05.04' W	44	7.0	3,252	797	0	45	0
5134	6/16	55° 50.00'	158° 23.76' W	58	7.0	3,710	908	0	69	0
5135	6/1	56° 00.12'	157° 29.02' W	63	7.0	1,899	618	0	190	0
5136	6/5	56° 00.10'	157° 46.94' W	67	7.0	1,539	440	0	193	0
5137	6/4	55° 59.97'	158° 05.09' W	46	7.0	2,287	430	0	25	0
5138	6/5	56° 09.93'	157° 47.33' W	101	7.0	2,606	45	0	361	0
5139	6/5	56° 09.90'	158° 04.89' W	39	6.9	2,763	481	0	5	0
5140	6/5	56° 19.90'	158° 03.96' W	39	6.9	2,358	302	0	15	0
5141	7/7	54° 30.04'	159° 00.75' W	142	7.0	1,014	64	86	5	0
5142	7/7	54° 29.96'	159° 17.23' W	80	7.1	1,951	108	0	177	0
5143	7/6	54° 29.95'	159° 34.23' W	61	6.9	8,269	498	0	5	0
5144	7/6	54° 30.06'	159° 50.09' W	65	6.9	2,481	446	10	131	0
5145	6/23	54° 29.93'	160° 09.09' W	66	7.0	3,170	874	0	10	0
5146	6/22	54° 40.05'	158° 25.18' W	119	6.8	3,394	216	34	44	0
5147	7/17	54° 39.89'	158° 41.90' W	56	7.0	3,700	439	0	150	0
5148	7/16	54° 40.05'	159° 00.46' W	48	7.0	3,577	599	0	0	5
5149	7/7	54° 40.05'	159° 17.12' W	40	7.0	2,575	1,085	0	0	0
5150	7/6	54° 39.95'	159° 34.83' W	32	7.0	5,056	395	0	50	5
5151	6/11	54° 40.10'	159° 52.04' W	41	6.8	3,716	770	0	0	0
5152	6/11	54° 39.90'	160° 09.03' W	49	6.9	2,135	899	0	64	0
5153	6/22	54° 50.02'	158° 07.12' W	54	6.9	3,092	1,086	0	92	0
5154	6/22	54° 50.08'	158° 24.85' W	108	6.8	1,964	96	101	0	0
5155	7/17	54° 49.92'	158° 42.09' W	53	7.0	143	1,289	0	5	0
5156	7/16	54° 49.93'	158° 59.18' W	39	6.9	216	491	0	0	0
5157	6/11	54° 50.12'	159° 52.14' W	30	7.0	2,076	427	0	140	0
5158	6/12	54° 49.83'	160° 09.09' W	37	7.0	3,923	339	0	50	0
5159	6/12	54° 49.92'	160° 26.16' W	46	6.9	1,162	456	0	186	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey

Area 3B

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
5160	7/8	54° 59.84'	158° 24.98' W	111	6.9	3,214	29	58	102	10
5161	7/15	54° 59.65'	158° 42.36' W	66	7.0	1,252	366	0	95	0
5162	7/15	55° 00.00'	158° 59.05' W	45	7.0	438	1,282	0	0	0
5163	7/15	54° 59.95'	159° 18.20' W	19	7.0	5,143	159	0	20	5
5164	6/12	54° 59.97'	160° 27.16' W	61	7.0	6,039	684	0	70	0
5165	6/25	54° 59.97'	160° 43.81' W	49	6.7	3,831	658	0	5	0
5166	7/8	55° 10.04'	158° 24.07' W	99	7.0	1,819	78	79	20	0
5167	6/14	55° 09.98'	158° 42.12' W	110	7.0	2,010	49	64	5	0
5168	6/14	55° 09.79'	158° 59.60' W	67	6.7	2,298	427	0	62	0
5169	6/13	55° 10.16'	159° 17.12' W	37	7.0	2,342	995	0	0	0
5170	6/14	55° 20.23'	158° 41.92' W	102	6.9	3,474	135	29	49	0
5171	7/13	55° 20.07'	158° 59.69' W	100	7.0	1,232	16	15	5	0
5172	6/13	55° 19.96'	159° 17.14' W	96	7.0	1,429	60	5	10	0
5173	6/13	55° 20.14'	159° 34.01' W	75	7.0	2,993	370	0	10	0
5174	6/10	55° 20.01'	159° 51.94' W	48	7.0	4,344	635	0	65	0
5175	7/13	55° 29.90'	158° 41.16' W	87	7.0	1,321	10	58	5	0
5176	7/13	55° 30.03'	158° 59.02' W	58	7.0	4,680	1,023	0	0	0
5177	6/26	55° 29.63'	159° 17.11' W	66	7.0	3,373	741	0	50	0
5178	6/26	55° 29.99'	159° 34.20' W	90	6.9	3,701	351	0	180	0
5179	6/10	55° 29.95'	159° 52.03' W	91	6.9	3,017	195	0	152	0
5181	7/14	55° 40.03'	158° 59.00' W	81	7.0	2,210	57	0	5	0
5182	6/26	55° 40.11'	159° 17.23' W	54	6.9	2,707	832	0	10	0
5183	6/10	55° 40.07'	159° 52.03' W	70	6.9	2,171	168	0	136	0
5184	7/14	55° 50.09'	158° 59.11' W	66	7.0	5,266	386	0	50	0
5185	7/14	55° 50.07'	159° 16.98' W	30	6.9	2,596	310	0	108	0
5186	6/4	53° 59.97'	163° 14.98' W	49	6.9	3,129	559	0	98	0
5187	6/4	54° 00.01'	163° 31.76' W	56	6.9	743	487	0	211	0
5188	6/4	53° 59.94'	163° 49.04' W	50	6.9	923	448	0	173	0
5190	7/26	54° 10.41'	161° 51.22' W	44	7.0	7,789	201	0	45	0
5191	7/25	54° 09.91'	162° 07.96' W	45	7.0	6,926	434	0	15	45
5192	7/25	54° 10.34'	162° 24.57' W	99	7.0	373	86	100	45	15
5193	6/5	54° 10.09'	163° 50.23' W	51	7.0	1,259	374	0	75	0
5194	6/24	54° 20.55'	160° 08.46' W	165	7.0	1,951	331	79	5	0
5195	6/24	54° 20.05'	160° 26.16' W	67	7.0	2,091	489	0	182	0
5196	6/23	54° 20.12'	160° 43.02' W	58	7.0	4,811	539	0	134	0
5197	7/5	54° 19.98'	161° 00.13' W	70	7.0	3,321	1,116	0	95	0
5198	7/5	54° 19.75'	161° 16.80' W	58	7.0	3,507	408	0	109	10
5199	7/24	54° 19.95'	161° 34.45' W	78	7.0	1,532	270	10	158	0
5200	7/26	54° 19.99'	161° 50.86' W	44	7.0	5,563	436	0	20	0
5201	7/25	54° 20.22'	162° 08.91' W	30	7.0	4,108	1,483	0	16	0
5202	6/3	54° 20.11'	163° 16.98' W	26	7.0	1,906	353	0	39	0
5203	6/5	54° 20.02'	163° 34.08' W	60	7.0	1,787	418	0	157	0
5204	6/5	54° 20.03'	163° 50.81' W	62	7.0	693	271	0	274	0
5205	6/6	54° 19.95'	164° 09.54' W	52	7.0	421	268	0	109	0
5206	6/23	54° 30.02'	160° 26.09' W	80	6.9	2,895	220	0	173	0
5207	6/23	54° 30.09'	160° 43.06' W	76	7.0	862	89	0	20	0
5208	7/4	54° 30.03'	161° 00.95' W	70	6.8	1,034	290	17	68	0
5209	7/5	54° 30.07'	161° 17.93' W	65	7.0	1,318	244	0	125	0
5210	7/24	54° 30.07'	161° 34.95' W	35	7.0	4,597	798	0	35	0
5211	6/1	54° 29.58'	161° 52.08' W	77	7.0	2,615	386	0	160	0
5212	6/1	54° 29.96'	162° 09.02' W	76	7.0	2,863	467	0	178	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey

Area 3B

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
5213	6/1	54° 29.98'	162° 26.02' W	79	6.9	2,951	550	0	125	0
5214	6/3	54° 30.03'	163° 18.05' W	39	6.9	1,119	599	0	10	0
5215	6/3	54° 30.02'	163° 35.14' W	54	6.9	1,848	886	0	122	0
5216	6/6	54° 30.21'	163° 52.94' W	49	7.0	949	237	0	134	0
5217	6/6	54° 30.05'	164° 10.32' W	52	7.0	346	499	0	223	0
5218	7/3	54° 39.98'	160° 26.07' W	55	7.0	3,027	1,674	0	5	0
5219	7/3	54° 39.98'	160° 43.14' W	51	7.0	4,719	1,081	0	5	0
5220	7/4	54° 40.02'	161° 00.97' W	50	6.8	2,615	609	0	92	0
5221	7/4	54° 39.97'	161° 17.63' W	77	6.7	894	470	0	24	0
5222	7/27	54° 39.94'	161° 34.81' W	35	7.0	1,574	375	0	255	0
5223	7/27	54° 40.06'	161° 53.18' W	31	7.0	5,812	440	0	0	6
5224	5/31	54° 40.03'	162° 44.03' W	44	7.0	1,501	491	0	46	0
5225	7/3	54° 49.95'	160° 43.91' W	56	7.0	2,034	233	0	260	0
5226	7/28	54° 49.96'	161° 01.25' W	56	7.0	2,043	433	0	5	0
5227	7/28	54° 50.00'	161° 17.98' W	58	7.0	2,754	430	0	59	0
5228	7/27	54° 50.10'	161° 35.91' W	39	7.0	7,357	358	0	35	0
5229	5/31	54° 49.95'	162° 45.15' W	25	6.9	896	212	0	10	0
5230	5/31	54° 49.91'	163° 02.77' W	39	7.0	1,609	534	0	126	0
5231	6/25	55° 00.03'	161° 01.23' W	53	6.8	2,962	298	0	5	0
5232	7/28	54° 59.98'	161° 19.06' W	43	7.0	5,504	389	0	64	0
5233	6/25	55° 09.97'	161° 02.04' W	54	6.8	5,302	374	0	68	0
5235	7/1	55° 19.99'	156° 20.88' W	94	7.0	3,325	144	10	149	0
5236	6/30	55° 30.00'	155° 45.24' W	118	7.0	1,335	38	104	0	0
5237	6/30	55° 30.00'	156° 04.11' W	111	7.0	2,242	163	65	0	0
5238	7/1	55° 30.00'	156° 20.06' W	117	7.0	2,707	131	54	30	5
5239	6/29	55° 40.00'	155° 26.07' W	98	7.1	2,001	562	0	86	10
5240	6/30	55° 40.00'	155° 43.88' W	68	7.1	6,633	996	0	15	0
5242	7/3	55° 40.01'	156° 19.05' W	139	7.0	743	38	59	45	0
5243	7/2	55° 40.00'	156° 37.04' W	133	7.0	1,875	48	54	0	0
5244	6/29	55° 49.99'	155° 06.83' W	64	7.0	3,195	943	0	0	0
5245	6/29	55° 50.00'	155° 25.27' W	24	7.0	915	582	0	225	0
5246	7/3	55° 50.00'	156° 00.91' W	59	7.0	4,600	653	0	25	0
5247	7/3	55° 50.00'	156° 18.91' W	132	7.0	746	64	65	0	0
5248	7/2	55° 50.00'	156° 36.27' W	122	7.0	1,689	49	117	17	0
5249	6/18	55° 49.99'	156° 53.91' W	71	7.0	2,522	466	0	85	0
5250	6/4	55° 60.00'	155° 41.95' W	27	6.7	1,327	575	0	305	0
5252	6/4	56° 00.00'	156° 18.07' W	116	7.0	2,322	134	120	50	0
5253	7/2	55° 59.98'	156° 36.14' W	104	7.0	3,017	113	25	40	0
5254	6/18	56° 00.00'	157° 11.07' W	62	7.2	1,455	322	0	148	0
5256	6/17	56° 09.99'	156° 16.94' W	126	7.0	2,195	118	15	225	0
5257	6/17	56° 10.00'	156° 34.86' W	100	7.1	1,486	180	0	136	0
5258	6/19	56° 09.99'	156° 53.12' W	45	7.0	1,560	291	0	109	0
5259	6/19	56° 10.00'	157° 11.11' W	57	7.1	2,312	762	0	106	0
5260	7/19	56° 10.00'	157° 28.89' W	85	7.0	1,126	43	0	35	0
5261	6/3	56° 20.00'	155° 59.30' W	119	7.0	1,179	35	20	20	0
5262	6/3	56° 20.01'	156° 16.18' W	152	7.0	2,235	132	54	10	0
5263	6/17	56° 20.00'	156° 34.22' W	100	7.0	2,640	202	0	185	0
5264	6/20	56° 20.00'	156° 52.17' W	66	7.1	2,090	477	0	91	0
5265	6/19	56° 20.01'	157° 10.10' W	93	7.0	2,331	92	0	10	0
5266	7/19	56° 20.00'	157° 28.18' W	37	7.0	1,951	736	0	0	0
5267	7/19	56° 20.11'	157° 46.02' W	29	7.1	2,967	598	0	20	5

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey Area 3B

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
5268	7/28	56° 29.99'	155° 57.13' W	134	7.1	705	20	45	0	0
5270	6/20	56° 30.00'	156° 32.86' W	106	7.1	2,014	216	0	162	0
5271	7/20	56° 30.00'	156° 50.94' W	54	6.2	1,795	472	0	5	0
5272	7/20	56° 30.00'	157° 27.96' W	89	7.0	5,111	119	0	134	0
5273	7/22	56° 40.00'	156° 14.31' W	114	7.0	2,626	251	80	45	0
5274	7/21	56° 39.98'	156° 32.09' W	86	7.1	3,148	175	15	121	0
5275	7/21	56° 40.00'	156° 50.93' W	59	7.0	2,259	383	0	55	0
5276	7/20	56° 40.00'	157° 09.10' W	73	7.1	3,765	275	0	0	0
5277	7/22	56° 50.00'	156° 13.14' W	106	7.0	1,235	123	20	45	0
5278	7/22	56° 50.00'	156° 32.11' W	55	7.0	3,817	476	0	18	0
5279	7/21	56° 50.02'	156° 50.25' W	58	7.0	5,870	273	0	69	0
5280	6/5	57° 00.03'	156° 13.13' W	83	7.0	2,815	221	0	35	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01