

2005 IPHC Stock Assessment Survey

Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs ²	#'s	Lbs ²	#'s	Sablefish	P. Cod	Rockfish
2001	6/1	48° 20.00'	125° 38.02'	76	7.0	0	0	0	0	0	0	0
2002	6/1	48° 20.00'	125° 52.89'	210	7.0	253	7	0	0	129	0	48
2003	5/31	48° 30.02'	125° 22.85'	78	7.0	20	1	0	0	#N/A	#N/A	#N/A
2004	6/1	48° 29.98'	125° 37.88'	58	7.1	0	0	10	1	#N/A	#N/A	#N/A
2005	6/2	48° 30.02'	125° 53.14'	57	7.1	21	1	0	0	0	0	10
2006	6/2	48° 30.00'	126° 08.11'	110	7.1	383	16	26	3	219	1	1
2007	5/31	48° 40.01'	125° 07.45'	34	6.9	1,154	47	142	16	0	0	79
2008	5/31	48° 40.02'	125° 22.94'	35	6.9	1,329	62	395	47	0	20	61
2009	6/3	48° 40.03'	125° 38.10'	61	7.0	95	5	28	3	0	0	2
2010	6/3	48° 40.01'	125° 53.05'	39	7.1	268	19	549	69	0	0	0
2011	6/2	48° 40.00'	126° 08.02'	77	7.0	35	2	0	0	20	0	1
2012	6/3	48° 50.00'	125° 37.06'	24	7.0	1,731	49	47	5	0	0	52
2013	6/3	48° 50.03'	125° 53.33'	32	7.0	1,109	48	254	30	0	0	17
2014	6/4	48° 50.00'	126° 08.30'	58	7.0	26	2	0	0	0	0	0
2015	6/4	48° 50.00'	126° 23.08'	96	7.1	119	6	20	2	158	4	23
2016	6/4	49° 00.00'	126° 07.93'	37	7.0	248	14	58	7	0	0	6
2017	6/4	49° 00.00'	126° 22.87'	74	7.1	29	2	9	1	20	0	0
2018	6/5	49° 00.00'	126° 38.04'	121	7.1	270	16	64	7	#N/A	#N/A	#N/A
2019	6/8	49° 09.99'	126° 23.14'	46	7.0	12	1	125	18	0	0	0
2020	6/5	49° 10.02'	126° 38.19'	67	7.0	0	0	7	1	0	0	0
2021	6/5	49° 10.00'	126° 53.16'	95	7.0	596	34	129	16	38	3	0
2023	6/8	49° 20.03'	126° 22.94'	21	7.0	169	8	95	15	0	0	0
2024	6/8	49° 20.00'	126° 37.99'	37	3.4	608	24	28	3	0	0	22
2025	6/9	49° 19.98'	126° 53.16'	75	7.0	194	9	48	6	10	0	1
2026	6/9	49° 20.00'	127° 08.96'	100	7.0	519	23	8	1	212	0	5
2027	6/9	49° 30.02'	126° 38.17'	22	7.0	453	20	82	10	0	0	1
2028	6/9	49° 30.00'	126° 53.11'	50	7.0	51	4	268	38	0	2	0
2029	6/10	49° 31.08'	127° 05.69'	72	7.0	46	2	0	0	25	0	0
2030	6/10	49° 40.00'	127° 09.07'	62	7.0	27	2	70	9	11	3	0
2031	6/10	49° 40.00'	127° 24.02'	132	7.0	905	47	63	8	175	0	19
2032	6/11	49° 49.99'	127° 24.16'	43	7.0	1,191	66	689	88	0	0	1
2033	6/11	49° 50.00'	127° 40.30'	95	7.0	198	9	11	2	40	1	13
2034	6/11	50° 00.00'	127° 39.89'	46	7.0	323	22	704	91	0	0	17
2035	6/12	50° 19.99'	128° 11.02'	87	7.0	649	34	65	8	27	0	21
2037	6/12	50° 30.00'	128° 26.97'	102	7.0	878	35	31	4	117	0	62
2038	6/15	50° 39.99'	128° 28.07'	48	7.0	358	16	539	71	0	0	35
2039	6/15	50° 40.00'	128° 44.07'	103	7.0	135	8	42	6	24	0	34
2040	6/15	50° 49.98'	128° 27.99'	30	7.0	1,423	51	411	53	0	0	10
2041	7/6	51° 00.03'	127° 57.08'	62	7.0	97	7	201	28	2	1	0
2042	7/6	51° 00.00'	128° 13.16'	54	7.0	255	19	525	72	6	0	5
2043	7/6	51° 10.00'	127° 56.15'	67	7.0	197	14	109	13	1	1	0
2044	6/16	50° 50.02'	128° 59.87'	47	7.1	1,827	51	221	30	0	0	29
2045	6/16	50° 50.02'	129° 15.99'	66	7.0	999	48	694	96	1	0	36
2046	7/5	50° 59.99'	128° 28.03'	50	7.0	615	34	543	67	0	0	16
2047	7/5	50° 59.98'	128° 44.10'	35	7.0	745	30	241	32	0	0	2
2048	6/16	51° 00.00'	129° 00.08'	44	7.0	264	9	320	42	0	0	0
2049	6/17	51° 00.01'	129° 16.09'	87	7.0	54	3	181	23	77	2	1
2050	6/17	51° 00.00'	129° 32.05'	132	7.0	1,950	54	116	13	59	1	73
2051	7/6	51° 10.00'	128° 12.10'	54	7.0	540	27	307	40	0	0	30
2052	7/5	51° 09.98'	128° 27.89'	105	6.6	177	12	95	11	6	0	10
2053	7/1	51° 10.02'	128° 43.90'	54	7.0	113	9	688	97	0	0	0
2054	7/1	51° 10.00'	129° 00.08'	73	7.0	200	14	483	63	11	1	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2005 IPHC Stock Assessment Survey

Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs ²	#'s	Lbs ²	#'s	Sablefish	P. Cod	Rockfish
2055	6/17	51° 10.02'	129° 18.46'	154	7.0	897	35	82	9	210	0	19
2056	6/17	51° 10.02'	129° 31.99'	155	7.0	783	35	156	19	123	0	4
2057	7/7	51° 20.02'	127° 55.01'	76	7.0	48	2	43	5	3	0	2
2058	7/7	51° 19.99'	128° 11.20'	44	7.1	17	1	257	36	0	0	0
2059	6/30	51° 20.02'	128° 27.09'	81	7.0	26	1	79	10	15	0	5
2060	6/30	51° 19.99'	128° 42.92'	114	7.0	239	15	113	14	72	0	29
2061	7/1	51° 20.01'	128° 58.97'	133	7.0	432	21	42	5	100	1	35
2062	6/20	51° 20.02'	129° 14.88'	128	7.0	313	23	302	36	65	0	14
2063	6/20	51° 20.00'	129° 31.04'	111	7.0	380	24	76	9	55	0	6
2064	6/18	51° 20.09'	129° 47.03'	130	7.0	229	11	28	3	121	0	10
2065	7/7	51° 30.04'	128° 11.33'	46	7.0	367	12	85	10	0	0	81
2066	6/30	51° 30.01'	128° 26.91'	102	7.0	68	3	0	0	66	0	17
2067	6/30	51° 29.98'	128° 42.70'	50	7.0	142	9	104	14	0	0	0
2068	6/29	51° 29.99'	128° 58.92'	25	7.0	405	21	121	15	2	0	3
2069	6/29	51° 29.98'	129° 14.93'	27	7.0	383	17	91	11	0	0	13
2070	6/20	51° 30.05'	129° 31.13'	54	7.0	2,770	87	353	42	0	0	75
2071	6/18	51° 29.98'	129° 46.99'	92	7.0	672	26	113	14	48	2	95
2072	6/18	51° 30.02'	130° 02.90'	151	7.0	775	29	21	2	50	0	49
2073	6/26	51° 39.98'	128° 25.94'	79	7.0	94	6	85	11	6	1	15
2074	6/29	51° 40.01'	128° 58.92'	27	7.0	14	1	8	1	0	0	0
2075	6/29	51° 39.72'	129° 14.81'	31	7.0	21	1	9	1	0	0	0
2076	6/19	51° 39.99'	129° 30.91'	51	7.0	171	11	274	40	0	0	1
2077	6/19	51° 40.01'	129° 46.83'	139	7.0	99	6	44	5	76	0	10
2078	6/26	51° 50.00'	128° 26.03'	76	7.1	496	18	150	21	4	0	40
2079	6/26	51° 49.95'	128° 42.08'	55	7.0	270	21	925	123	1	0	0
2080	6/28	51° 49.97'	128° 57.99'	45	7.0	326	20	217	25	0	0	14
2081	6/28	51° 49.97'	129° 13.88'	67	7.0	157	11	295	37	0	0	0
2082	6/19	51° 50.09'	129° 31.12'	138	7.0	184	8	23	3	41	0	26
2083	6/27	52° 00.00'	128° 41.85'	90	7.0	74	4	33	4	3	0	24
2084	6/27	52° 00.00'	128° 58.05'	74	7.0	327	21	471	57	0	0	4
2085	6/28	51° 59.98'	129° 14.08'	98	7.0	59	4	25	3	3	0	8
2086	6/27	52° 09.98'	128° 40.92'	119	7.0	116	6	42	5	6	0	46
2087	6/17	51° 39.97'	130° 03.00'	193	7.0	177	8	0	0	145	0	41
2088	6/17	51° 40.18'	130° 19.05'	139	7.0	360	14	9	1	71	0	87
2089	6/18	51° 50.30'	129° 46.76'	138	7.0	224	10	45	6	33	0	27
2090	6/18	51° 50.19'	130° 02.99'	97	6.9	918	35	50	6	49	5	43
2091	6/17	51° 50.13'	130° 18.99'	117	7.0	3,339	114	112	13	33	2	85
2092	6/14	51° 50.58'	130° 32.84'	147	7.0	1,876	77	218	25	67	0	5
2093	6/14	51° 50.09'	130° 51.80'	103	6.6	1,677	53	49	7	10	0	122
2094	6/18	51° 59.98'	129° 29.99'	114	7.0	218	8	33	4	52	3	37
2095	6/11	51° 59.86'	129° 46.93'	62	7.0	1,153	35	262	36	0	0	29
2096	6/18	52° 00.26'	130° 02.98'	76	7.0	486	23	422	63	0	0	6
2097	6/13	51° 59.74'	130° 19.01'	192	7.0	163	4	21	3	124	0	4
2098	6/12	51° 59.95'	130° 34.98'	136	7.0	839	27	29	4	61	0	5
2099	6/12	51° 59.83'	130° 51.78'	107	7.0	452	19	183	22	0	2	11
2100	6/10	52° 10.13'	128° 57.03'	89	7.0	554	28	209	24	2	2	95
2101	6/10	52° 10.19'	129° 14.02'	96	7.0	12	1	96	11	18	0	15
2102	6/11	52° 09.70'	129° 29.98'	117	7.0	128	3	18	2	12	0	65
2103	6/11	52° 09.69'	129° 45.97'	111	7.0	103	4	18	2	2	0	4
2104	6/13	52° 09.84'	130° 03.02'	90	7.0	104	8	151	17	0	2	4
2105	6/13	52° 09.86'	130° 18.96'	223	7.0	16	1	0	0	115	0	12
2106	6/4	52° 09.98'	130° 35.04'	106	7.0	880	33	71	8	2	1	51

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2005 IPHC Stock Assessment Survey

Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs ²	#'s	Lbs ²	#'s	Sablefish	P. Cod	Rockfish
2107	6/4	52° 10.34'	130° 52.02'	121	7.0	1,416	59	144	17	7	1	2
2108	6/10	52° 19.98'	129° 13.01'	83	7.0	948	52	420	53	0	5	92
2109	6/5	52° 19.94'	129° 30.00'	97	7.0	186	5	35	4	12	1	17
2110	6/5	52° 19.87'	129° 46.03'	115	7.0	807	46	133	15	0	2	92
2111	6/9	52° 20.02'	130° 03.10'	123	7.0	339	12	33	5	1	3	8
2112	6/3	52° 20.20'	130° 19.04'	192	7.0	1,893	46	10	1	98	0	39
2113	6/3	52° 20.14'	130° 34.99'	91	7.0	965	36	117	15	1	0	2
2114	6/19	52° 20.08'	130° 52.00'	79	7.0	556	36	305	35	0	4	4
2115	6/5	52° 30.09'	129° 31.95'	55	7.0	119	7	76	10	0	0	7
2116	6/9	52° 30.00'	129° 46.01'	98	7.0	974	44	37	4	10	4	44
2117	6/9	52° 30.09'	130° 02.04'	148	7.0	305	10	21	3	28	0	27
2118	6/3	52° 29.99'	130° 18.95'	143	7.0	324	12	33	4	35	0	26
2119	6/19	52° 29.82'	130° 35.03'	67	7.0	1,225	46	410	54	1	1	75
2120	6/19	52° 30.03'	130° 52.00'	59	7.0	1,232	42	331	42	0	0	11
2121	6/2	52° 39.98'	129° 46.62'	107	7.0	233	9	10	1	11	3	7
2122	6/2	52° 40.01'	130° 01.39'	146	7.0	196	8	0	0	47	0	2
2123	6/20	52° 40.05'	130° 19.02'	121	7.0	226	8	46	6	14	3	28
2124	6/20	52° 39.84'	130° 35.02'	82	7.0	1,074	41	122	14	0	6	25
2125	6/2	52° 50.00'	130° 01.98'	140	7.0	102	3	26	3	50	0	60
2126	6/20	52° 50.15'	130° 18.95'	114	7.0	231	10	36	4	7	0	18
2127	5/31	53° 00.04'	129° 45.66'	124	7.0	300	9	27	4	64	0	59
2128	5/31	52° 59.98'	130° 01.96'	104	7.0	442	15	18	2	9	1	12
2129	7/21	52° 29.88'	131° 07.99'	48	7.0	1,500	73	184	22	0	0	17
2130	7/21	52° 30.07'	131° 25.00'	84	7.0	791	31	27	3	0	1	21
2131	7/21	52° 39.86'	130° 52.00'	51	7.0	396	20	259	34	0	0	0
2132	7/21	52° 39.83'	131° 08.00'	38	7.0	977	37	191	24	0	0	2
2133	7/20	52° 50.02'	130° 35.00'	60	7.0	245	14	303	41	0	0	5
2134	7/20	52° 50.14'	130° 52.00'	27	7.0	379	19	174	22	0	0	0
2135	7/20	52° 59.81'	130° 18.00'	113	7.0	119	4	0	0	60	0	58
2136	7/20	52° 59.73'	130° 35.00'	49	7.0	44	3	108	14	0	4	0
2137	7/19	53° 09.97'	130° 18.00'	83	7.0	576	29	158	19	7	4	41
2138	7/19	53° 10.01'	130° 35.00'	101	7.0	80	4	26	3	35	3	45
2139	7/22	53° 10.03'	130° 52.00'	58	7.0	146	9	174	22	0	12	2
2140	7/19	53° 19.98'	130° 18.00'	55	7.0	1,075	42	239	27	0	6	3
2141	7/19	53° 19.87'	130° 35.00'	42	7.0	91	5	218	28	0	0	31
2142	7/22	53° 19.89'	130° 52.00'	73	7.0	416	26	179	21	4	9	5
2143	7/10	53° 19.85'	132° 49.00'	73	7.0	583	28	350	50	0	0	16
2144	7/10	53° 20.12'	133° 06.00'	129	7.0	1,639	51	48	5	19	0	8
2145	7/22	53° 29.79'	130° 51.98'	50	7.0	72	5	262	39	2	11	0
2146	7/10	53° 30.07'	133° 06.00'	202	7.0	495	15	0	0	59	0	191
2147	7/23	53° 39.86'	130° 35.00'	19	7.0	380	21	112	13	0	0	0
2148	7/23	53° 39.75'	130° 52.00'	26	7.0	270	12	229	31	0	0	0
2149	7/10	53° 40.09'	133° 07.00'	78	7.0	636	31	528	71	0	0	40
2150	7/23	53° 49.80'	130° 52.00'	47	7.0	377	23	322	43	3	17	0
2151	7/11	54° 00.11'	133° 25.00'	42	7.0	1,037	42	235	32	0	0	47
2152	7/24	54° 09.97'	130° 35.00'	56	7.0	71	5	126	15	15	0	0
2153	7/15	54° 10.09'	132° 00.00'	38	7.0	0	0	345	55	0	0	0
2154	7/13	54° 09.96'	132° 17.00'	49	7.0	96	7	287	44	0	2	0
2155	7/13	54° 10.14'	132° 34.00'	46	7.0	105	5	340	55	0	4	0
2156	7/12	54° 10.09'	133° 09.00'	39	7.0	717	29	155	21	0	0	36
2157	7/11	54° 10.09'	133° 26.00'	214	7.0	245	10	70	9	110	0	130
2158	7/24	54° 20.05'	130° 35.00'	52	7.0	216	12	228	31	3	1	10

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

**2005 IPHC Stock Assessment Survey
Area 2B**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs ²	#'s	Lbs ²	#'s	Sablefish	P. Cod	Rockfish
2159	7/16	54° 19.91'	131° 09.00'	35	7.0	174	12	716	105	2	7	0
2160	7/16	54° 20.04'	131° 26.00'	93	7.0	56	2	25	3	93	1	25
2161	7/15	54° 20.09'	131° 43.00'	103	7.0	199	10	115	13	44	1	24
2162	7/15	54° 20.13'	132° 01.00'	135	7.0	127	4	19	3	130	0	17
2163	7/13	54° 19.90'	132° 18.00'	120	7.0	828	31	90	11	44	10	42
2164	7/13	54° 20.05'	132° 35.00'	145	7.0	197	8	32	4	110	2	97
2165	7/12	54° 19.92'	132° 52.00'	209	7.0	634	16	15	2	135	0	49
2166	7/12	54° 20.06'	133° 09.00'	249	7.0	1,208	25	31	4	121	0	82
2167	7/11	54° 20.08'	133° 26.00'	120	7.0	1,402	44	113	13	26	11	158
2168	7/11	54° 19.98'	133° 43.00'	133	7.0	1,179	48	353	43	14	22	7
2169	7/24	54° 29.94'	130° 35.00'	64	7.0	241	13	49	6	23	3	0
2170	7/16	54° 29.98'	131° 09.00'	76	7.0	988	62	336	40	28	9	2
2171	7/16	54° 28.35'	131° 25.70'	79	7.0	454	16	107	14	44	17	65
2172	7/15	54° 30.02'	131° 44.00'	188	7.0	179	6	11	1	124	0	4
170 Total Effective 2B Stations					Totals	84,620	3,523	26,681	3,462	4,904	252	4,073

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.