

## 2005 IPHC Stock Assessment Survey Area 2C

1 of 3

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
3001	8/13	54° 30.02'	132° 01.00'	145	6.9	715	24	28	3	103	10	29
3002	8/13	54° 29.94'	132° 18.00'	196	6.9	44	2	0	0	172	0	10
3003	8/5	54° 30.10'	132° 35.00'	199	7.0	909	14	20	3	130	0	30
3005	8/12	54° 30.03'	133° 10.00'	112	7.0	1,446	62	261	31	5	0	15
3006	8/12	54° 29.90'	133° 27.00'	162	6.9	810	23	29	3	69	0	10
3007	8/12	54° 29.95'	133° 43.98'	138	7.0	867	25	18	2	20	0	15
3008	8/15	54° 40.13'	130° 50.00'	151	6.9	517	13	0	0	108	0	5
3009	8/14	54° 40.08'	131° 08.00'	118	7.0	205	9	52	6	124	5	5
3010	8/14	54° 40.07'	131° 25.00'	112	6.9	297	9	24	3	83	0	44
3011	8/14	54° 39.91'	131° 42.00'	218	6.9	251	6	0	0	127	0	10
3012	8/13	54° 39.96'	131° 59.00'	99	6.9	668	26	52	6	5	0	54
3013	8/13	54° 39.95'	132° 17.00'	61	6.9	614	15	356	52	0	0	25
3014	8/5	54° 40.06'	132° 34.00'	109	7.0	332	20	165	20	25	0	74
3015	8/5	54° 39.70'	132° 51.01'	75	7.0	1,526	50	238	31	0	15	99
3016	8/6	54° 39.99'	133° 09.00'	128	7.0	1,133	34	15	2	10	5	190
3017	8/6	54° 40.02'	133° 26.00'	162	7.0	1,020	34	19	2	74	0	40
3018	8/7	54° 40.15'	133° 43.01'	129	7.0	1,551	48	81	10	60	10	10
3019	8/7	54° 40.00'	134° 00.00'	120	6.9	2,225	73	166	19	83	15	0
3020	8/15	54° 50.08'	131° 07.00'	131	6.8	299	12	35	4	73	0	0
3021	8/14	54° 49.97'	131° 42.00'	244	6.9	198	7	0	0	99	0	5
3022	8/5	54° 49.98'	132° 34.00'	172	7.0	1,413	32	11	2	80	0	25
3023	8/6	54° 50.08'	133° 09.00'	116	7.0	1,151	41	89	11	10	5	134
3024	8/6	54° 49.95'	133° 26.00'	68	7.0	1,012	56	610	75	0	0	5
3025	8/7	54° 49.89'	133° 43.00'	75	7.0	3,797	140	415	51	0	15	54
3026	8/7	54° 50.01'	134° 01.00'	103	7.0	1,026	34	115	13	40	0	40
3027	8/15	55° 00.09'	131° 06.00'	136	7.0	979	28	40	5	50	0	10
3028	8/16	54° 59.97'	131° 41.00'	113	6.9	386	17	10	1	98	0	54
3029	8/11	54° 59.91'	133° 26.00'	52	7.0	1,248	51	448	60	0	0	114
3030	8/11	54° 59.98'	133° 43.00'	57	7.0	772	48	905	120	0	0	17
3031	8/15	55° 10.06'	131° 06.00'	96	6.9	1,119	37	79	10	25	0	34
3032	8/16	55° 09.92'	131° 41.00'	66	6.9	226	13	47	6	0	0	15
3033	8/4	55° 10.00'	131° 56.00'	179	7.0	767	32	41	5	66	0	15
3034	8/11	55° 09.88'	133° 26.00'	41	7.0	1,444	43	54	7	0	0	124
3035	8/4	55° 20.08'	131° 58.00'	218	7.0	65	2	0	0	84	0	5
3036	8/4	55° 28.44'	131° 58.02'	190	7.0	231	6	5	1	40	5	25
3037	8/3	55° 39.98'	132° 15.00'	211	6.9	286	11	13	2	69	0	25
3038	8/3	55° 45.06'	132° 27.00'	152	6.9	433	15	24	4	69	0	59
3039	8/3	55° 49.59'	132° 15.00'	98	7.0	497	20	81	10	10	5	45
3040	8/2	56° 00.08'	132° 32.00'	111	7.0	1,267	51	110	12	15	0	25
3041	8/2	56° 01.13'	132° 45.00'	191	7.0	665	28	18	2	89	0	10
3042	8/2	56° 10.99'	132° 50.00'	68	7.0	720	30	102	14	0	10	60
3043	8/11	54° 59.98'	134° 01.12'	83	7.0	3,084	120	321	37	0	0	105
3044	8/11	55° 00.03'	134° 18.02'	116	7.0	808	32	140	17	105	5	10
3045	8/10	55° 09.99'	133° 43.09'	85	7.0	758	55	274	32	0	0	0
3046	8/11	55° 10.00'	134° 00.90'	93	7.0	1,595	95	543	60	0	0	20
3047	8/10	55° 20.00'	133° 44.02'	40	7.0	906	53	1,002	135	0	0	25
3048	8/10	55° 20.02'	134° 01.09'	64	7.0	1,235	63	1,228	167	0	0	0
3049	8/9	55° 19.98'	134° 19.09'	101	7.0	1,729	52	136	17	44	0	162
3050	8/9	55° 20.01'	134° 35.92'	111	7.0	965	40	138	15	25	5	110
3051	7/29	55° 30.00'	134° 00.95'	50	7.0	1,521	39	674	93	0	0	5

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

## 2005 IPHC Stock Assessment Survey Area 2C

2 of 3

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
3052	8/9	55° 29.98'	134° 19.09'	91	7.0	2,134	101	531	61	0	10	0
3053	7/28	55° 30.00'	134° 37.03'	112	7.0	3,340	136	457	54	74	0	0
3054	7/28	55° 29.98'	134° 54.05'	159	7.0	2,980	107	170	19	55	0	5
3055	7/29	55° 39.99'	134° 00.94'	102	7.1	1,078	51	140	18	0	0	30
3056	7/29	55° 39.98'	134° 19.00'	115	7.0	1,125	37	80	10	25	0	10
3057	7/28	55° 40.01'	134° 37.39'	111	7.0	2,448	100	310	35	40	0	10
3058	7/23	55° 40.00'	134° 55.00'	109	7.0	3,908	115	241	29	50	0	146
3059	8/3	55° 50.02'	133° 26.06'	38	7.0	661	16	31	4	0	0	30
3060	8/3	55° 50.03'	133° 44.01'	66	7.1	1,173	26	20	3	5	10	45
3061	8/4	55° 50.00'	134° 02.02'	144	7.0	1,070	35	44	5	65	25	15
3062	7/23	55° 50.04'	134° 37.00'	77	7.0	2,314	59	210	27	0	5	70
3063	7/23	55° 50.02'	134° 55.21'	101	7.0	3,054	80	229	28	10	10	5
3064	7/22	55° 50.05'	135° 13.23'	128	7.0	2,080	74	156	19	20	5	45
3065	8/3	55° 54.98'	133° 34.96'	43	7.0	466	21	212	27	0	10	25
3066	8/4	56° 00.00'	134° 02.04'	57	7.0	1,262	71	1,043	141	0	5	0
3067	8/4	56° 00.00'	134° 20.20'	48	3.6	1,412	52	245	33	0	0	76
3068	7/27	55° 59.98'	134° 38.27'	207	7.0	2,530	50	36	4	115	0	20
3069	7/22	56° 00.02'	134° 55.42'	197	7.0	530	14	15	2	105	0	85
3070	7/22	55° 59.99'	135° 13.22'	200	7.0	915	22	17	2	180	0	20
3071	7/30	56° 09.99'	133° 44.02'	155	7.0	609	20	81	10	40	20	5
3072	7/26	56° 09.97'	134° 20.12'	90	7.0	1,636	75	436	55	30	45	35
3073	7/27	56° 09.96'	134° 37.55'	197	7.0	1,671	67	213	26	55	0	50
3074	7/27	56° 09.98'	134° 55.93'	100	7.0	2,714	106	249	30	45	0	20
3075	7/21	56° 10.02'	135° 14.05'	152	7.0	1,691	56	50	7	71	0	0
3076	7/30	56° 20.02'	133° 43.99'	116	7.0	1,669	33	39	5	60	40	10
3077	6/26	56° 20.01'	134° 20.14'	130	7.0	844	36	329	40	50	0	35
3078	7/21	56° 19.95'	134° 56.11'	57	7.1	1,646	50	151	19	5	0	45
3079	7/21	56° 20.04'	135° 14.12'	85	7.0	1,416	50	197	26	20	20	40
3080	7/20	56° 19.99'	135° 32.12'	109	7.0	1,980	69	114	13	40	0	0
3081	7/30	56° 28.98'	133° 44.19'	50	7.0	1,028	42	152	21	0	0	5
3082	7/26	56° 29.95'	134° 20.00'	78	7.0	1,669	60	649	91	40	10	20
3083	7/20	56° 30.01'	135° 15.04'	58	7.0	1,788	90	758	101	0	0	50
3084	7/20	56° 30.00'	135° 32.91'	84	7.0	1,523	34	90	12	0	0	65
3085	7/19	56° 40.02'	135° 15.43'	23	7.0	1,111	25	80	11	0	0	105
3086	7/19	56° 39.99'	135° 34.02'	71	7.0	1,743	56	248	35	0	0	75
3087	7/19	56° 40.02'	135° 51.90'	129	7.0	1,436	60	92	10	55	0	50
3088	6/2	56° 50.13'	132° 49.92'	111	7.0	343	17	163	24	0	0	0
3089	7/19	56° 49.98'	135° 51.91'	101	7.1	978	36	119	15	25	0	15
3090	6/2	56° 57.97'	132° 57.63'	69	7.0	441	23	469	71	0	5	0
3091	6/3	57° 00.04'	134° 20.77'	192	7.0	904	40	235	31	145	0	5
3092	7/18	57° 00.02'	135° 59.99'	55	7.0	813	34	307	39	0	0	65
3093	6/2	57° 03.03'	133° 05.27'	71	7.0	491	20	156	22	0	10	5
3094	6/3	57° 09.57'	133° 44.41'	151	7.0	630	36	394	58	30	20	0
3095	6/3	57° 09.92'	134° 03.04'	160	7.1	876	42	190	26	67	20	5
3096	6/4	57° 09.74'	134° 39.75'	179	7.0	565	24	146	21	5	27	5
3097	7/18	57° 10.00'	135° 54.02'	36	7.0	805	32	572	82	0	0	30
3098	7/18	57° 10.00'	136° 11.78'	115	7.0	1,709	82	140	16	20	10	5
3099	6/5	57° 20.09'	133° 26.09'	65	7.0	89	4	65	10	0	0	0
3100	6/5	57° 19.76'	133° 44.61'	185	7.1	1,875	89	390	47	71	5	10
3101	6/4	57° 20.08'	134° 36.11'	113	7.0	681	27	79	11	5	35	40

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

## 2005 IPHC Stock Assessment Survey Area 2C

3 of 3

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
3102	6/17	57° 19.93'	135° 55.57'	52	7.0	516	16	125	17	0	0	70
3103	6/17	57° 20.02'	136° 13.41'	96	7.0	1,936	66	234	31	0	0	30
3105	6/4	57° 31.25'	134° 38.00'	119	7.0	396	19	415	55	20	5	60
3106	6/17	57° 30.01'	136° 14.65'	56	7.0	694	34	742	115	0	0	40
3107	6/6	57° 40.16'	133° 45.39'	178	7.0	1,961	107	366	44	0	0	0
3108	6/16	57° 40.24'	136° 33.94'	91	7.0	2,634	134	440	56	0	0	5
3109	6/6	57° 50.02'	133° 53.94'	181	7.0	221	10	55	6	0	0	5
3110	6/16	57° 49.87'	136° 34.24'	55	7.0	1,860	66	694	95	0	0	64
3111	6/16	57° 50.12'	136° 58.38'	155	7.0	561	25	87	11	55	0	25
3112	6/7	58° 00.06'	134° 03.79'	124	7.0	78	3	38	5	0	0	20
3113	6/15	57° 59.64'	136° 39.62'	46	7.1	1,903	80	820	99	0	0	20
3114	6/14	58° 09.65'	135° 00.92'	107	7.0	641	31	212	31	10	0	15
3115	6/14	58° 09.88'	135° 20.01'	88	7.0	358	15	102	14	5	0	10
3116	6/15	58° 09.91'	136° 36.52'	122	7.1	1,410	37	81	10	105	5	45
3117	6/7	58° 11.81'	134° 23.91'	36	7.0	164	5	44	5	0	0	0
3118	6/12	58° 13.92'	134° 42.88'	36	7.0	412	11	0	0	0	0	0
3119	6/14	58° 14.93'	135° 39.97'	63	7.0	1,228	59	655	101	0	0	0
3120	6/15	58° 14.94'	136° 25.64'	110	6.9	2,802	72	96	14	44	20	0
3121	6/12	58° 20.32'	134° 43.53'	40	7.0	273	5	0	0	0	5	0
3122	6/13	58° 19.41'	135° 02.44'	207	7.0	509	17	58	7	45	0	5
<b>120 Total Effective 2C Stations</b>					<b>Totals</b>	<b>140,143</b>	<b>5,204</b>	<b>26,039</b>	<b>3,403</b>	<b>4,191</b>	<b>490</b>	<b>3,845</b>

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.