

**2005 IPHC Stock Assessment Survey  
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5001	6/15	55° 59.86'	153° 36.21'	52	7.1	1,963	96	489	67	0	0	0
5002	6/15	56° 00.01'	153° 54.04'	69	7.0	1,373	89	566	76	0	41	0
5003	6/15	56° 00.02'	154° 13.03'	65	7.0	2,435	131	696	91	0	15	0
5004	6/16	56° 00.07'	154° 30.62'	230	7.0	338	18	9	1	223	0	0
5005	6/17	56° 00.06'	154° 48.15'	122	7.0	538	34	208	23	185	5	0
5006	6/17	56° 00.18'	155° 06.17'	30	7.1	306	21	369	46	0	434	0
5007	6/14	56° 09.92'	153° 35.70'	85	7.0	2,350	150	455	49	0	34	0
5008	6/14	56° 12.80'	153° 50.89'	70	7.0	3,567	240	1,450	173	0	15	0
5009	6/13	56° 10.44'	154° 11.51'	63	7.0	1,562	95	825	114	0	0	0
5010	6/16	56° 09.94'	154° 28.98'	50	7.0	1,570	83	823	111	0	5	0
5011	6/16	56° 10.07'	154° 47.12'	43	7.0	607	40	844	121	0	45	0
5013	6/30	56° 10.46'	155° 23.29'	20	7.0	1,215	62	1,124	153	0	10	0
5014	6/30	56° 10.20'	155° 41.05'	33	7.1	1,078	59	835	124	0	0	0
5015	6/14	56° 18.39'	153° 50.34'	48	7.0	3,069	132	884	119	0	0	0
5016	6/13	56° 19.86'	154° 10.43'	51	7.0	1,446	72	626	84	0	95	0
5017	6/13	56° 20.02'	154° 27.15'	34	7.1	2,142	120	421	49	0	56	0
5018	6/30	56° 19.98'	155° 21.30'	23	7.0	1,252	64	878	111	0	20	0
5019	6/25	56° 20.04'	155° 39.97'	42	7.1	604	24	467	75	0	229	0
5020	6/25	56° 29.94'	155° 21.12'	29	7.1	589	31	327	53	0	5	0
5021	6/25	56° 29.73'	155° 38.97'	60	7.0	1,566	90	371	42	0	215	0
5022	6/24	56° 40.16'	155° 02.06'	23	7.0	2,514	87	288	39	0	40	0
5023	6/24	56° 39.81'	155° 19.75'	50	7.0	1,344	60	198	26	0	50	0
5024	6/26	56° 39.98'	155° 38.45'	131	7.0	757	32	59	7	30	35	0
5025	6/26	56° 39.97'	155° 55.63'	158	7.0	1,329	74	85	9	40	20	0
5026	6/23	56° 50.12'	154° 24.28'	32	7.0	2,351	98	1,004	134	0	130	0
5027	6/23	56° 50.08'	154° 41.94'	23	7.2	911	46	625	95	0	0	0
5028	6/24	56° 50.02'	155° 00.08'	41	7.0	1,936	74	475	62	0	158	0
5029	6/22	56° 49.93'	155° 19.52'	123	7.0	1,368	63	131	16	10	19	0
5030	6/26	56° 50.06'	155° 37.17'	151	7.0	1,191	63	105	13	25	5	0
5031	6/5	56° 49.91'	155° 54.77'	162	7.1	783	36	67	8	86	0	0
5032	6/23	56° 59.90'	154° 40.80'	22	7.1	1,028	42	667	114	0	0	0
5033	6/22	56° 59.85'	154° 59.05'	63	7.0	794	42	489	59	5	40	0
5034	6/22	57° 00.05'	155° 17.73'	136	7.0	573	32	48	5	54	0	0
5035	6/5	56° 59.96'	155° 36.20'	153	7.1	818	42	132	16	35	15	0
5036	6/5	56° 59.96'	155° 53.89'	161	7.1	984	48	114	14	49	59	0
5037	6/18	57° 09.94'	154° 39.91'	32	7.1	1,081	41	907	141	0	20	0
5038	6/18	57° 10.11'	154° 56.76'	97	7.0	3,305	147	171	20	5	129	0
5039	6/21	57° 09.90'	155° 16.02'	132	7.1	845	45	98	11	46	10	0
5040	6/21	57° 10.04'	155° 34.97'	146	7.0	626	31	57	6	30	5	0
5041	6/4	57° 10.14'	155° 53.45'	137	7.0	1,397	64	160	18	49	59	0
5042	6/18	57° 19.70'	154° 56.09'	92	7.0	1,147	63	145	17	10	162	0
5043	6/21	57° 19.82'	155° 14.74'	133	7.1	981	50	145	16	45	20	0
5044	6/9	57° 19.88'	155° 33.97'	155	7.0	1,470	72	193	22	101	0	0
5045	6/4	57° 19.92'	155° 51.90'	59	7.0	1,443	85	1,733	237	0	74	0
5046	6/4	57° 19.84'	156° 10.57'	126	7.1	979	39	105	14	0	288	0
5047	6/9	57° 29.90'	155° 13.63'	137	7.0	1,251	51	115	13	84	5	0
5048	6/9	57° 30.01'	155° 33.72'	162	7.0	997	55	249	28	145	0	0
5096	6/30	54° 50.16'	157° 32.99'	235	7.0	89	4	0	0	213	0	0
5097	6/30	54° 49.97'	157° 49.86'	89	6.9	412	30	399	51	44	142	0
5098	6/25	55° 00.27'	157° 15.05'	106	6.9	610	40	307	36	63	165	0
5099	6/25	54° 59.99'	157° 31.98'	55	7.0	3,745	221	704	84	0	10	5
5100	6/30	55° 00.07'	157° 49.98'	45	7.0	2,928	134	404	51	0	289	5
5101	6/28	55° 00.03'	158° 06.99'	71	7.0	817	54	913	120	0	40	0
5102	6/2	55° 09.98'	156° 21.88'	283	6.9	24	1	0	0	196	0	10
5103	6/2	55° 10.00'	156° 39.35'	284	6.7	113	6	0	0	163	0	0
5105	6/25	55° 09.75'	157° 13.92'	63	6.9	1,227	88	1,109	140	0	73	5
5106	6/24	55° 10.02'	157° 32.09'	46	7.0	2,960	159	1,741	223	0	0	0

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

**2005 IPHC Stock Assessment Survey  
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5107	6/24	55° 10.05'	157° 46.97'	44	6.9	2,036	97	1,014	126	0	0	0
5108	6/29	55° 10.13'	158° 06.96'	57	7.0	2,557	140	910	113	0	0	0
5109	6/3	55° 20.04'	156° 38.97'	65	6.9	2,454	146	630	73	0	93	10
5110	6/3	55° 20.12'	156° 56.02'	50	7.0	3,607	192	1,260	164	0	25	0
5111	6/10	55° 20.05'	157° 14.04'	49	6.7	1,973	99	872	116	0	167	0
5112	6/10	55° 19.98'	157° 31.18'	48	6.9	1,778	75	745	100	0	185	0
5113	6/24	55° 19.98'	157° 48.98'	45	7.0	901	37	777	105	0	0	0
5114	6/29	55° 19.99'	158° 06.14'	59	7.0	1,366	74	699	92	0	10	0
5115	6/29	55° 19.98'	158° 24.19'	80	6.9	192	13	109	12	0	49	0
5116	6/4	55° 30.00'	156° 38.04'	99	7.8	2,397	154	483	52	24	87	0
5118	6/10	55° 29.91'	157° 13.02'	48	6.9	2,038	92	842	108	0	172	0
5119	6/11	55° 30.00'	157° 31.03'	52	6.9	1,388	47	801	106	0	59	0
5120	6/11	55° 29.99'	157° 47.81'	53	6.9	1,950	117	1,306	162	0	54	0
5121	6/6	55° 30.02'	158° 05.96'	70	6.9	724	45	326	41	20	5	0
5122	6/15	55° 29.93'	158° 23.98'	80	7.0	332	21	111	14	0	35	0
5123	6/4	55° 40.02'	156° 55.09'	48	7.0	2,015	107	1,305	165	0	44	0
5124	6/5	55° 40.01'	157° 12.89'	46	6.9	2,122	77	1,324	195	0	5	0
5125	6/11	55° 39.95'	157° 30.26'	54	6.9	2,392	140	1,504	198	0	84	0
5126	6/6	55° 40.04'	157° 47.71'	73	6.9	943	50	349	49	15	172	0
5127	6/6	55° 39.98'	158° 06.12'	69	7.0	335	20	110	14	0	30	0
5128	6/15	55° 39.88'	158° 23.00'	71	6.9	645	34	116	15	0	20	0
5129	6/15	55° 39.98'	158° 40.98'	50	6.9	1,493	92	2,014	265	0	0	0
5130	6/5	55° 50.00'	157° 12.00'	55	6.8	817	54	1,075	144	0	53	0
5131	6/5	55° 49.98'	157° 29.87'	55	7.0	961	54	1,012	142	0	68	0
5132	6/12	55° 50.01'	157° 48.02'	67	6.9	1,464	81	1,005	125	10	147	0
5133	6/14	55° 50.01'	158° 05.23'	43	6.8	2,592	128	1,556	221	0	5	0
5134	6/14	55° 49.96'	158° 22.96'	60	6.9	2,712	139	898	118	0	20	0
5135	6/12	55° 59.91'	157° 29.02'	62	6.9	1,484	80	520	62	0	59	0
5136	6/12	56° 00.00'	157° 46.86'	67	6.8	1,167	62	409	52	0	39	0
5137	6/14	55° 59.92'	158° 05.06'	48	7.0	687	32	793	118	0	0	0
5138	6/13	56° 09.96'	157° 46.95'	84	6.9	3,566	145	257	31	0	191	0
5139	6/13	56° 10.00'	158° 04.64'	37	6.9	1,698	79	968	136	0	15	0
5140	6/13	56° 19.99'	158° 04.11'	41	6.9	3,217	113	504	66	0	5	0
5141	7/7	54° 30.05'	159° 00.00'	164	7.0	13	1	11	1	172	0	0
5142	7/7	54° 30.00'	159° 17.02'	79	7.0	346	24	464	59	50	208	0
5143	7/8	54° 29.99'	159° 34.12'	62	7.0	2,392	148	657	78	0	84	5
5144	7/9	54° 29.65'	159° 50.72'	67	7.0	211	17	797	126	0	30	0
5145	7/9	54° 30.00'	160° 08.88'	67	6.9	1,000	68	1,094	134	0	103	0
5146	7/1	54° 39.98'	158° 25.16'	111	7.0	1,007	62	101	11	248	35	0
5147	7/6	54° 40.06'	158° 42.02'	57	7.0	634	45	477	62	0	114	5
5148	7/7	54° 40.00'	159° 00.20'	51	7.0	385	20	418	51	0	104	0
5149	7/8	54° 40.00'	159° 16.88'	41	6.9	1,282	46	502	74	0	10	0
5150	7/8	54° 40.01'	159° 33.86'	34	6.9	685	37	1,119	157	5	10	15
5151	7/9	54° 40.03'	159° 52.00'	43	6.9	3,276	138	921	115	0	54	0
5152	7/10	54° 40.00'	160° 09.18'	51	6.9	2,242	138	1,044	130	0	92	0
5153	7/1	54° 49.94'	158° 07.06'	55	6.9	1,662	100	832	108	0	78	0
5154	7/1	54° 50.00'	158° 24.86'	107	7.0	1,168	50	103	15	153	0	5
5155	7/6	54° 49.98'	158° 42.15'	56	6.9	191	11	707	107	0	44	0
5157	7/10	54° 49.88'	159° 52.02'	31	6.9	1,398	41	386	70	0	0	0
5158	7/10	54° 50.00'	160° 08.91'	38	7.0	1,110	51	771	129	0	0	0
5159	7/11	54° 49.96'	160° 25.98'	47	7.0	391	24	1,464	190	0	160	0
5160	6/28	55° 00.19'	158° 25.05'	115	6.9	1,467	67	58	7	15	5	0
5161	7/2	55° 00.06'	158° 41.98'	70	7.0	132	8	403	51	0	124	0
5162	7/2	54° 59.98'	158° 58.56'	46	6.8	152	6	145	18	0	5	0
5163	7/2	54° 59.48'	159° 15.86'	24	6.9	630	14	57	11	0	0	5
5164	7/11	54° 59.89'	160° 27.00'	65	6.9	1,313	85	1,714	220	0	39	0
5165	7/11	54° 59.98'	160° 43.82'	51	6.9	994	49	1,223	174	0	0	0

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

**2005 IPHC Stock Assessment Survey  
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5166	6/28	55° 10.01'	158° 24.02'	101	7.0	232	14	86	10	10	0	0
5167	7/2	55° 10.01'	158° 42.00'	112	7.0	26	2	27	3	94	0	0
5168	6/27	55° 09.91'	158° 58.95'	71	6.9	3,073	182	770	90	0	5	0
5169	6/27	55° 09.93'	159° 17.08'	40	7.0	39	3	16	2	0	0	0
5170	6/23	55° 19.97'	158° 42.05'	102	6.9	581	30	44	6	59	0	0
5171	6/23	55° 19.94'	158° 58.98'	102	6.9	353	16	9	2	5	0	0
5172	6/6	55° 19.99'	159° 16.73'	98	6.9	560	30	40	5	0	0	0
5173	6/7	55° 19.98'	159° 34.08'	77	6.8	1,196	73	896	104	0	0	0
5174	6/7	55° 19.99'	159° 51.89'	46	7.0	1,973	83	543	74	0	35	0
5175	6/23	55° 29.88'	158° 40.96'	89	7.0	0	0	17	2	10	0	0
5176	6/22	55° 30.04'	158° 59.50'	59	7.0	1,068	54	358	43	0	0	0
5177	6/22	55° 30.02'	159° 16.98'	65	6.9	853	35	83	9	0	10	0
5178	6/20	55° 29.89'	159° 34.00'	91	6.9	768	38	152	18	0	10	0
5179	6/20	55° 30.13'	159° 52.00'	92	6.9	1,050	52	56	6	0	39	0
5181	6/22	55° 40.00'	158° 59.05'	84	7.0	313	14	5	1	0	15	0
5182	6/21	55° 39.96'	159° 17.00'	56	6.9	342	17	51	6	0	0	0
5183	6/20	55° 39.95'	159° 52.01'	70	7.0	828	25	87	12	0	0	0
5184	6/21	55° 49.95'	158° 59.02'	67	7.0	716	23	16	2	0	5	0
5185	6/21	55° 50.02'	159° 16.97'	29	6.9	521	19	53	6	0	80	0
5186	7/22	54° 00.25'	163° 15.41'	45	7.2	823	50	490	63	0	296	20
5187	7/22	54° 00.09'	163° 31.99'	55	7.1	357	23	975	125	0	241	0
5188	7/22	53° 59.61'	163° 48.41'	50	7.1	355	24	732	116	0	141	0
5191	7/21	54° 10.02'	162° 07.97'	44	7.1	4,684	186	472	57	0	76	35
5192	7/21	54° 10.14'	162° 24.54'	78	7.1	1,206	76	684	81	81	106	10
5193	7/23	54° 10.02'	163° 50.04'	49	7.1	1,150	83	1,053	132	0	121	0
5194	7/13	54° 20.43'	160° 08.70'	151	7.2	414	25	196	22	292	0	5
5195	7/13	54° 20.18'	160° 26.21'	68	7.1	2,388	155	1,604	210	0	15	0
5196	7/14	54° 20.02'	160° 43.27'	58	7.2	2,677	168	713	81	0	194	31
5197	7/14	54° 20.20'	161° 00.48'	69	7.1	1,834	120	959	119	0	20	0
5198	7/15	54° 19.95'	161° 17.19'	57	7.1	2,689	160	787	95	0	71	30
5201	7/20	54° 19.97'	162° 09.41'	30	7.1	2,537	97	1,169	165	0	10	5
5202	7/25	54° 20.11'	163° 16.80'	26	7.1	3,062	132	768	89	0	187	0
5203	7/25	54° 19.94'	163° 33.81'	60	7.1	1,406	102	1,107	133	0	237	0
5204	7/23	54° 20.07'	163° 51.27'	62	7.2	1,461	93	1,218	150	0	179	0
5205	7/23	54° 19.73'	164° 08.75'	51	7.2	1,054	74	1,261	176	0	77	0
5206	7/13	54° 30.11'	160° 25.82'	80	7.1	858	61	1,476	175	96	56	0
5207	7/14	54° 30.22'	160° 43.43'	76	7.1	522	33	705	88	61	61	0
5208	7/15	54° 29.84'	160° 59.96'	70	7.1	259	17	607	82	5	121	0
5209	7/15	54° 30.01'	161° 17.82'	66	7.1	769	54	1,533	210	0	20	0
5210	7/31	54° 30.23'	161° 34.83'	35	7.1	956	45	1,576	244	0	5	0
5211	7/31	54° 29.87'	161° 51.95'	76	7.1	1,476	77	777	95	5	25	0
5212	7/20	54° 29.80'	162° 08.48'	76	7.1	2,275	119	827	105	0	40	0
5213	7/20	54° 30.05'	162° 26.09'	79	7.1	3,416	168	494	62	0	30	0
5214	7/25	54° 29.92'	163° 18.19'	39	7.1	2,826	147	892	120	0	25	0
5215	7/24	54° 30.04'	163° 35.26'	54	7.1	747	48	1,932	273	0	15	0
5216	7/24	54° 29.87'	163° 52.97'	51	7.1	1,178	81	1,399	201	0	70	0
5217	7/24	54° 30.18'	164° 09.96'	50	7.1	1,086	71	852	114	0	207	0
5218	7/12	54° 40.20'	160° 24.94'	54	7.1	1,581	107	1,957	242	0	0	0
5219	7/12	54° 39.86'	160° 42.89'	53	7.1	2,492	140	1,177	152	0	10	0
5220	7/16	54° 40.39'	161° 01.22'	47	7.2	793	49	879	118	0	0	0
5221	7/16	54° 40.27'	161° 18.04'	72	7.0	1,075	65	792	104	0	5	0
5222	7/10	54° 40.05'	161° 35.02'	34	7.0	2,320	90	1,669	241	0	0	30
5223	7/31	54° 39.60'	161° 53.12'	36	7.1	1,591	61	245	35	0	146	15
5224	7/26	54° 39.95'	162° 44.23'	45	7.1	985	48	246	33	0	20	0
5225	7/12	54° 49.89'	160° 43.93'	55	7.1	144	11	652	94	0	30	0
5226	7/16	54° 50.02'	161° 01.54'	57	7.1	552	30	549	80	0	5	0
5227	7/10	54° 50.16'	161° 18.48'	61	7.1	2,124	79	605	87	0	86	0

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

**2005 IPHC Stock Assessment Survey  
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5228	7/10	54° 49.81'	161° 35.83'	40	7.0	2,091	61	382	62	0	20	5
5229	7/26	54° 49.81'	162° 45.44'	25	7.1	1,306	49	666	100	0	0	0
5230	7/26	54° 50.00'	163° 02.98'	40	7.2	871	50	1,193	179	0	26	0
5231	7/9	55° 00.05'	161° 01.41'	53	7.1	1,250	54	476	66	0	56	5
5232	7/9	54° 59.75'	161° 18.91'	43	7.1	2,749	84	411	53	0	5	15
5233	7/9	55° 09.97'	161° 02.20'	75	7.1	769	43	533	64	0	51	0
5234	7/9	55° 20.34'	156° 03.33'	145	7.1	2,082	99	39	4	202	5	45
5235	7/4	55° 20.09'	156° 21.09'	93	7.1	2,888	166	460	51	51	81	0
5236	7/3	55° 30.27'	155° 45.09'	117	7.0	593	36	65	7	225	60	5
5237	7/3	55° 29.73'	156° 03.27'	108	7.1	358	22	189	24	82	100	0
5238	7/4	55° 29.98'	156° 19.84'	117	7.1	1,777	95	142	15	157	25	0
5239	7/2	55° 40.19'	155° 26.95'	92	7.1	581	36	334	42	15	118	5
5240	7/2	55° 39.98'	155° 38.78'	72	7.0	2,149	132	891	98	0	140	0
5241	7/3	55° 39.72'	156° 01.33'	125	7.0	1,080	68	172	18	199	24	0
5242	7/5	55° 40.08'	156° 19.27'	138	7.2	2,444	131	17	2	122	31	0
5243	7/6	55° 39.92'	156° 37.16'	131	7.0	515	33	21	3	94	0	0
5244	6/17	55° 50.06'	155° 07.15'	66	7.0	565	32	179	22	20	0	0
5245	7/2	55° 50.07'	155° 25.29'	24	7.1	115	7	242	30	0	369	0
5246	7/5	55° 50.17'	156° 01.17'	56	7.1	3,434	178	705	91	0	30	0
5247	7/5	55° 49.90'	156° 19.04'	130	7.1	745	39	78	9	96	0	0
5248	7/6	55° 49.95'	156° 35.66'	123	7.0	2,092	111	69	9	50	0	0
5249	7/6	55° 49.62'	156° 53.55'	70	7.0	2,863	176	885	100	15	175	0
5250	7/1	55° 59.67'	155° 42.08'	23	7.1	804	27	765	107	0	182	0
5251	7/1	56° 00.17'	155° 59.83'	41	7.1	791	43	768	103	0	232	0
5252	8/8	56° 00.04'	156° 17.66'	115	7.0	1,856	97	152	17	248	0	0
5253	8/8	56° 00.19'	156° 33.62'	105	6.9	6,314	323	216	24	20	74	0
5254	8/10	55° 59.98'	157° 11.02'	57	7.0	2,320	97	586	75	0	115	0
5255	7/1	56° 09.66'	155° 57.75'	92	7.0	944	60	432	51	69	113	0
5256	8/8	56° 09.66'	156° 16.55'	124	7.1	5,182	246	215	23	71	20	0
5257	8/9	56° 09.78'	156° 35.07'	101	7.1	3,344	199	422	50	30	40	0
5258	8/9	56° 09.99'	156° 53.20'	43	7.1	1,183	45	1,170	180	0	35	0
5259	8/10	56° 10.00'	157° 10.95'	55	7.2	2,261	89	838	109	0	5	0
5260	8/10	56° 09.97'	157° 29.18'	81	7.0	725	37	273	32	0	31	0
5261	8/7	56° 20.11'	155° 58.95'	116	7.1	1,427	74	201	22	35	5	0
5262	8/7	56° 20.07'	156° 15.93'	152	7.1	3,231	167	135	16	35	0	0
5263	8/9	56° 20.05'	156° 34.12'	102	7.1	4,775	250	194	21	51	76	0
5264	8/12	56° 20.04'	156° 52.31'	65	7.1	1,082	65	639	81	0	10	0
5265	8/12	56° 20.05'	157° 10.20'	88	7.1	3,804	168	145	17	0	0	0
5266	8/12	56° 19.94'	157° 28.01'	39	7.0	1,459	65	595	85	0	0	5
5267	8/11	56° 19.87'	157° 46.06'	27	7.0	826	40	313	49	0	0	0
5268	8/7	56° 29.57'	155° 57.52'	134	7.2	1,325	70	100	11	46	5	0
5269	8/14	56° 29.94'	156° 15.04'	124	7.1	3,014	162	142	16	71	20	0
5270	8/13	56° 29.99'	156° 33.64'	102	7.1	2,583	127	204	23	76	30	0
5271	8/13	56° 29.79'	156° 51.24'	47	7.1	1,098	50	630	89	0	15	0
5272	8/11	56° 30.01'	157° 27.99'	80	7.1	844	46	353	49	0	30	0
5273	8/13	56° 39.89'	156° 15.15'	111	7.0	2,588	137	227	25	110	25	0
5274	8/13	56° 39.50'	156° 31.73'	85	7.1	3,664	180	463	58	0	56	0
5275	6/7	56° 39.97'	156° 51.76'	56	7.0	1,873	94	947	123	0	54	0
5277	6/8	56° 50.25'	156° 13.53'	103	7.1	2,617	137	710	89	0	56	0
5278	6/8	56° 49.85'	156° 32.05'	60	7.1	1,234	59	388	54	0	253	0
5279	6/7	56° 50.20'	156° 50.20'	64	6.9	3,026	136	349	46	0	196	0
5280	6/8	57° 00.00'	156° 12.97'	82	7.1	1,548	75	752	94	0	177	0
<b>223 Total Effective 3B Stations</b>					<b>Totals</b>	<b>330,464</b>	<b>17,002</b>	<b>129,691</b>	<b>17,103</b>	<b>5,552</b>	<b>12,797</b>	<b>336</b>

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.