

2006 IPHC Stock Assessment Survey

Area 2 B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs ²	#'s	Lbs ²	#'s	Sablefish	P. Cod	Rockfish
2001	5/30	48° 20.00'	125° 38.10'	75	6.0	0	0	0	0	0	0	0
2002	5/30	48° 20.27'	125° 52.88'	170	5.1	73	3	16	2	26	0	1
2003	5/29	48° 30.02'	125° 23.28'	77	6.0	18	1	9	1	0	0	0
2004	5/30	48° 29.99'	125° 37.97'	57	6.0	303	20	136	16	0	0	0
2005	5/30	48° 30.00'	125° 52.92'	56	6.1	866	47	88	10	0	0	28
2006	5/31	48° 30.01'	126° 07.87'	108	6.0	130	6	15	2	1	0	0
2007	5/29	48° 40.00'	125° 07.06'	33	6.1	529	25	35	4	0	0	35
2008	5/29	48° 40.00'	125° 23.06'	33	6.0	690	36	189	25	0	1	13
2009	5/31	48° 39.99'	125° 38.06'	66	6.1	15	1	8	1	0	0	0
2010	5/31	48° 39.99'	125° 53.11'	39	6.0	75	4	119	14	0	0	0
2011	5/31	48° 40.00'	126° 08.12'	78	6.0	14	1	0	0	0	0	0
2012	6/1	48° 50.02'	125° 37.08'	24	6.0	1,047	37	44	5	0	0	22
2013	6/1	48° 50.01'	125° 53.32'	32	6.0	964	39	45	5	0	0	29
2014	6/1	48° 49.98'	126° 07.99'	58	6.1	0	0	14	2	0	0	0
2015	6/3	48° 49.98'	126° 22.88'	98	6.0	78	2	8	1	8	0	5
2016	6/1	48° 59.98'	126° 08.11'	37	6.0	376	17	47	6	0	0	6
2017	6/3	49° 00.00'	126° 22.97'	75	6.0	83	5	38	4	1	0	0
2018	6/3	49° 00.02'	126° 37.98'	123	6.0	108	4	10	1	18	0	1
2019	6/6	49° 10.00'	126° 23.02'	47	6.0	14	1	24	4	0	0	0
2020	6/6	49° 10.00'	126° 37.98'	67	6.0	102	5	31	4	0	0	8
2021	6/2	49° 10.00'	126° 53.02'	96	6.0	41	3	34	4	1	0	0
2023	6/6	49° 20.01'	126° 22.96'	21	5.9	247	13	56	7	0	0	0
2024	6/6	49° 20.01'	126° 38.09'	38	6.0	1,108	31	10	1	0	0	49
2025	6/2	49° 20.00'	126° 53.02'	76	6.0	54	4	41	5	0	0	0
2026	6/2	49° 20.00'	127° 08.98'	101	6.1	234	10	7	1	6	0	1
2027	6/7	49° 30.02'	126° 38.02'	22	6.0	459	16	8	1	0	0	0
2028	6/7	49° 30.00'	126° 52.93'	49	6.0	72	4	236	31	0	0	0
2029	6/7	49° 30.02'	127° 08.92'	79	6.0	80	6	86	10	0	0	0
2030	6/7	49° 40.00'	127° 09.06'	62	6.0	42	2	76	9	0	0	0
2031	6/8	49° 40.00'	127° 23.41'	105	6.0	329	6	0	0	7	0	8
2032	6/8	49° 50.00'	127° 23.99'	41	6.0	1,107	58	703	87	0	0	0
2033	6/8	49° 49.98'	127° 39.74'	90	6.0	0	0	15	2	1	0	12
2034	6/8	49° 59.98'	127° 40.10'	47	6.0	290	21	586	75	0	0	3
2035	6/9	50° 19.98'	128° 11.00'	86	6.0	153	7	17	2	0	0	13
2037	6/9	50° 30.00'	128° 26.80'	100	6.0	192	6	65	7	9	0	29
2038	6/9	50° 39.99'	128° 27.95'	46	6.0	397	24	401	53	0	0	15
2039	6/10	50° 40.00'	128° 43.89'	102	6.0	17	1	9	1	0	0	2
2040	6/11	50° 50.06'	128° 28.30'	29	6.0	1,468	55	292	37	0	0	4
2041	6/11	51° 00.00'	127° 57.18'	61	6.0	0	0	8	1	0	0	0
2042	6/11	51° 00.00'	128° 13.09'	55	6.0	66	5	176	22	8	0	4
2043	6/14	51° 10.02'	127° 56.12'	68	6.0	86	7	97	12	0	0	0
2044	6/10	50° 50.00'	129° 00.03'	46	6.0	1,382	44	296	44	0	0	8
2045	6/10	50° 49.98'	129° 15.97'	66	6.0	1,264	42	372	51	0	0	48
2046	6/11	50° 59.99'	128° 28.16'	50	6.0	234	14	251	35	0	0	3
2047	6/19	51° 00.00'	128° 43.99'	36	6.0	178	9	206	27	0	0	1
2048	6/19	51° 00.00'	128° 59.94'	44	6.0	12	1	125	17	0	0	0
2049	6/18	51° 00.00'	129° 15.98'	87	6.0	160	8	239	34	37	2	1
2050	6/18	50° 59.99'	129° 32.00'	131	6.0	300	10	0	0	12	0	87
2051	6/14	51° 10.01'	128° 12.08'	53	6.0	144	4	48	6	0	0	13
2052	6/14	51° 10.01'	128° 28.01'	104	6.0	0	0	15	2	0	0	1
2053	6/19	51° 09.99'	128° 44.14'	54	6.0	44	4	672	95	0	0	0
2054	6/19	51° 09.99'	129° 00.06'	74	6.1	199	14	434	57	4	1	1

¹Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

²Weights are calculated from length-weight tables.

2006 IPHC Stock Assessment Survey

Area 2 B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs ²	#'s	Lbs ²	#'s	Sablefish	P. Cod	Rockfish
2055	6/18	51° 10.00'	129° 16.01'	147	6.0	248	14	66	9	127	0	3
2056	6/18	51° 10.01'	129° 31.98'	156	6.0	102	5	24	3	96	0	4
2057	6/14	51° 19.98'	127° 55.03'	76	6.0	86	2	82	11	0	0	9
2058	6/15	51° 20.00'	128° 11.05'	46	6.0	82	5	119	18	0	0	0
2059	6/27	51° 20.00'	128° 27.11'	81	6.0	106	7	82	11	4	0	3
2060	6/27	51° 20.00'	128° 43.03'	112	6.0	68	5	51	7	54	0	11
2061	6/16	51° 20.00'	128° 59.16'	134	6.0	128	6	52	6	62	0	17
2062	6/17	51° 19.99'	129° 15.05'	129	6.0	231	18	175	22	26	0	11
2063	6/17	51° 20.02'	129° 31.09'	112	6.0	187	11	151	18	44	0	3
2064	6/22	51° 19.98'	129° 46.97'	131	6.0	29	2	36	5	82	0	9
2065	6/15	51° 29.99'	128° 11.02'	45	6.0	529	21	175	24	0	0	67
2066	6/27	51° 29.94'	128° 27.19'	102	6.0	49	4	22	3	36	0	21
2067	6/16	51° 29.98'	128° 42.88'	51	6.0	11	1	41	6	0	1	0
2068	6/16	51° 30.00'	128° 59.09'	25	6.0	232	9	67	7	0	0	0
2069	6/17	51° 30.02'	129° 14.91'	27	6.0	454	17	150	22	0	0	4
2070	6/17	51° 30.01'	129° 30.89'	55	6.0	860	29	223	29	0	0	18
2071	6/22	51° 30.00'	129° 46.91'	91	6.0	685	37	156	21	20	1	79
2072	6/22	51° 30.02'	130° 02.96'	153	6.0	410	19	26	3	57	0	26
2073	6/26	51° 40.02'	128° 26.03'	77	6.0	368	22	208	28	2	5	0
2074	6/25	51° 40.00'	128° 59.05'	25	6.0	80	6	69	8	0	0	0
2075	6/25	51° 39.99'	129° 15.09'	30	6.0	188	13	209	26	0	0	0
2076	6/23	51° 40.00'	129° 31.06'	52	6.0	11	1	44	7	0	0	0
2077	6/23	51° 40.02'	129° 47.12'	144	6.0	83	2	0	0	61	0	14
2078	6/26	51° 50.00'	128° 25.92'	78	6.1	114	8	132	17	19	0	20
2079	6/26	51° 49.99'	128° 42.07'	55	6.0	179	14	888	119	0	0	0
2080	6/25	51° 49.99'	128° 57.99'	44	6.0	539	36	542	72	0	0	14
2081	6/25	51° 49.99'	129° 14.05'	66	6.1	172	13	192	26	0	1	2
2082	6/23	51° 49.99'	129° 30.94'	138	6.1	182	6	22	3	37	0	18
2083	6/24	52° 00.01'	128° 41.98'	88	6.1	49	3	139	18	7	0	43
2084	6/24	52° 00.00'	128° 57.89'	72	6.0	224	14	702	91	0	0	2
2085	6/24	51° 59.98'	129° 13.91'	96	6.0	48	3	90	11	10	0	0
2086	6/24	52° 09.98'	128° 40.91'	120	6.0	128	6	46	5	8	0	89
2087	6/3	51° 40.11'	130° 02.96'	194	6.0	234	9	80	10	112	0	4
2088	6/3	51° 40.31'	130° 19.00'	138	6.0	292	14	22	3	28	0	73
2090	6/3	51° 50.30'	130° 02.96'	99	5.8	794	38	138	17	10	2	72
2091	6/3	51° 49.89'	130° 19.05'	118	5.9	1,594	54	107	13	18	0	39
2092	6/4	51° 50.76'	130° 32.99'	151	6.0	1,088	68	504	64	8	1	3
2093	6/4	51° 50.40'	130° 51.85'	99	6.0	1,787	37	69	9	2	0	106
2094	6/2	52° 00.08'	129° 30.02'	113	5.9	819	27	91	10	84	0	60
2095	6/2	51° 59.75'	129° 46.98'	62	5.8	1,300	33	351	51	0	0	71
2096	6/5	52° 00.39'	130° 03.02'	77	5.9	77	5	419	67	0	0	0
2097	6/5	52° 00.33'	130° 18.96'	193	5.9	316	8	0	0	141	0	7
2098	6/4	51° 59.78'	130° 34.99'	140	6.0	596	16	44	5	17	0	3
2099	6/4	52° 00.01'	130° 52.01'	106	6.0	81	4	47	7	0	0	3
2100	5/31	52° 10.25'	128° 57.00'	88	5.4	352	17	74	9	0	1	86
2101	5/31	52° 10.04'	129° 14.00'	94	5.9	124	5	54	7	14	0	2
2102	6/1	52° 09.59'	129° 30.00'	116	5.9	591	15	32	4	33	1	50
2103	6/1	52° 09.70'	129° 46.00'	113	6.0	429	13	8	1	1	0	52
2104	6/5	52° 10.30'	130° 02.98'	88	5.9	164	10	251	32	0	3	2
2105	6/14	52° 10.28'	130° 18.98'	220	6.0	57	1	23	3	140	0	21
2106	6/15	52° 10.18'	130° 35.06'	106	5.9	331	14	42	5	11	2	41
2107	6/15	52° 10.12'	130° 52.00'	122	6.0	1,508	66	184	21	18	0	1

¹Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

²Weights are calculated from length-weight tables.

2006 IPHC Stock Assessment Survey

Area 2 B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs ²	#'s	Lbs ²	#'s	Sablefish	P. Cod	Rockfish
2108	5/31	52° 19.77'	129° 13.00'	84	6.0	356	25	303	36	1	1	56
2109	6/1	52° 19.91'	129° 30.00'	96	5.9	465	21	72	9	2	2	51
2110	6/1	52° 20.01'	129° 46.10'	115	6.0	616	26	172	20	0	1	11
2111	6/14	52° 19.98'	130° 03.00'	126	5.9	298	9	38	5	0	0	11
2112	6/14	52° 20.12'	130° 19.02'	193	5.9	283	6	0	0	136	0	12
2113	6/17	52° 19.84'	130° 35.00'	93	6.0	278	10	37	4	0	0	11
2114	6/15	52° 20.16'	130° 52.04'	79	6.0	178	10	139	19	1	1	0
2115	6/12	52° 29.80'	129° 32.00'	55	5.9	452	21	398	54	0	0	18
2116	6/12	52° 30.18'	129° 45.99'	97	6.0	1,284	56	160	18	4	3	16
2117	6/13	52° 30.26'	130° 02.00'	148	5.9	214	7	45	7	31	0	41
2118	6/13	52° 29.80'	130° 19.00'	141	6.0	535	17	16	2	62	1	13
2119	6/17	52° 29.67'	130° 35.02'	66	6.0	774	33	144	17	0	0	76
2120	6/17	52° 29.95'	130° 52.00'	60	6.0	134	5	65	9	0	0	7
2121	6/12	52° 39.75'	129° 46.00'	103	6.0	316	9	57	6	15	2	61
2122	6/13	52° 40.28'	130° 02.00'	145	6.0	405	13	6	1	93	1	11
2123	6/13	52° 39.70'	130° 19.02'	121	5.9	83	5	39	5	34	2	23
2124	6/18	52° 40.32'	130° 35.01'	79	6.0	1,207	43	75	10	0	0	64
2125	6/18	52° 49.80'	130° 02.00'	142	6.0	66	3	12	2	96	0	21
2126	6/18	52° 50.16'	130° 19.00'	116	6.0	223	9	29	4	37	0	45
2127	6/6	53° 00.00'	129° 44.69'	124	6.0	232	13	110	16	44	0	19
2128	6/6	53° 00.17'	130° 02.02'	99	6.0	168	5	56	6	2	0	23
2129	7/11	52° 29.81'	131° 08.00'	46	6.0	824	40	231	29	0	0	12
2130	7/11	52° 30.09'	131° 25.00'	84	6.0	199	11	43	5	2	0	14
2131	7/12	52° 39.88'	130° 52.00'	52	6.0	557	22	450	60	0	0	3
2132	7/11	52° 39.87'	131° 08.00'	37	6.0	691	38	346	45	0	0	1
2133	7/12	52° 49.89'	130° 35.00'	61	6.0	63	4	88	10	0	1	9
2134	7/12	52° 49.83'	130° 52.00'	27	6.0	202	11	152	20	0	0	0
2135	7/13	52° 59.91'	130° 18.00'	113	6.0	82	4	10	1	31	0	34
2136	7/13	52° 59.91'	130° 35.00'	49	6.0	140	10	295	39	0	1	0
2137	7/13	53° 09.83'	130° 18.00'	87	6.0	357	11	28	4	0	3	30
2138	7/14	53° 09.88'	130° 35.00'	102	6.0	250	12	10	1	7	0	21
2139	7/14	53° 09.91'	130° 52.00'	58	6.0	48	4	78	10	0	2	0
2140	7/13	53° 19.59'	130° 18.00'	57	6.0	638	27	240	30	0	0	11
2141	7/14	53° 19.87'	130° 35.00'	42	5.9	125	10	187	23	0	0	53
2142	7/14	53° 19.96'	130° 52.00'	75	6.0	401	23	173	20	1	9	18
2143	7/18	53° 19.85'	132° 49.00'	76	6.0	586	21	315	47	0	0	79
2144	7/18	53° 20.13'	133° 06.00'	126	6.0	278	12	0	0	13	0	16
2145	7/10	53° 29.91'	130° 52.00'	49	6.0	63	5	135	17	1	10	0
2146	7/18	53° 30.03'	133° 06.00'	221	6.0	583	21	8	1	46	0	128
2147	7/10	53° 40.02'	130° 34.99'	16	5.9	270	15	74	10	0	0	0
2148	7/10	53° 39.95'	130° 52.00'	25	6.0	259	14	208	29	0	2	0
2149	7/18	53° 40.11'	133° 07.00'	79	6.0	478	28	536	70	0	0	29
2150	7/10	53° 49.85'	130° 52.00'	47	6.0	275	19	613	79	1	56	0
2151	7/21	54° 00.14'	133° 25.00'	41	6.0	1,371	57	316	39	0	0	30
2152	7/15	54° 10.07'	130° 35.00'	62	6.0	176	8	19	2	5	1	4
2153	7/22	54° 10.20'	132° 00.01'	39	5.8	11	1	179	26	0	0	0
2154	7/20	54° 10.08'	132° 17.00'	49	5.8	0	0	32	5	0	0	0
2155	7/20	54° 10.00'	132° 34.00'	45	6.0	95	6	312	47	0	4	12
2156	7/19	54° 10.08'	133° 09.00'	39	6.0	443	15	200	26	0	0	31
2157	7/21	54° 10.06'	133° 26.00'	213	6.0	27	2	68	9	34	0	16
2158	7/15	54° 20.10'	130° 35.00'	50	6.0	175	11	115	16	4	4	5
2159	7/9	54° 19.87'	131° 09.00'	33	6.0	69	4	379	52	0	4	0

¹Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

²Weights are calculated from length-weight tables.

2006 IPHC Stock Assessment Survey Area 2 B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs ²	#'s	Lbs ²	#'s	Sablefish	P. Cod	Rockfish
2160	7/9	54° 20.12'	131° 26.00'	94	6.0	26	2	52	8	43	3	23
2161	7/22	54° 20.15'	131° 43.00'	102	6.0	179	10	119	15	34	2	19
2162	7/22	54° 19.93'	132° 01.01'	131	6.0	205	7	11	2	90	0	19
2163	7/20	54° 20.00'	132° 18.00'	122	6.0	534	25	71	9	53	4	26
2164	7/20	54° 19.91'	132° 35.00'	144	6.0	121	9	69	8	79	0	39
2165	7/19	54° 19.82'	132° 52.00'	209	5.9	673	20	34	4	121	0	35
2166	7/19	54° 20.16'	133° 09.00'	249	6.0	180	6	40	6	113	0	44
2167	7/21	54° 20.16'	133° 26.01'	118	6.0	1,637	49	175	21	7	1	104
2168	7/21	54° 20.04'	133° 43.00'	133	6.0	753	28	241	32	11	0	4
2169	7/15	54° 29.98'	130° 35.00'	63	6.0	292	10	45	6	49	1	1
2170	7/9	54° 30.08'	131° 09.00'	74	6.0	251	14	232	29	26	11	1
2171	7/9	54° 30.02'	131° 26.00'	62	6.0	614	24	272	36	4	6	32
2172	7/22	54° 30.16'	131° 44.00'	185	5.9	269	10	10	1	108	0	3
169 Total Effective 2B Stations					Totals	59,278	2,522	23,160	3,036	2,969	161	3,130

¹Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

²Weights are calculated from length-weight tables.