

2006 IPHC Stock Assessment Survey Area 2C

1 of 3

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3001	7/30	54° 29.98'	132° 01.00'	143	6.0	338	12	23	3	40	0	40
3002	7/30	54° 29.96'	132° 18.00'	196	5.2	51	1	19	2	43	0	9
3003	8/7	54° 30.00'	132° 35.26'	203	6.0	137	5	14	2	95	0	15
3005	8/6	54° 30.00'	133° 09.70'	108	5.9	355	12	36	5	0	0	74
3006	8/6	54° 30.00'	133° 26.80'	161	5.8	479	14	64	8	87	5	5
3007	8/6	54° 30.00'	133° 44.10'	136	5.9	3,615	82	22	3	25	0	5
3008	7/31	54° 40.05'	130° 50.01'	156	5.9	534	15	7	1	83	0	5
3009	7/31	54° 39.94'	131° 08.06'	117	6.0	108	4	28	4	54	0	20
3010	7/31	54° 39.98'	131° 25.00'	113	5.9	500	22	59	7	93	0	5
3011	7/29	54° 39.95'	131° 42.00'	228	6.0	237	9	0	0	58	0	0
3012	7/30	54° 39.77'	131° 58.99'	101	6.0	489	17	110	12	15	20	15
3013	7/30	54° 39.93'	132° 17.01'	60	6.0	534	25	342	45	0	5	29
3014	8/7	54° 40.00'	132° 33.95'	97	5.9	773	31	55	7	15	10	34
3015	8/6	54° 39.89'	132° 51.00'	74	5.9	1,445	46	285	34	0	5	0
3016	8/4	54° 40.00'	133° 09.00'	128	6.0	1,163	40	76	10	43	0	31
3017	8/4	54° 39.80'	133° 26.01'	162	5.9	1,934	46	35	4	78	5	44
3018	8/3	54° 40.02'	133° 43.00'	131	6.0	2,066	55	36	5	40	0	25
3019	8/3	54° 40.07'	134° 00.00'	120	5.9	956	25	55	7	34	15	15
3020	7/31	54° 50.00'	131° 07.00'	130	6.0	706	26	57	7	50	0	5
3021	7/29	54° 49.95'	131° 42.00'	242	6.0	209	7	13	2	114	0	20
3022	8/7	54° 50.00'	132° 34.00'	174	5.8	465	14	10	2	121	0	5
3023	8/4	54° 50.03'	133° 09.00'	117	6.0	1,942	58	132	15	5	10	25
3024	8/4	54° 49.98'	133° 26.00'	67	5.9	632	37	346	44	0	0	10
3025	8/3	54° 49.92'	133° 43.00'	76	5.9	3,334	92	127	14	0	0	49
3026	8/3	54° 49.89'	134° 01.00'	104	5.8	1,239	36	44	5	24	0	68
3027	8/1	55° 00.05'	131° 06.00'	135	6.0	409	13	61	8	84	5	0
3028	7/29	54° 59.85'	131° 41.00'	116	5.9	444	20	40	5	118	0	29
3029	8/5	55° 00.02'	133° 26.03'	51	5.9	924	42	231	31	0	0	34
3030	8/5	55° 00.00'	133° 42.76'	57	5.9	1,145	51	442	63	0	0	0
3031	8/1	55° 10.04'	131° 06.00'	98	5.9	349	13	34	4	5	0	19
3032	7/29	55° 09.90'	131° 41.00'	71	6.0	159	5	35	5	0	0	20
3033	7/26	55° 09.91'	131° 55.99'	176	6.0	639	28	67	9	20	0	30
3034	8/5	55° 10.00'	133° 26.21'	44	5.8	1,146	47	46	5	0	0	82
3035	7/26	55° 19.93'	131° 58.00'	238	6.0	94	3	0	0	50	0	0
3036	7/26	55° 28.67'	131° 58.00'	187	5.9	166	6	13	2	15	0	15
3037	7/28	55° 39.97'	132° 15.00'	220	6.0	546	20	21	3	74	0	40
3038	7/28	55° 44.95'	132° 27.00'	155	5.9	505	12	38	6	39	0	39
3039	7/28	55° 49.66'	132° 15.00'	101	6.0	673	23	60	8	5	10	10
3040	7/27	55° 59.93'	132° 32.00'	113	6.0	1,227	45	101	14	20	0	15
3041	7/27	56° 00.98'	132° 45.00'	198	5.9	980	32	0	0	49	0	10
3042	7/27	56° 11.00'	132° 50.00'	70	5.9	501	13	60	8	0	0	15
3043	7/3	55° 00.00'	134° 01.26'	82	6.0	2,308	101	740	91	0	5	5
3044	7/3	55° 00.00'	134° 17.81'	115	6.0	884	55	457	57	5	0	15
3045	7/3	55° 10.00'	133° 43.43'	85	6.0	859	62	993	127	0	0	0
3046	7/3	55° 10.01'	134° 00.34'	89	6.0	990	64	806	100	0	0	0
3047	7/4	55° 20.00'	133° 47.36'	49	6.0	679	42	917	140	0	0	0
3048	7/4	55° 20.00'	134° 01.22'	64	6.0	483	36	1,079	155	0	0	0
3049	7/5	55° 20.00'	134° 19.62'	102	6.0	521	22	91	12	15	0	95
3050	7/5	55° 20.00'	134° 36.50'	110	6.0	1,933	72	258	31	15	10	65
3051	7/4	55° 30.00'	134° 01.14'	50	6.0	1,149	40	741	100	0	0	69

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey Area 2C

2 of 3

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3052	7/4	55° 30.00'	134° 18.69'	91	6.0	414	23	157	22	0	0	0
3053	7/5	55° 30.01'	134° 37.52'	111	6.0	2,275	104	527	70	60	0	0
3054	7/5	55° 30.00'	134° 53.25'	159	6.0	941	41	169	21	80	0	10
3055	7/11	55° 40.00'	134° 00.66'	98	6.0	524	29	181	22	0	5	30
3056	7/10	55° 40.00'	134° 19.23'	112	6.0	1,783	77	176	24	25	0	20
3057	7/10	55° 40.00'	134° 36.91'	109	6.0	1,207	52	320	41	30	0	5
3058	7/10	55° 40.00'	134° 54.48'	106	6.0	2,454	83	358	46	25	5	80
3059	7/9	55° 50.00'	133° 25.89'	32	6.0	520	17	8	1	0	0	10
3060	7/9	55° 49.82'	133° 44.00'	77	6.0	721	15	81	9	10	5	65
3061	7/11	55° 50.00'	134° 02.14'	144	6.0	642	28	68	9	40	5	20
3062	7/10	55° 50.01'	134° 36.45'	72	6.0	1,028	23	77	10	0	0	60
3063	7/6	55° 50.00'	134° 55.11'	101	6.0	850	19	128	21	10	0	30
3064	7/6	55° 50.00'	135° 12.82'	127	6.0	640	27	132	18	35	0	54
3065	7/9	55° 55.00'	133° 34.67'	43	6.0	847	38	541	68	0	15	5
3066	7/11	56° 00.00'	134° 02.16'	54	6.0	839	34	609	93	0	5	0
3067	7/2	56° 00.00'	134° 20.33'	49	5.9	1,260	42	355	52	0	5	103
3068	7/2	56° 00.00'	134° 38.21'	204	6.0	1,561	44	54	7	175	5	15
3069	7/6	56° 00.00'	134° 55.30'	194	6.0	316	9	50	7	153	0	69
3070	7/6	56° 00.00'	135° 12.59'	199	6.0	376	14	52	6	110	0	5
3071	7/12	56° 10.00'	133° 44.10'	164	6.0	886	26	19	2	25	10	10
3072	7/1	56° 09.80'	134° 20.00'	69	6.0	974	53	404	54	0	0	25
3073	7/2	56° 09.39'	134° 38.02'	154	6.0	1,877	57	274	36	105	10	5
3074	7/8	56° 10.00'	134° 56.14'	99	6.0	2,170	100	568	74	45	5	5
3075	7/8	56° 10.00'	135° 13.84'	151	6.0	1,041	35	105	13	50	0	0
3076	7/12	56° 20.00'	133° 44.08'	88	6.0	1,071	33	32	4	15	0	0
3077	7/1	56° 19.95'	134° 20.00'	85	6.0	985	28	120	16	5	10	0
3078	7/8	56° 20.00'	134° 56.67'	57	6.0	571	19	115	15	10	0	35
3079	6/28	56° 20.00'	135° 14.49'	87	6.0	889	38	280	39	5	30	20
3080	6/28	56° 20.00'	135° 32.28'	109	6.0	1,093	36	107	13	60	0	0
3081	7/12	56° 28.97'	133° 44.02'	54	6.0	712	23	123	19	5	30	10
3082	7/1	56° 29.81'	134° 20.00'	60	6.0	582	33	840	122	0	0	5
3083	6/28	56° 30.00'	135° 14.92'	60	6.0	753	41	640	95	0	0	30
3084	6/28	56° 30.00'	135° 33.42'	85	6.0	924	26	172	21	0	10	75
3085	6/27	56° 40.00'	135° 16.12'	25	6.0	1,173	29	74	9	0	0	40
3086	6/27	56° 40.00'	135° 34.12'	73	6.0	469	20	306	48	0	0	35
3087	6/27	56° 40.00'	135° 52.17'	129	6.0	2,039	93	232	27	45	10	10
3088	5/29	56° 50.00'	132° 50.12'	111	6.0	465	22	231	34	0	0	0
3089	6/27	56° 50.00'	135° 51.72'	100	6.0	228	11	117	15	35	5	40
3090	5/29	56° 57.01'	132° 58.23'	74	6.0	568	36	663	96	0	5	0
3091	5/30	57° 00.00'	134° 20.51'	185	6.0	714	35	263	36	150	0	5
3092	6/26	57° 00.00'	136° 00.23'	54	6.0	564	18	262	40	0	0	70
3093	5/29	57° 03.00'	133° 04.73'	77	6.0	434	20	172	24	0	25	0
3094	5/30	57° 10.01'	133° 45.06'	177	6.0	1,775	87	429	58	55	5	25
3095	5/30	57° 10.00'	134° 02.91'	157	6.0	1,197	52	436	61	75	5	5
3096	5/31	57° 09.99'	134° 39.92'	176	6.0	601	18	126	21	20	0	10
3097	6/26	57° 10.00'	135° 54.07'	38	6.0	533	10	152	21	0	0	35
3098	6/26	57° 10.00'	136° 11.74'	114	6.0	742	31	55	6	65	5	5
3099	6/1	57° 20.00'	133° 26.09'	75	6.0	53	1	19	4	5	0	0
3100	6/1	57° 20.00'	133° 44.94'	191	6.0	1,456	72	372	48	20	10	25
3101	5/31	57° 20.08'	134° 35.99'	161	6.0	1,068	46	392	56	25	0	45

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey Area 2C

3 of 3

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3102	6/25	57° 19.74'	135° 55.00'	43	6.0	391	11	92	13	0	0	15
3103	6/25	57° 20.00'	136° 12.92'	93	6.0	837	36	200	32	35	0	75
3104	6/1	57° 30.00'	133° 44.97'	123	6.0	880	41	135	18	6	0	0
3105	5/31	57° 30.91'	134° 38.00'	146	6.0	436	24	173	26	45	5	35
3106	6/25	57° 30.00'	136° 13.77'	51	6.0	65	5	209	36	0	0	15
3107	6/2	57° 40.00'	133° 45.19'	178	6.0	1,712	96	550	70	0	5	0
3108	6/17	57° 40.00'	136° 33.25'	90	6.0	1,033	59	498	64	0	0	45
3109	6/2	57° 50.00'	133° 53.95'	181	6.0	88	5	28	5	0	0	0
3110	6/17	57° 50.01'	136° 34.31'	55	6.0	745	29	657	88	0	0	25
3111	6/17	57° 50.00'	136° 52.91'	194	6.0	33	2	8	1	79	0	30
3112	6/2	58° 00.03'	134° 04.00'	121	6.0	92	5	33	4	0	0	5
3113	6/23	58° 00.00'	136° 40.13'	55	6.0	1,610	53	398	51	0	5	45
3114	6/18	58° 10.01'	135° 01.52'	102	6.0	445	14	131	20	0	10	10
3115	6/18	58° 10.00'	135° 20.38'	95	6.0	301	16	277	35	5	0	0
3116	6/23	58° 10.00'	136° 36.20'	119	6.0	1,338	31	36	4	85	10	10
3117	6/3	58° 12.00'	134° 23.96'	40	6.0	34	2	18	4	0	0	0
3118	6/3	58° 13.91'	134° 41.04'	41	6.0	143	1	0	0	0	0	0
3119	6/18	58° 15.00'	135° 40.20'	57	6.0	868	41	699	115	0	5	0
3120	6/23	58° 15.04'	136° 26.07'	107	6.0	923	21	133	19	10	15	0
3121	6/3	58° 19.92'	134° 43.03'	41	6.0	61	1	0	0	0	0	0
3122	6/19	58° 19.92'	135° 02.59'	201	6.0	499	15	8	1	50	0	0
3123	6/19	58° 30.03'	135° 01.97'	143	6.0	618	29	350	47	5	0	0
3124	6/19	58° 40.02'	135° 03.38'	158	6.0	270	15	93	11	10	0	0
123 Total Effective 2C Stations					Totals	103,794	4,018	26,194	3,570	3,533	383	2,618

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.