

2007 IPHC Stock Assessment Survey

Area 2 B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2001	6/4	48° 20.00'	-125° 37.93'	75	5.0	101	6	0	0	0	0	0
2002	6/4	48° 20.00'	-125° 53.05'	219	5.0	89	5	9	1	83	0	10
2003	6/4	48° 30.00'	-125° 23.08'	79	5.0	0	0	0	0	0	0	0
2004	6/4	48° 30.00'	-125° 38.16'	55	5.0	100	7	42	5	0	0	0
2005	6/5	48° 29.99'	-125° 52.98'	58	5.0	176	8	39	5	0	0	16
2006	6/5	48° 29.99'	-126° 07.95'	108	5.0	640	32	169	20	17	0	1
2007	6/6	48° 39.98'	-125° 07.00'	33	5.0	602	22	26	3	0	0	14
2008	6/6	48° 39.99'	-125° 23.01'	34	5.0	11	1	0	0	0	0	1
2009	6/6	48° 40.01'	-125° 38.00'	66	5.0	188	6	0	0	0	0	0
2010	6/5	48° 40.00'	-125° 53.01'	39	5.0	41	3	150	21	0	0	0
2011	6/5	48° 40.00'	-126° 07.96'	77	5.0	79	5	35	5	8	0	0
2012	6/7	48° 50.01'	-125° 37.03'	24	5.0	997	31	35	4	0	0	13
2013	6/7	48° 50.00'	-125° 53.19'	32	5.0	633	34	46	5	0	0	6
2014	6/7	48° 49.98'	-126° 08.04'	59	5.0	0	0	0	0	0	0	0
2015	6/9	48° 49.99'	-126° 22.99'	99	5.0	164	9	75	9	49	0	1
2016	6/7	49° 00.00'	-126° 08.02'	37	5.0	112	4	19	3	0	0	2
2017	6/9	48° 59.99'	-126° 23.06'	77	5.0	11	1	27	3	4	0	0
2018	6/9	48° 59.97'	-126° 38.06'	123	5.0	109	5	34	4	4	0	1
2019	6/12	49° 10.00'	-126° 23.05'	47	5.0	35	3	25	3	0	0	0
2020	6/12	49° 10.02'	-126° 38.02'	67	5.0	0	0	0	0	0	0	1
2021	6/8	49° 10.00'	-126° 52.86'	95	5.1	84	6	27	3	2	0	0
2023	6/12	49° 20.00'	-126° 23.00'	20	5.0	198	8	121	17	0	0	0
2024	6/12	49° 19.98'	-126° 38.09'	39	5.0	592	12	0	0	0	0	36
2025	6/8	49° 20.00'	-126° 53.00'	76	5.0	20	1	77	10	1	0	0
2026	6/8	49° 20.03'	-127° 08.96'	101	5.0	175	6	20	3	4	0	4
2027	6/13	49° 30.00'	-126° 38.01'	21	5.0	271	10	28	3	0	0	1
2028	6/13	49° 30.00'	-126° 52.94'	48	5.0	22	1	326	43	0	0	0
2029	6/13	49° 30.00'	-127° 08.92'	78	5.0	80	6	155	20	3	0	0
2030	6/13	49° 39.99'	-127° 09.04'	62	5.0	53	4	352	43	0	0	0
2031	6/14	49° 39.99'	-127° 23.70'	115	5.0	322	12	15	2	19	0	16
2032	6/14	49° 49.99'	-127° 24.00'	41	5.0	564	31	549	69	0	0	0
2033	6/14	49° 50.00'	-127° 39.94'	92	5.0	58	4	77	10	8	0	1
2034	6/14	50° 00.00'	-127° 39.96'	45	5.0	140	6	236	32	0	0	0
2035	6/15	50° 20.02'	-128° 11.02'	87	5.0	614	24	129	15	0	1	32
2037	6/15	50° 29.99'	-128° 27.00'	101	5.0	379	13	86	11	5	0	46
2038	6/15	50° 40.00'	-128° 27.97'	46	5.0	244	10	170	25	0	0	19
2039	6/28	50° 40.00'	-128° 44.02'	103	5.0	27	2	0	0	1	0	5
2040	6/28	50° 49.98'	-128° 28.02'	31	5.0	554	26	149	20	0	0	9
2041	6/16	51° 00.00'	-127° 57.09'	62	5.0	225	8	290	45	0	0	0
2042	6/16	50° 59.99'	-128° 13.05'	55	5.0	60	5	234	32	0	0	2
2043	6/16	51° 10.00'	-127° 56.05'	67	5.0	550	36	544	66	0	0	0
2044	6/28	50° 49.99'	-128° 59.88'	47	5.0	1,605	45	260	35	0	0	14
2045	7/2	50° 49.98'	-129° 16.01'	67	5.0	1,957	55	225	27	0	0	47
2046	6/25	50° 59.99'	-128° 27.89'	52	5.0	247	14	340	47	0	0	0
2047	6/25	50° 59.98'	-128° 43.15'	36	5.0	374	17	199	26	0	0	0
2048	6/29	50° 59.98'	-129° 00.06'	44	5.0	114	5	73	10	0	0	0
2049	6/29	50° 59.99'	-129° 16.09'	86	5.0	106	6	50	6	21	2	1
2050	7/2	51° 00.00'	-129° 31.96'	130	5.0	490	8	0	0	6	0	31
2051	6/16	51° 10.00'	-128° 12.14'	53	5.0	191	9	120	16	0	0	19
2052	6/25	51° 10.00'	-128° 27.96'	105	5.0	12	1	64	8	1	0	7

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2007 IPHC Stock Assessment Survey

Area 2 B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2053	6/25	51° 10.00'	-128° 44.05'	53	5.0	21	1	372	56	0	0	0
2054	6/29	51° 10.01'	-129° 00.02'	72	5.0	316	21	737	96	6	0	0
2055	6/29	51° 09.98'	-129° 16.08'	146	5.0	198	11	44	6	65	0	8
2056	7/2	51° 10.00'	-129° 31.96'	152	5.0	78	3	24	3	27	0	0
2057	6/17	51° 20.00'	-127° 55.00'	76	5.0	312	15	78	10	0	0	6
2058	6/17	51° 19.99'	-128° 11.04'	45	5.0	22	2	132	22	0	0	0
2059	6/17	51° 20.00'	-128° 27.06'	81	5.0	113	3	128	16	9	1	0
2060	6/24	51° 20.02'	-128° 43.00'	113	5.0	260	13	101	12	16	0	4
2061	6/24	51° 20.00'	-128° 59.03'	134	5.1	145	8	126	14	88	0	13
2062	6/30	51° 20.00'	-129° 15.02'	128	5.0	218	14	111	13	68	0	4
2063	6/30	51° 20.01'	-129° 31.00'	111	5.0	194	10	44	6	40	0	1
2064	7/1	51° 20.00'	-129° 46.95'	131	5.0	80	4	0	0	64	0	7
2065	6/20	51° 30.00'	-128° 10.96'	47	5.0	309	9	125	16	0	0	31
2066	6/20	51° 29.99'	-128° 26.96'	103	5.0	100	5	101	13	8	0	4
2067	6/24	51° 29.98'	-128° 42.80'	51	5.0	25	2	40	5	0	0	0
2068	6/24	51° 29.98'	-128° 58.95'	24	5.0	231	12	97	13	0	0	0
2069	6/30	51° 30.00'	-129° 15.04'	26	5.0	159	10	141	19	0	0	6
2070	6/30	51° 29.99'	-129° 31.02'	54	5.0	694	15	48	6	0	0	42
2071	7/1	51° 29.99'	-129° 47.09'	92	5.0	474	19	60	7	24	1	64
2072	7/1	51° 30.00'	-130° 02.91'	158	5.0	353	10	10	1	61	0	23
2073	6/20	51° 40.03'	-128° 26.09'	78	5.0	286	16	108	15	0	0	5
2074	6/23	51° 40.00'	-128° 58.90'	26	5.0	176	14	170	19	0	0	0
2075	6/23	51° 39.99'	-129° 14.93'	32	5.1	97	8	168	23	0	0	0
2076	6/22	51° 39.98'	-129° 30.98'	54	5.0	23	2	308	39	0	0	0
2077	6/22	51° 40.00'	-129° 47.06'	145	5.0	81	4	33	4	36	0	9
2078	6/20	51° 49.93'	-128° 25.98'	80	5.0	167	6	106	14	6	1	20
2079	6/23	51° 49.98'	-128° 41.90'	59	5.0	138	11	651	88	0	1	1
2080	6/23	51° 50.00'	-128° 57.92'	45	5.0	161	7	198	23	1	0	11
2081	6/22	51° 50.00'	-129° 13.92'	67	5.0	233	15	326	39	0	0	2
2082	6/22	51° 49.99'	-129° 30.99'	139	5.0	252	10	59	7	25	0	15
2083	6/21	51° 59.99'	-128° 41.91'	90	5.0	157	10	116	13	2	0	10
2084	6/21	52° 00.00'	-128° 58.03'	75	5.0	379	25	392	47	0	0	6
2085	6/21	52° 00.00'	-129° 13.98'	97	5.0	169	10	66	7	0	0	1
2086	6/21	52° 10.02'	-128° 40.97'	118	4.9	120	4	55	6	7	0	30
2087	6/10	51° 40.14'	-130° 02.47'	194	4.9	63	4	6	1	87	0	8
2088	6/10	51° 39.87'	-130° 19.00'	144	4.9	347	8	10	2	27	0	16
2089	6/7	51° 50.01'	-129° 47.01'	143	5.0	113	8	115	15	12	0	15
2090	6/10	51° 49.99'	-130° 03.01'	100	5.0	775	31	111	13	6	0	14
2091	6/10	51° 50.00'	-130° 19.43'	119	4.9	101	5	65	8	2	0	31
2092	6/8	51° 50.18'	-130° 35.00'	164	4.9	759	39	221	25	49	0	9
2093	6/8	51° 49.99'	-130° 51.98'	103	4.9	310	4	0	0	0	0	62
2094	6/7	52° 00.00'	-129° 30.01'	113	5.0	257	11	93	10	35	1	35
2095	6/7	51° 59.66'	-129° 46.98'	62	4.9	692	20	358	48	0	0	21
2096	6/6	52° 00.05'	-130° 03.00'	76	5.0	109	7	256	35	0	0	0
2097	6/6	52° 00.08'	-130° 19.01'	196	5.0	174	4	6	1	37	0	0
2098	6/8	51° 59.96'	-130° 34.99'	136	5.0	467	18	136	17	8	0	2
2099	6/8	51° 59.80'	-130° 51.98'	103	5.0	182	4	25	3	0	0	2
2100	7/3	52° 10.06'	-128° 57.01'	89	5.0	386	18	15	2	0	0	89
2101	7/3	52° 09.99'	-129° 14.01'	94	5.0	19	1	22	3	1	0	3
2102	7/4	52° 09.93'	-129° 30.02'	115	5.0	57	3	0	0	26	0	6

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2007 IPHC Stock Assessment Survey

Area 2 B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2103	7/4	52° 09.90'	-129° 46.02'	112	5.0	136	7	29	4	1	1	3
2104	6/6	52° 10.03'	-130° 02.98'	90	5.0	75	5	26	3	0	0	0
2105	6/6	52° 10.09'	-130° 18.99'	223	4.9	57	1	0	0	68	0	1
2106	7/6	52° 10.11'	-130° 35.00'	105	4.9	407	16	28	4	8	0	8
2107	7/6	52° 09.95'	-130° 52.00'	122	5.0	985	55	238	29	0	0	1
2108	7/3	52° 19.98'	-129° 13.00'	81	5.0	1,418	80	743	91	0	1	2
2109	7/4	52° 19.91'	-129° 30.00'	99	5.0	1,048	36	107	13	1	1	15
2110	7/4	52° 20.00'	-129° 46.00'	114	4.9	211	12	28	3	1	0	89
2111	7/5	52° 20.09'	-130° 03.00'	127	4.9	499	16	58	8	1	1	21
2112	7/5	52° 19.98'	-130° 19.00'	191	5.0	424	11	10	1	80	0	7
2113	7/6	52° 19.95'	-130° 35.00'	91	5.0	266	12	115	13	0	0	3
2114	7/6	52° 19.98'	-130° 52.00'	80	5.0	421	25	252	28	1	0	0
2115	6/5	52° 29.82'	-129° 32.00'	58	5.0	267	14	450	64	0	0	1
2116	6/5	52° 29.95'	-129° 45.99'	99	5.0	528	14	35	4	0	0	10
2117	7/5	52° 30.04'	-130° 02.00'	148	5.0	844	39	34	4	20	0	19
2118	7/5	52° 30.11'	-130° 19.02'	138	5.0	1,091	35	34	4	39	1	9
2119	6/17	52° 29.91'	-130° 35.00'	65	4.9	214	9	101	12	0	0	19
2120	6/17	52° 29.81'	-130° 51.98'	60	5.0	113	8	103	13	0	0	1
2121	6/5	52° 40.00'	-129° 46.00'	107	5.0	173	6	11	1	0	0	8
2122	6/18	52° 39.99'	-130° 01.99'	147	5.0	558	20	33	4	55	0	8
2123	6/18	52° 40.00'	-130° 19.00'	125	5.0	283	12	24	3	8	0	46
2124	6/17	52° 39.90'	-130° 35.00'	81	4.9	489	25	91	11	1	1	19
2125	6/18	52° 49.89'	-130° 02.01'	140	5.0	62	3	32	4	50	0	9
2126	6/18	52° 49.91'	-130° 19.00'	115	5.0	164	11	26	4	2	0	9
2127	6/11	53° 00.00'	-129° 45.27'	126	4.9	286	12	67	9	16	0	29
2128	6/11	53° 00.01'	-130° 01.97'	104	4.9	14	1	0	0	0	0	8
2129	6/16	52° 30.06'	-131° 08.00'	47	5.0	277	18	52	8	0	0	21
2130	6/16	52° 30.00'	-131° 25.00'	69	5.0	81	4	16	2	0	0	7
2131	6/16	52° 39.90'	-130° 52.01'	51	4.9	200	9	301	41	0	0	0
2132	6/16	52° 39.98'	-131° 07.98'	39	5.0	92	5	145	18	0	0	0
2133	6/15	52° 49.90'	-130° 35.00'	62	5.0	50	3	56	6	0	0	0
2134	6/15	52° 49.80'	-130° 52.01'	27	4.9	49	3	63	9	0	0	0
2135	7/7	53° 00.07'	-130° 18.00'	116	5.0	92	3	13	2	18	0	44
2136	6/15	52° 59.89'	-130° 35.00'	51	4.9	50	3	17	2	0	0	1
2137	7/7	53° 10.09'	-130° 18.00'	83	5.0	543	12	25	3	0	1	28
2138	7/2	53° 10.08'	-130° 35.02'	104	5.0	167	10	16	2	8	0	8
2139	7/2	53° 09.93'	-130° 52.00'	57	5.0	100	5	27	4	0	1	0
2140	7/7	53° 19.93'	-130° 18.02'	57	5.0	561	30	281	33	0	0	1
2141	7/2	53° 20.03'	-130° 35.00'	43	5.0	293	14	215	27	0	0	52
2142	7/2	53° 19.98'	-130° 52.02'	74	5.0	300	11	55	7	1	8	4
2143	6/24	53° 19.69'	-132° 49.03'	76	5.0	609	25	270	35	0	0	15
2144	6/24	53° 19.95'	-133° 06.01'	129	5.0	458	19	44	5	14	0	10
2145	6/14	53° 29.98'	-130° 52.20'	51	5.0	80	5	87	12	0	0	0
2146	6/24	53° 30.06'	-133° 06.01'	201	5.0	135	9	82	10	57	0	56
2147	6/14	53° 40.13'	-130° 34.84'	16	5.0	242	14	89	12	0	0	1
2148	6/14	53° 39.78'	-130° 51.98'	26	5.0	324	15	324	47	0	0	0
2149	6/24	53° 40.19'	-133° 07.00'	79	5.0	507	32	453	57	0	0	22
2150	6/14	53° 49.97'	-130° 52.01'	46	5.0	296	21	286	35	0	18	0
2151	6/23	53° 59.88'	-133° 24.99'	41	5.0	898	27	165	20	0	0	22
2152	6/19	54° 09.05'	-130° 35.00'	48	5.0	411	19	111	14	2	0	6

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2007 IPHC Stock Assessment Survey

Area 2 B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2153	6/26	54° 10.00'	-132° 00.16'	40	5.0	12	1	65	10	0	1	0
2154	6/22	54° 10.05'	-132° 16.96'	50	5.0	31	2	269	39	0	0	1
2155	6/22	54° 10.00'	-132° 34.28'	47	5.0	26	2	285	46	0	0	0
2156	6/25	54° 09.93'	-133° 08.96'	35	5.0	368	13	142	19	0	0	28
2157	6/23	54° 10.04'	-133° 26.00'	215	5.0	48	4	77	10	57	0	31
2158	6/19	54° 20.01'	-130° 35.00'	54	5.0	284	14	100	14	1	0	7
2159	6/28	54° 20.00'	-131° 09.02'	35	5.0	30	2	576	78	0	0	0
2160	6/28	54° 20.05'	-131° 26.00'	95	5.0	41	3	21	3	14	0	12
2161	6/27	54° 20.00'	-131° 43.19'	103	5.0	100	8	198	24	3	0	5
2162	6/26	54° 19.99'	-132° 01.34'	135	5.0	0	0	27	4	49	0	8
2163	6/22	54° 20.00'	-132° 18.23'	117	5.0	322	16	55	8	19	1	13
2164	6/22	54° 20.03'	-132° 35.12'	145	5.0	425	14	37	6	60	0	8
2165	6/25	54° 20.00'	-132° 52.02'	214	5.0	69	2	54	7	78	0	32
2166	6/25	54° 19.99'	-133° 10.06'	254	5.0	259	7	14	2	98	0	29
2167	6/23	54° 20.10'	-133° 25.98'	122	5.0	959	37	129	17	13	0	73
2168	6/23	54° 19.88'	-133° 43.01'	135	5.0	433	23	222	29	9	9	3
2169	6/19	54° 30.04'	-130° 35.00'	63	5.0	405	16	83	10	0	2	1
2170	6/28	54° 30.10'	-131° 09.01'	76	4.9	344	24	415	49	9	7	0
2171	6/27	54° 30.00'	-131° 25.96'	73	5.0	455	17	121	15	0	0	9
2172	6/27	54° 30.00'	-131° 44.30'	182	5.0	24	1	24	3	65	0	8
170 Total Effective 2B Stations					Totals	48,449	2,094	21,141	2,734	2,006	62	1,903

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.