

## 2011 IPHC Stock Assessment Survey Area 2B

1 of 4

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#s	Lbs. <sup>2</sup>	#s	Sablefish	P. Cod	Rockfish
2001	5/31	48° 20.08'	-125° 38.00'	76	6.0	34	2	23	3	0	0	0
2002	5/31	48° 19.82'	-125° 53.01'	177	6.0	45	2	0	0	130	0	13
2003	5/30	48° 30.01'	-125° 23.34'	78	6.0	0	0	8	1	1	0	0
2004	5/31	48° 28.50'	-125° 37.81'	51	6.0	0	0	0	0	0	0	0
2005	5/31	48° 30.00'	-125° 53.03'	57	6.0	12	1	0	0	0	0	2
2006	6/1	48° 30.00'	-126° 07.75'	110	6.0	374	22	41	5	92	3	7
2007	5/30	48° 40.00'	-125° 06.97'	32	6.0	391	20	9	1	0	0	19
2008	5/30	48° 40.00'	-125° 22.87'	35	6.0	546	32	209	26	0	2	21
2009	6/2	48° 40.00'	-125° 37.83'	68	5.9	0	0	0	0	0	0	0
2010	6/1	48° 40.00'	-125° 53.22'	40	6.0	12	1	0	0	0	0	0
2011	6/1	48° 40.00'	-126° 08.02'	77	5.9	28	1	0	0	3	0	0
2012	6/2	48° 50.00'	-125° 37.25'	23	6.0	800	32	51	6	0	0	17
2013	6/2	48° 50.01'	-125° 53.08'	32	6.0	645	30	46	5	0	0	12
2014	6/5	48° 50.00'	-126° 07.96'	59	6.0	13	1	29	3	1	0	0
2015	6/5	48° 50.00'	-126° 22.80'	99	6.0	250	16	29	3	54	1	6
2016	6/5	48° 59.99'	-126° 08.22'	38	6.0	128	9	126	15	0	0	1
2017	6/3	49° 00.00'	-126° 22.94'	75	6.0	11	1	5	1	1	0	0
2018	6/3	48° 59.99'	-126° 38.20'	116	6.0	336	19	59	6	16	0	2
2019	6/3	49° 10.00'	-126° 23.16'	46	6.0	118	8	73	11	0	0	0
2020	6/3	49° 09.99'	-126° 38.16'	67	6.0	20	1	40	5	0	0	4
2021	6/9	49° 10.00'	-126° 52.91'	96	6.0	140	6	53	6	22	1	0
2023	6/4	49° 20.01'	-126° 23.07'	22	6.0	352	16	103	11	0	0	0
2024	6/4	49° 20.00'	-126° 37.70'	40	5.9	2,468	81	29	3	0	0	53
2025	6/9	49° 20.00'	-126° 53.02'	76	6.0	85	6	8	1	0	1	0
2026	6/9	49° 20.00'	-127° 09.01'	101	6.0	374	17	56	6	15	0	4
2027	6/4	49° 30.00'	-126° 38.02'	22	6.0	690	28	44	5	0	0	4
2028	6/10	49° 30.00'	-126° 53.00'	50	5.9	51	4	118	15	0	0	0
2029	6/10	49° 30.00'	-127° 08.95'	80	6.0	97	6	82	9	0	0	0
2030	6/10	49° 40.00'	-127° 09.03'	63	6.0	78	6	121	15	0	1	1
2031	6/10	49° 40.00'	-127° 24.01'	130	5.9	576	31	242	29	16	0	39
2032	6/11	49° 50.00'	-127° 24.00'	42	6.0	273	18	225	27	0	0	0
2033	6/11	49° 50.00'	-127° 40.09'	94	6.0	158	8	59	7	3	0	1
2034	6/11	50° 00.00'	-127° 40.01'	47	5.9	392	26	349	42	0	0	6
2035	6/12	50° 20.04'	-128° 11.02'	86	6.0	191	11	52	7	2	1	79
2037	6/12	50° 30.09'	-128° 27.00'	102	6.0	278	16	92	11	9	2	33
2038	6/13	50° 40.00'	-128° 28.08'	47	6.0	253	15	364	47	0	0	27
2039	6/13	50° 40.00'	-128° 44.07'	101	6.0	62	4	54	7	14	2	14
2040	6/13	50° 50.00'	-128° 28.16'	30	5.9	1,347	51	117	14	0	0	5
2041	6/23	51° 00.16'	-127° 57.01'	60	6.0	88	3	30	4	1	1	0
2042	6/23	51° 00.06'	-128° 13.00'	57	6.0	130	7	103	12	0	2	16
2043	6/23	51° 09.98'	-127° 56.00'	67	6.0	141	9	120	15	2	0	0
2044	6/18	50° 50.01'	-129° 00.08'	48	6.0	1,287	33	13	2	0	0	26
2045	6/18	50° 50.00'	-129° 16.16'	69	6.0	263	11	79	10	0	0	8
2046	6/14	51° 00.00'	-128° 28.21'	50	6.0	439	23	238	31	0	0	1
2047	6/19	51° 00.00'	-128° 44.19'	36	6.0	811	35	252	32	0	0	2
2048	6/19	51° 00.00'	-129° 00.16'	44	6.0	341	17	177	24	0	0	0
2049	6/18	51° 00.00'	-129° 15.94'	86	6.0	42	3	110	13	0	0	0
2050	6/17	51° 00.01'	-129° 31.70'	130	6.0	853	42	103	12	31	1	63
2051	6/14	51° 10.00'	-128° 11.96'	53	6.0	397	14	33	4	0	0	11
2052	6/14	51° 10.00'	-128° 27.95'	105	6.0	100	6	49	6	1	0	1

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

**2011 IPHC Stock Assessment Survey  
Area 2B**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2053	6/19	51° 10.00'	-128° 44.12'	54	6.0	160	13	739	99	0	0	0
2054	6/19	51° 10.00'	-129° 00.11'	72	6.0	353	23	314	41	0	0	0
2055	6/17	51° 10.00'	-129° 16.02'	147	6.0	601	35	167	19	34	0	15
2056	6/17	51° 10.00'	-129° 31.84'	156	6.0	982	59	367	43	76	0	1
2057	7/8	51° 19.95'	-127° 55.00'	73	6.0	442	21	56	8	2	3	10
2058	7/8	51° 20.00'	-128° 10.97'	46	6.0	155	11	207	29	0	0	0
2059	6/20	51° 20.00'	-128° 27.06'	82	6.0	82	6	153	19	11	0	0
2060	6/20	51° 20.00'	-128° 43.09'	114	6.0	439	29	68	8	8	1	7
2061	7/4	51° 19.94'	-128° 59.00'	135	6.0	145	10	44	5	84	0	6
2062	7/4	51° 19.86'	-129° 15.00'	133	6.0	226	17	82	9	52	0	4
2063	6/24	51° 20.00'	-129° 31.05'	114	6.0	126	9	87	11	39	0	13
2064	6/24	51° 20.00'	-129° 47.08'	133	6.0	112	8	35	4	5	0	1
2065	7/8	51° 30.00'	-128° 11.02'	46	6.0	544	18	136	18	0	0	105
2066	6/20	51° 30.00'	-128° 26.93'	104	6.0	144	9	9	1	7	0	2
2067	6/20	51° 30.00'	-128° 42.95'	47	6.0	90	7	167	21	0	0	0
2068	7/4	51° 30.13'	-128° 59.00'	24	6.0	609	31	173	21	0	0	0
2069	7/5	51° 30.09'	-129° 15.01'	28	5.9	368	24	190	24	0	0	0
2070	6/24	51° 30.00'	-129° 30.98'	55	6.0	3,397	153	459	53	0	0	39
2071	6/24	51° 30.00'	-129° 46.90'	92	6.0	1,443	74	261	31	17	0	68
2072	6/28	51° 30.08'	-130° 03.00'	154	6.0	624	29	74	9	56	1	17
2073	7/9	51° 40.00'	-128° 25.99'	78	6.0	211	13	57	9	10	1	2
2074	7/10	51° 40.00'	-128° 58.86'	26	6.0	69	5	119	13	0	0	0
2075	7/5	51° 40.02'	-129° 16.00'	30	6.0	34	3	70	8	0	0	0
2076	7/3	51° 40.14'	-129° 31.00'	53	6.0	11	1	12	2	0	0	0
2077	7/3	51° 39.96'	-129° 47.00'	142	6.0	276	14	75	9	26	0	11
2078	7/9	51° 50.06'	-128° 26.00'	89	6.0	119	7	39	4	0	0	4
2079	7/9	51° 50.00'	-128° 41.94'	59	5.9	73	6	544	71	0	1	0
2080	7/10	51° 50.11'	-128° 58.00'	45	6.0	580	40	365	42	0	0	13
2081	7/10	51° 50.00'	-129° 13.85'	67	6.0	249	17	184	20	0	0	1
2082	7/3	51° 49.88'	-129° 31.02'	140	6.0	98	6	9	1	22	0	5
2083	7/21	52° 00.00'	-128° 42.23'	90	6.0	145	9	29	3	0	0	10
2084	7/21	52° 00.00'	-128° 58.03'	75	6.0	770	52	385	47	0	0	3
2085	7/22	52° 00.00'	-129° 14.21'	100	6.0	85	4	28	3	0	0	0
2086	7/21	52° 10.00'	-128° 41.32'	123	6.0	120	7	21	3	20	0	17
2087	6/28	51° 40.12'	-130° 03.00'	193	6.0	74	1	0	0	136	0	51
2088	6/28	51° 40.04'	-130° 19.00'	140	6.0	536	25	98	12	29	0	49
2089	7/3	51° 49.88'	-129° 47.00'	144	6.0	26	1	14	2	26	0	4
2090	7/2	51° 49.99'	-130° 03.00'	99	6.0	1,503	70	308	35	1	0	39
2091	6/30	51° 50.03'	-130° 19.00'	117	6.0	2,550	108	395	45	11	0	11
2092	6/29	51° 50.01'	-130° 35.09'	161	5.2	612	28	158	18	64	1	10
2093	6/29	51° 50.00'	-130° 52.25'	97	6.0	1,360	41	46	6	3	0	131
2094	7/22	52° 00.01'	-129° 29.96'	112	6.0	483	20	66	9	54	1	52
2095	7/2	51° 59.86'	-129° 47.02'	63	6.0	636	23	260	34	0	0	53
2096	7/2	51° 59.95'	-130° 03.01'	77	6.0	443	23	246	34	0	0	8
2097	6/30	51° 59.84'	-130° 20.55'	201	6.0	185	5	5	1	57	0	3
2098	6/30	51° 59.86'	-130° 35.01'	137	6.0	481	18	36	5	26	3	6
2099	6/29	52° 00.01'	-130° 51.99'	102	5.9	980	34	69	8	0	0	11
2100	7/20	52° 10.00'	-128° 57.05'	93	6.0	547	35	145	16	4	0	64
2101	7/20	52° 10.00'	-129° 13.65'	95	6.0	17	1	7	1	3	0	0
2102	7/22	52° 09.98'	-129° 29.94'	114	6.0	323	10	0	0	9	0	5

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

## 2011 IPHC Stock Assessment Survey Area 2B

3 of 4

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2103	7/24	52° 10.28'	-129° 45.99'	109	6.0	112	5	33	4	1	1	22
2104	7/11	52° 10.01'	-130° 03.00'	88	6.0	88	5	43	5	0	0	2
2105	7/11	52° 10.21'	-130° 19.00'	220	6.0	151	4	8	1	73	0	5
2106	7/12	52° 09.92'	-130° 35.00'	105	6.0	1,348	46	78	10	1	2	27
2107	7/12	52° 09.89'	-130° 52.00'	122	6.0	1,545	57	35	4	8	4	6
2108	7/20	52° 20.06'	-129° 13.00'	82	6.0	454	23	61	7	2	1	37
2109	7/24	52° 19.88'	-129° 30.01'	96	6.0	669	28	53	6	0	0	11
2110	7/24	52° 20.02'	-129° 46.00'	116	6.0	726	42	68	8	2	0	97
2111	7/11	52° 20.09'	-130° 03.00'	127	6.0	890	26	133	15	0	1	1
2112	7/11	52° 20.00'	-130° 19.06'	195	6.0	378	9	28	3	90	0	15
2113	7/13	52° 19.71'	-130° 35.01'	91	6.0	829	31	81	9	0	4	20
2114	7/12	52° 20.02'	-130° 52.00'	79	6.0	770	42	210	25	1	0	0
2115	7/19	52° 30.00'	-129° 31.59'	47	6.0	933	55	302	34	0	0	27
2116	7/19	52° 30.00'	-129° 46.11'	100	6.0	1,822	74	38	4	22	6	15
2117	7/18	52° 30.00'	-130° 02.10'	148	6.0	856	28	22	3	25	0	14
2118	7/18	52° 30.00'	-130° 19.10'	141	6.0	120	5	8	1	33	0	9
2119	7/13	52° 30.05'	-130° 35.00'	65	6.0	1,301	45	105	13	0	0	32
2120	7/13	52° 30.12'	-130° 52.01'	58	6.0	531	19	143	18	0	0	11
2121	7/19	52° 40.12'	-129° 46.01'	104	6.0	229	5	20	2	0	0	18
2122	7/18	52° 40.10'	-130° 01.99'	147	6.0	67	2	15	2	43	0	28
2123	7/14	52° 40.00'	-130° 19.43'	116	6.0	132	6	0	0	29	2	37
2124	7/14	52° 40.00'	-130° 34.95'	79	6.0	793	31	7	1	3	4	15
2125	7/25	52° 50.09'	-130° 02.00'	141	6.0	23	1	0	0	70	0	2
2126	7/14	52° 50.00'	-130° 19.18'	112	6.0	153	7	23	3	23	0	3
2127	7/25	53° 00.00'	-129° 44.96'	123	6.0	25	2	14	3	30	0	7
2128	7/25	53° 00.19'	-130° 02.00'	96	6.0	153	10	18	2	19	8	45
2129	7/15	52° 29.86'	-131° 08.00'	49	6.0	871	48	378	45	0	1	18
2130	7/15	52° 30.05'	-131° 25.00'	79	6.0	365	16	49	6	0	0	12
2131	7/14	52° 39.94'	-130° 52.00'	51	6.0	296	18	587	74	0	0	1
2132	7/14	52° 40.23'	-131° 08.00'	38	6.0	683	32	233	26	0	0	0
2133	7/14	52° 49.80'	-130° 35.00'	63	6.0	157	10	53	6	0	0	7
2134	7/14	52° 49.89'	-130° 52.00'	27	6.0	227	11	37	6	0	0	0
2135	7/13	52° 59.95'	-130° 18.05'	115	6.0	105	4	10	1	69	1	32
2136	7/13	53° 00.27'	-130° 35.00'	50	6.0	245	16	246	31	0	1	0
2137	7/13	53° 09.87'	-130° 18.00'	88	6.0	882	23	76	8	6	3	26
2138	7/13	53° 09.98'	-130° 35.00'	104	6.0	103	5	8	1	34	0	16
2139	7/16	53° 09.79'	-130° 52.00'	59	6.0	89	6	35	4	0	2	0
2140	7/16	53° 19.98'	-130° 18.00'	55	6.0	1,249	62	238	28	0	2	2
2141	7/16	53° 19.84'	-130° 35.00'	44	6.0	746	44	498	58	0	0	34
2142	7/16	53° 20.09'	-130° 52.00'	75	6.0	1,115	65	114	12	4	11	2
2143	7/25	53° 19.89'	-132° 49.00'	77	6.0	1,001	26	326	46	0	0	62
2144	7/25	53° 20.02'	-133° 06.00'	133	6.0	1,776	55	80	9	38	0	8
2145	7/17	53° 29.97'	-130° 52.00'	51	6.0	359	28	410	50	0	31	0
2146	7/25	53° 30.09'	-133° 06.00'	211	6.0	200	9	0	0	137	0	69
2147	7/17	53° 39.95'	-130° 35.00'	18	6.0	250	13	89	12	0	0	3
2148	7/17	53° 39.95'	-130° 52.00'	25	6.0	161	10	195	25	0	0	0
2149	7/25	53° 39.97'	-133° 07.00'	81	6.0	931	53	602	72	0	0	20
2150	7/17	53° 49.98'	-130° 52.00'	47	6.0	389	26	406	51	8	7	0
2151	7/26	54° 00.04'	-133° 25.00'	42	6.0	1,599	46	200	24	0	0	34
2152	7/12	54° 09.88'	-130° 35.00'	58	6.0	247	11	87	10	1	2	1

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

**2011 IPHC Stock Assessment Survey  
Area 2B**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)			
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish	
2153	7/22	54° 10.05'	-132° 00.00'	39	6.1	349	26	884	124	0	4	0	
2154	7/22	54° 10.04'	-132° 17.00'	51	6.0	159	11	387	55	0	18	0	
2155	7/23	54° 10.03'	-132° 34.00'	47	6.0	119	5	169	21	0	4	4	
2156	7/26	54° 10.18'	-133° 09.00'	40	6.0	825	27	338	42	0	0	23	
2157	7/26	54° 10.09'	-133° 26.00'	218	6.0	226	7	22	3	43	0	54	
2158	7/12	54° 19.95'	-130° 35.00'	49	6.0	415	16	120	16	0	2	7	
2159	7/18	54° 20.08'	-131° 09.00'	37	6.0	177	11	272	34	0	35	0	
2160	7/18	54° 20.08'	-131° 26.00'	97	6.0	216	12	90	11	15	6	21	
2161	7/27	54° 20.01'	-131° 43.00'	103	6.0	828	49	191	21	2	3	12	
2162	7/22	54° 20.00'	-132° 01.00'	137	6.0	514	21	14	2	46	0	10	
2163	7/22	54° 20.07'	-132° 18.00'	123	6.0	707	31	61	7	32	15	23	
2164	7/23	54° 20.00'	-132° 34.70'	145	6.0	728	26	0	0	82	9	43	
2165	7/23	54° 20.00'	-132° 52.05'	216	6.0	932	18	27	3	121	0	18	
2166	7/24	54° 20.08'	-133° 09.00'	254	6.0	912	22	34	4	99	0	49	
2167	7/24	54° 20.26'	-133° 26.00'	122	6.0	1,411	55	172	21	12	5	137	
2168	7/24	54° 20.05'	-133° 43.00'	136	6.0	598	32	132	16	2	5	0	
2169	7/12	54° 29.95'	-130° 35.00'	63	6.0	50	3	110	13	1	1	1	
2170	7/18	54° 29.95'	-131° 09.00'	75	6.0	381	27	294	35	21	21	0	
2171	7/18	54° 29.82'	-131° 26.00'	62	6.0	1,059	52	195	24	4	14	43	
2172	7/27	54° 29.98'	-131° 44.00'	187	6.0	192	9	8	1	52	0	7	
<b>170 Total Effective 2B Stations</b>						<b>Totals</b>	<b>81,101</b>	<b>3,669</b>	<b>21,826</b>	<b>2,693</b>	<b>2,610</b>	<b>266</b>	<b>2,654</b>

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.