

## 2012 IPHC Stock Assessment Survey Area 2B

1 of 4

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2001	5/28	48° 20.00'	-125° 38.90'	76	4.0	0	0	0	0	0	0	0
2002	5/28	48° 20.06'	-125° 52.97'	195	4.0	0	0	10	1	17	0	3
2003	5/27	48° 29.98'	-125° 23.97'	74	4.0	97	7	56	6	8	1	0
2004	5/28	48° 29.98'	-125° 37.97'	58	4.0	12	1	19	2	0	0	0
2005	5/29	48° 29.96'	-125° 52.00'	57	4.0	34	3	42	5	0	0	4
2006	5/29	48° 30.37'	-126° 08.00'	107	4.0	184	9	14	2	7	0	1
2007	5/27	48° 40.00'	-125° 08.04'	36	4.0	463	23	15	2	0	0	8
2008	5/27	48° 40.00'	-125° 23.86'	33	4.0	928	45	192	25	0	0	1
2009	5/30	48° 39.98'	-125° 37.11'	71	4.0	101	5	29	3	2	0	1
2010	5/30	48° 40.03'	-125° 52.86'	40	4.0	110	9	238	30	0	0	0
2011	5/29	48° 40.01'	-126° 07.41'	75	4.0	99	6	10	1	0	0	0
2012	5/30	48° 50.02'	-125° 36.85'	23	4.1	599	24	49	5	0	0	13
2013	5/31	48° 50.00'	-125° 53.07'	32	4.0	376	10	24	3	0	0	5
2014	5/31	48° 49.98'	-126° 08.75'	61	4.0	43	3	173	24	27	0	0
2015	5/31	48° 49.97'	-126° 22.22'	97	4.0	35	2	11	1	2	0	1
2016	6/1	48° 59.98'	-126° 08.27'	38	4.0	391	27	242	32	0	0	0
2017	6/1	48° 59.97'	-126° 24.13'	77	4.0	44	2	46	7	1	0	0
2018	6/1	48° 59.86'	-126° 39.00'	124	4.0	0	0	8	1	1	0	0
2019	6/4	49° 10.05'	-126° 23.07'	46	4.0	53	3	392	56	0	0	0
2020	6/4	49° 10.00'	-126° 36.91'	65	4.0	111	8	147	18	0	0	5
2021	6/5	49° 10.02'	-126° 53.05'	95	4.0	71	5	24	3	0	0	0
2023	6/4	49° 20.03'	-126° 23.67'	20	4.0	440	23	228	28	0	0	0
2024	6/6	49° 19.97'	-126° 37.79'	36	4.0	1,822	56	13	2	0	0	39
2025	6/5	49° 19.95'	-126° 53.80'	77	4.0	142	10	82	10	1	0	0
2026	6/5	49° 20.05'	-127° 08.03'	96	4.0	88	6	0	0	3	0	1
2027	6/6	49° 30.04'	-126° 38.02'	21	4.0	256	10	16	2	1	0	1
2028	6/6	49° 29.97'	-126° 52.22'	45	4.0	25	2	126	17	0	0	0
2029	6/7	49° 29.42'	-127° 08.41'	79	4.0	50	4	79	11	0	1	0
2030	6/7	49° 40.49'	-127° 09.37'	62	4.1	49	4	73	9	0	1	0
2031	6/8	49° 39.27'	-127° 23.95'	151	4.0	195	11	34	4	15	0	11
2032	6/9	49° 50.04'	-127° 24.78'	42	4.0	357	19	217	28	0	0	0
2033	6/8	49° 50.00'	-127° 39.95'	92	4.0	101	7	16	2	0	0	1
2034	6/9	49° 59.98'	-127° 38.92'	45	4.0	403	18	85	12	0	0	11
2035	6/12	50° 19.92'	-128° 11.20'	87	4.0	611	29	94	10	0	0	42
2037	6/12	50° 29.88'	-128° 27.48'	102	4.0	329	12	36	4	0	0	12
2038	6/12	50° 39.44'	-128° 27.29'	50	4.0	114	8	375	51	0	0	0
2039	6/13	50° 39.26'	-128° 45.10'	109	4.0	220	8	16	2	0	0	18
2040	6/15	50° 50.05'	-128° 29.12'	30	4.0	936	42	272	31	0	0	1
2041	6/16	50° 59.62'	-127° 57.85'	48	4.0	107	6	41	6	0	0	0
2042	6/17	51° 00.15'	-128° 12.98'	59	4.0	81	4	61	9	0	0	0
2043	6/16	51° 09.84'	-127° 56.00'	66	4.0	134	8	126	16	0	0	0
2044	6/13	50° 50.21'	-129° 00.12'	46	4.0	1,267	38	184	24	0	0	18
2045	6/13	50° 49.43'	-129° 15.44'	69	4.0	1,007	35	221	27	0	0	16
2046	6/17	50° 59.60'	-128° 29.08'	48	4.0	425	25	337	41	0	0	0
2047	6/17	50° 59.98'	-128° 43.97'	36	4.1	290	10	123	15	0	0	0
2048	6/14	51° 00.04'	-129° 00.02'	44	4.0	201	9	169	24	0	0	0
2049	6/14	51° 00.01'	-129° 15.11'	85	4.0	100	5	120	17	0	0	0
2050	6/14	50° 59.97'	-129° 32.93'	135	4.0	328	14	69	9	43	0	35
2051	6/16	51° 10.58'	-128° 11.25'	42	4.0	486	21	122	16	0	0	27
2052	6/21	51° 10.00'	-128° 27.05'	106	4.0	102	7	91	11	2	0	4

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

**2012 IPHC Stock Assessment Survey  
Area 2B**

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2053	6/21	51° 09.99'	-128° 43.09'	54	4.0	118	7	460	59	0	0	0
2054	6/22	51° 09.97'	-128° 59.90'	73	4.1	172	8	279	35	0	0	0
2055	6/22	51° 09.97'	-129° 15.96'	145	4.0	527	29	102	12	15	0	8
2056	6/23	51° 10.09'	-129° 30.93'	156	4.0	602	41	203	24	25	0	1
2057	6/29	51° 20.01'	-127° 55.44'	78	4.0	42	3	52	6	0	0	1
2058	6/29	51° 19.97'	-128° 10.63'	45	4.0	34	3	156	22	0	0	0
2059	6/21	51° 20.00'	-128° 26.84'	81	4.0	118	9	83	11	6	1	1
2060	6/21	51° 20.03'	-128° 42.44'	112	4.0	216	10	138	16	2	0	1
2061	6/22	51° 20.02'	-128° 58.92'	135	4.0	604	40	220	25	23	0	2
2062	6/22	51° 20.00'	-129° 14.49'	130	4.0	483	34	296	32	7	0	2
2063	6/23	51° 19.88'	-129° 31.87'	113	4.0	305	21	70	9	15	0	12
2064	6/23	51° 19.99'	-129° 46.03'	130	4.0	213	9	0	0	21	0	4
2065	6/29	51° 29.95'	-128° 11.02'	46	4.0	277	10	201	31	0	0	27
2066	6/30	51° 29.95'	-128° 26.98'	103	4.0	320	15	46	5	10	0	0
2067	6/26	51° 30.02'	-128° 43.18'	44	4.0	109	9	197	24	0	0	0
2068	6/26	51° 30.21'	-128° 59.97'	26	4.0	678	32	145	18	0	0	2
2069	6/25	51° 29.77'	-129° 15.93'	26	4.0	376	17	120	16	0	0	7
2070	6/25	51° 30.00'	-129° 30.80'	54	4.0	1,902	63	153	17	0	0	27
2071	6/24	51° 29.95'	-129° 47.95'	93	4.0	413	15	19	2	5	0	31
2072	6/24	51° 30.03'	-130° 01.98'	173	4.0	276	10	0	0	79	0	11
2073	6/30	51° 39.34'	-128° 26.12'	77	4.0	598	27	124	17	0	0	3
2074	6/26	51° 39.84'	-128° 59.92'	28	4.0	107	5	107	14	0	0	0
2075	6/25	51° 40.01'	-129° 14.45'	32	4.0	245	15	194	24	0	0	0
2076	6/25	51° 39.95'	-129° 32.07'	58	4.1	12	1	76	9	0	0	0
2077	6/24	51° 40.01'	-129° 46.98'	143	4.0	256	12	49	6	9	0	7
2078	6/30	51° 50.48'	-128° 26.04'	85	4.1	140	10	182	25	0	0	1
2079	7/1	51° 49.95'	-128° 41.02'	66	4.0	64	5	224	29	0	0	0
2080	7/1	51° 50.02'	-128° 58.59'	46	4.0	558	42	648	77	0	0	16
2081	7/2	51° 50.02'	-129° 14.11'	66	4.0	214	15	115	16	0	0	3
2082	7/2	51° 50.13'	-129° 30.00'	135	4.0	179	8	9	1	16	0	21
2083	7/3	52° 00.03'	-128° 42.70'	89	4.0	203	11	66	9	0	1	8
2084	7/1	52° 00.04'	-128° 57.05'	67	4.0	630	41	561	66	0	1	6
2085	7/2	51° 59.32'	-129° 14.22'	97	4.0	310	17	96	12	6	0	2
2086	7/3	52° 09.98'	-128° 41.31'	118	4.0	305	13	56	7	9	1	11
2087	7/28	51° 39.70'	-130° 03.00'	194	4.0	78	5	0	0	56	0	33
2088	7/28	51° 39.53'	-130° 19.00'	149	4.0	683	28	41	5	37	0	20
2089	7/6	51° 50.56'	-129° 47.00'	134	4.0	54	4	14	2	17	0	14
2090	7/27	51° 50.05'	-130° 03.00'	100	4.0	1,503	61	122	15	9	1	42
2091	7/28	51° 50.22'	-130° 19.00'	119	4.0	1,568	62	150	17	19	0	37
2092	7/29	51° 49.48'	-130° 35.00'	166	4.0	761	38	206	23	16	0	5
2093	7/29	51° 50.23'	-130° 52.02'	99	4.0	1,238	34	50	6	1	0	96
2094	7/6	51° 58.37'	-129° 26.13'	117	4.0	415	17	27	4	32	0	21
2095	7/6	52° 00.45'	-129° 47.00'	63	4.0	361	16	339	46	0	0	10
2096	7/27	51° 59.34'	-130° 03.00'	78	4.0	637	35	172	27	0	0	29
2097	7/30	51° 59.42'	-130° 19.00'	193	4.0	208	9	29	4	76	0	2
2098	7/30	52° 00.07'	-130° 35.00'	132	4.0	1,256	44	73	9	38	1	2
2099	7/29	52° 00.60'	-130° 52.01'	117	4.0	908	47	192	24	0	0	1
2100	7/7	52° 09.49'	-128° 57.01'	92	4.0	264	10	23	3	5	0	71
2101	7/7	52° 09.89'	-129° 14.00'	96	4.0	0	0	29	4	1	0	11
2102	8/11	52° 09.86'	-129° 30.00'	116	3.9	69	2	7	1	15	0	15

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

**2012 IPHC Stock Assessment Survey  
Area 2B**

3 of 4

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#s	Lbs. <sup>2</sup>	#s	Sablefish	P. Cod	Rockfish
2103	8/11	52° 09.44'	-129° 45.99'	109	4.0	101	5	32	4	0	0	0
2104	7/27	52° 09.42'	-130° 03.00'	91	4.0	300	21	155	18	1	1	1
2105	7/30	52° 10.70'	-130° 19.00'	218	4.0	149	3	0	0	54	0	2
2106	7/30	52° 10.00'	-130° 35.77'	106	4.0	2,115	60	167	20	2	1	0
2107	7/31	52° 10.00'	-130° 52.02'	123	4.0	1,804	69	26	3	12	0	4
2108	7/7	52° 19.55'	-129° 13.00'	86	4.0	714	32	97	11	0	1	53
2109	8/11	52° 20.01'	-129° 30.13'	96	4.0	554	21	63	7	8	3	21
2110	8/9	52° 20.53'	-129° 46.00'	117	3.9	788	33	60	8	0	1	37
2111	8/9	52° 19.53'	-130° 03.00'	123	4.0	567	19	75	8	0	1	0
2112	8/10	52° 19.55'	-130° 19.00'	196	4.0	344	9	16	2	22	0	13
2113	8/10	52° 19.54'	-130° 35.00'	93	4.0	687	26	63	8	0	1	3
2114	7/31	52° 19.97'	-130° 52.00'	79	3.9	300	19	337	41	0	0	0
2115	7/8	52° 29.55'	-129° 32.02'	58	4.0	350	24	356	43	0	0	1
2116	7/8	52° 31.80'	-129° 48.22'	107	4.0	933	35	9	1	18	5	16
2117	8/9	52° 29.88'	-130° 02.00'	149	3.9	229	9	9	1	12	0	5
2118	8/10	52° 30.74'	-130° 19.00'	133	3.9	229	7	10	1	11	0	7
2119	8/7	52° 29.57'	-130° 35.00'	66	4.0	630	21	113	13	0	0	28
2120	7/31	52° 29.50'	-130° 52.00'	57	4.0	396	21	255	34	0	1	4
2121	7/8	52° 40.00'	-129° 46.00'	105	4.0	381	14	20	2	5	3	24
2122	8/9	52° 40.52'	-130° 02.00'	147	4.0	145	3	0	0	25	0	12
2123	8/8	52° 39.99'	-130° 19.00'	123	3.9	604	16	0	0	23	0	7
2124	8/7	52° 40.07'	-130° 35.01'	82	4.0	751	30	26	3	0	1	12
2125	8/8	52° 49.98'	-130° 00.13'	144	4.0	29	1	0	0	24	1	20
2126	8/8	52° 50.03'	-130° 19.00'	116	4.0	68	2	0	0	13	0	2
2127	7/9	53° 00.00'	-129° 46.10'	124	4.0	57	4	76	10	20	1	10
2128	7/9	52° 59.50'	-130° 02.00'	116	4.0	301	11	33	4	19	2	21
2129	8/1	52° 30.00'	-131° 08.03'	43	4.0	758	30	84	11	0	0	24
2130	8/1	52° 29.23'	-131° 25.00'	49	4.0	301	13	14	2	0	0	10
2131	8/7	52° 40.45'	-130° 52.01'	53	4.0	312	20	250	33	0	0	1
2132	8/1	52° 39.84'	-131° 08.00'	37	4.0	490	14	137	16	0	0	1
2133	8/6	52° 49.48'	-130° 35.00'	65	4.0	272	17	82	9	0	1	7
2134	8/6	52° 50.42'	-130° 52.25'	27	4.0	441	18	17	2	0	0	0
2135	7/9	53° 00.22'	-130° 18.00'	117	4.0	416	17	19	2	30	0	10
2136	8/6	53° 00.08'	-130° 35.00'	52	4.0	260	11	148	19	0	7	1
2137	8/2	53° 10.51'	-130° 18.00'	65	4.0	681	21	82	10	0	0	2
2138	8/2	53° 10.33'	-130° 35.00'	105	4.0	48	3	0	0	3	0	2
2139	7/11	53° 10.75'	-130° 52.00'	59	4.0	327	21	71	8	0	0	1
2140	8/2	53° 20.64'	-130° 18.00'	51	4.0	870	51	282	35	0	0	9
2141	8/2	53° 19.08'	-130° 35.00'	43	4.0	417	30	208	27	0	0	17
2142	7/11	53° 19.60'	-130° 52.00'	77	4.0	859	40	75	8	4	2	1
2143	7/19	53° 20.12'	-132° 49.00'	73	4.0	402	19	317	42	0	0	17
2144	7/19	53° 20.70'	-133° 06.01'	119	4.0	678	14	41	5	3	0	8
2145	7/11	53° 30.68'	-130° 52.00'	50	4.0	350	27	346	42	0	1	0
2146	7/19	53° 30.73'	-133° 06.00'	176	4.0	549	18	53	7	9	1	37
2147	7/10	53° 40.14'	-130° 35.00'	18	4.0	0	0	6	1	0	0	12
2148	7/10	53° 40.03'	-130° 52.00'	27	4.0	94	5	124	15	0	0	0
2149	7/19	53° 39.56'	-133° 07.00'	81	4.0	677	32	240	29	0	0	27
2150	7/10	53° 49.50'	-130° 52.00'	52	4.0	260	16	68	8	19	2	0
2151	7/20	54° 00.16'	-133° 25.00'	43	4.0	1,091	29	45	5	0	0	17
2152	7/15	54° 10.54'	-130° 35.00'	63	4.0	46	4	30	4	0	0	0

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

**2012 IPHC Stock Assessment Survey  
Area 2B**

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)			
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish	
2153	7/21	54° 10.57'	-132° 00.00'	44	4.0	269	21	316	41	0	5	0	
2154	7/21	54° 09.52'	-132° 17.00'	46	4.0	96	7	268	38	0	3	0	
2155	7/17	54° 09.95'	-132° 33.81'	45	4.0	54	4	185	24	0	0	0	
2156	7/20	54° 09.93'	-133° 09.00'	36	4.0	559	17	132	18	0	0	8	
2157	7/20	54° 10.66'	-133° 26.00'	218	4.0	218	9	56	7	18	0	16	
2158	7/15	54° 20.60'	-130° 35.00'	45	4.0	195	6	86	12	0	1	6	
2159	7/12	54° 20.00'	-131° 09.81'	36	4.0	490	28	359	48	1	1	0	
2160	7/12	54° 19.89'	-131° 26.00'	95	4.0	528	36	137	15	21	0	48	
2161	7/16	54° 20.00'	-131° 42.09'	101	4.0	1,206	77	276	32	3	1	1	
2162	7/21	54° 19.89'	-132° 01.00'	135	4.0	576	20	16	2	30	0	13	
2163	7/21	54° 20.50'	-132° 18.00'	128	4.0	605	25	45	6	4	2	17	
2164	7/17	54° 19.48'	-132° 34.04'	141	4.0	257	9	26	3	34	0	15	
2165	7/17	54° 19.50'	-132° 51.32'	210	4.0	176	6	11	1	40	0	22	
2166	7/18	54° 20.00'	-133° 09.83'	254	4.0	462	14	34	4	72	0	16	
2167	7/18	54° 20.02'	-133° 25.30'	130	4.0	902	39	185	23	8	6	17	
2168	7/18	54° 20.00'	-133° 42.23'	136	4.0	1,528	75	198	25	1	1	1	
2169	7/15	54° 29.74'	-130° 35.00'	60	4.0	179	8	53	6	0	0	0	
2170	7/12	54° 30.03'	-131° 09.00'	77	4.0	690	46	300	35	3	13	1	
2171	7/12	54° 30.52'	-131° 26.00'	65	4.0	832	29	153	19	3	5	23	
2172	7/16	54° 30.00'	-131° 43.42'	189	4.0	157	9	16	2	57	0	5	
<b>170 Total Effective 2B Stations</b>						<b>Totals</b>	<b>70,130</b>	<b>3,132</b>	<b>19,674</b>	<b>2,474</b>	<b>1,332</b>	<b>84</b>	<b>1,619</b>

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.