

2016 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5001	6/25	56° 00.11'	-153° 36.00'	53	6.0	1,222	76	794	102	0	0	0
5002	6/25	56° 00.00'	-153° 53.90'	67	6.0	136	11	660	97	0	0	0
5003	7/1	56° 00.01'	-154° 13.41'	59	6.0	1,163	66	787	93	0	0	25
5004	7/1	55° 59.98'	-154° 30.11'	246	6.0	0	0	0	0	69	0	5
5005	6/30	55° 59.97'	-154° 48.45'	118	6.0	186	11	91	11	35	0	5
5006	6/30	56° 00.08'	-155° 06.03'	31	5.8	70	4	608	100	0	34	0
5007	6/25	56° 09.99'	-153° 36.04'	87	6.0	454	30	537	66	0	15	0
5008	6/26	56° 10.04'	-153° 53.03'	124	6.0	1,139	80	604	68	30	20	0
5009	7/1	56° 09.88'	-154° 11.00'	64	5.9	321	22	376	58	0	0	0
5010	7/2	56° 09.98'	-154° 29.19'	50	5.8	890	44	375	53	0	0	5
5011	7/2	56° 10.04'	-154° 47.10'	44	5.8	212	15	578	78	0	5	0
5013	6/30	56° 09.98'	-155° 22.93'	19	5.9	113	7	242	40	0	10	0
5014	6/29	56° 10.12'	-155° 41.03'	33	5.9	388	13	388	61	0	5	0
5015	6/26	56° 20.01'	-153° 51.09'	49	6.0	427	22	663	105	0	5	0
5016	6/26	56° 19.98'	-154° 09.97'	51	5.9	356	20	512	78	0	34	0
5017	7/2	56° 19.99'	-154° 28.09'	33	6.0	200	12	182	27	0	0	0
5018	6/29	56° 20.01'	-155° 22.43'	25	6.0	119	8	186	32	0	0	0
5019	6/29	56° 20.01'	-155° 39.64'	39	6.0	305	14	378	64	0	50	0
5020	7/9	56° 30.21'	-155° 21.03'	28	5.9	68	3	305	53	0	10	0
5021	7/10	56° 30.20'	-155° 39.37'	72	6.0	229	16	106	15	15	10	0
5022	7/9	56° 39.91'	-155° 02.09'	23	6.0	743	32	119	17	0	5	0
5023	7/9	56° 40.00'	-155° 19.56'	49	6.0	312	19	559	75	0	40	0
5024	7/10	56° 39.99'	-155° 37.85'	129	6.0	69	3	21	3	5	5	0
5025	7/13	56° 40.07'	-155° 55.84'	158	6.0	99	7	119	15	20	15	0
5026	7/7	56° 49.99'	-154° 23.96'	34	5.9	1,568	64	226	33	0	0	0
5027	7/7	56° 50.04'	-154° 41.95'	25	5.9	399	20	375	57	0	0	0
5028	7/8	56° 50.17'	-155° 00.00'	41	5.9	383	21	691	96	0	15	0
5029	7/8	56° 50.00'	-155° 18.31'	120	5.9	132	9	134	19	20	0	5
5030	7/12	56° 50.31'	-155° 36.94'	152	6.0	100	7	80	11	40	10	0
5031	7/13	56° 49.53'	-155° 54.88'	165	5.8	112	8	261	33	48	24	0
5032	7/7	56° 59.88'	-154° 41.01'	22	6.0	524	23	325	55	0	0	0
5033	7/8	56° 59.99'	-154° 58.93'	61	5.9	187	9	175	25	5	25	0
5034	7/12	56° 59.94'	-155° 17.97'	138	5.9	74	5	78	9	29	0	0
5035	7/12	56° 59.98'	-155° 35.81'	153	6.0	89	5	102	12	15	10	0
5036	7/13	56° 59.83'	-155° 53.93'	164	5.9	910	62	732	91	10	39	0
5037	7/17	57° 10.04'	-154° 40.15'	31	6.0	772	28	341	52	0	5	0
5038	7/17	57° 09.99'	-154° 57.73'	96	6.0	302	19	323	39	15	5	0
5039	7/16	57° 10.01'	-155° 16.44'	134	6.0	119	7	163	19	35	5	0
5040	7/16	57° 09.99'	-155° 34.33'	148	6.0	325	20	249	31	40	15	0
5041	7/14	57° 10.00'	-155° 52.52'	135	5.9	579	36	406	48	15	78	0
5042	7/17	57° 19.89'	-154° 56.90'	101	5.9	268	14	369	49	20	10	0
5043	7/16	57° 19.75'	-155° 14.90'	133	6.0	203	12	128	15	25	5	0
5044	7/15	57° 20.18'	-155° 33.99'	156	5.9	207	14	293	38	34	5	0
5045	7/15	57° 20.08'	-155° 51.99'	51	6.0	324	20	947	132	0	20	0
5046	7/14	57° 20.05'	-156° 10.27'	103	5.9	746	34	490	66	0	44	0
5047	7/18	57° 30.04'	-155° 14.88'	141	5.9	82	4	64	8	34	20	0
5048	7/15	57° 29.94'	-155° 32.95'	164	6.0	420	24	324	42	10	15	0
5096	6/12	54° 50.20'	-157° 32.99'	203	6.0	131	8	117	12	83	0	20
5097	6/12	54° 49.99'	-157° 49.91'	91	6.0	170	13	276	37	5	40	5
5098	6/11	55° 00.11'	-157° 14.99'	105	6.0	160	12	174	21	0	50	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2016 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5099	6/11	55° 00.01'	-157° 32.16'	55	6.0	783	55	714	95	0	74	10
5100	6/12	55° 00.01'	-157° 50.04'	45	6.0	2,052	108	926	115	0	15	35
5101	6/12	54° 59.99'	-158° 07.09'	73	6.0	258	16	773	127	0	40	0
5102	6/7	55° 09.94'	-156° 22.02'	288	6.0	0	0	0	0	25	0	0
5103	6/7	55° 09.86'	-156° 39.36'	290	6.0	0	0	0	0	20	0	5
5104	6/7	55° 09.98'	-156° 57.16'	84	6.0	263	21	406	54	0	45	0
5105	6/11	55° 10.01'	-157° 14.01'	62	6.0	322	22	882	142	0	114	0
5106	6/11	55° 10.00'	-157° 31.89'	47	6.0	1,642	87	1,036	140	0	59	0
5107	6/13	55° 09.99'	-157° 49.11'	43	6.0	1,070	51	818	120	0	10	0
5108	6/13	55° 10.01'	-158° 07.06'	56	6.0	588	38	984	154	0	29	0
5109	6/8	55° 19.87'	-156° 39.02'	65	6.0	1,097	74	1,030	140	0	81	0
5110	6/8	55° 19.89'	-156° 56.01'	51	6.0	717	49	1,187	161	0	64	20
5111	6/10	55° 19.99'	-157° 14.00'	50	6.0	686	38	1,210	190	0	59	0
5112	6/10	55° 19.83'	-157° 31.01'	47	6.0	507	29	1,221	191	0	25	0
5113	6/13	55° 19.98'	-157° 49.01'	44	6.0	233	12	868	147	0	74	0
5114	6/13	55° 20.01'	-158° 05.97'	59	5.8	137	10	666	109	0	44	0
5115	6/14	55° 20.06'	-158° 24.01'	80	6.0	298	22	477	62	0	86	0
5116	6/8	55° 30.01'	-156° 37.84'	100	6.0	481	31	291	42	0	84	0
5117	6/8	55° 30.01'	-156° 54.93'	49	6.0	2,503	152	924	117	0	10	5
5118	6/10	55° 29.99'	-157° 12.96'	49	6.0	863	47	506	78	0	114	0
5119	6/10	55° 30.01'	-157° 31.05'	52	6.0	371	19	578	101	0	90	0
5120	6/21	55° 30.00'	-157° 48.01'	52	6.0	459	30	917	142	0	50	0
5121	6/21	55° 30.01'	-158° 06.06'	71	6.0	363	26	735	102	20	35	0
5122	6/14	55° 30.05'	-158° 24.01'	79	6.0	69	5	180	28	5	24	0
5123	6/9	55° 40.03'	-156° 54.93'	50	6.0	807	51	1,120	167	0	137	0
5124	6/9	55° 40.01'	-157° 13.08'	47	6.0	192	12	660	109	0	139	0
5125	6/21	55° 39.99'	-157° 30.06'	54	6.0	422	25	649	109	0	163	0
5126	6/21	55° 40.00'	-157° 48.00'	72	6.0	401	28	936	133	0	40	0
5127	6/20	55° 39.99'	-158° 06.13'	69	6.0	397	23	799	117	20	10	0
5128	6/20	55° 39.93'	-158° 22.99'	70	6.0	131	10	850	132	0	10	0
5129	6/14	55° 40.03'	-158° 40.95'	49	6.0	265	16	825	138	0	109	0
5130	6/9	55° 50.01'	-157° 12.23'	56	6.0	88	7	587	110	0	74	0
5131	6/9	55° 49.92'	-157° 30.01'	56	6.0	416	28	615	104	0	83	0
5132	6/22	55° 49.92'	-157° 47.99'	66	6.0	379	25	818	129	0	74	0
5133	6/20	55° 49.99'	-158° 05.06'	43	6.0	856	49	517	74	0	248	0
5134	6/20	55° 49.99'	-158° 23.08'	60	6.0	675	42	684	103	0	59	0
5135	6/22	56° 00.01'	-157° 28.95'	65	6.0	439	28	925	137	0	10	0
5136	6/22	55° 59.90'	-157° 46.98'	68	6.0	191	12	759	126	5	10	0
5137	6/19	56° 00.04'	-158° 05.00'	45	6.0	208	10	620	118	0	15	0
5138	6/19	56° 10.05'	-157° 47.00'	86	6.0	1,628	88	463	58	0	90	0
5139	6/19	56° 09.99'	-158° 04.95'	38	6.0	526	23	199	38	0	83	0
5140	6/19	56° 19.99'	-158° 03.92'	41	6.0	773	28	130	22	0	40	30
5141	6/16	54° 30.23'	-159° 00.05'	145	6.0	41	3	47	6	25	10	20
5142	6/16	54° 30.27'	-159° 17.05'	76	6.0	64	5	257	37	5	205	0
5143	6/15	54° 30.09'	-159° 34.01'	60	6.0	847	56	782	95	0	90	10
5144	6/15	54° 30.15'	-159° 51.03'	63	6.0	180	12	379	63	0	35	0
5145	6/17	54° 29.83'	-160° 08.98'	65	6.0	127	9	591	95	0	40	0
5146	6/4	54° 40.09'	-158° 25.00'	115	6.0	659	45	588	73	5	120	0
5147	6/14	54° 40.02'	-158° 42.15'	56	6.0	752	48	471	65	0	95	50
5148	6/14	54° 39.99'	-159° 00.31'	49	6.0	701	45	599	85	0	70	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2016 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5149	6/16	54° 40.13'	-159° 17.04'	39	6.0	536	26	466	74	0	65	0
5150	6/15	54° 40.00'	-159° 34.66'	32	6.0	924	37	142	21	0	20	0
5151	6/15	54° 39.97'	-159° 52.00'	40	6.0	1,100	55	459	69	0	10	0
5152	6/10	54° 40.03'	-160° 08.74'	49	6.0	940	49	615	94	0	30	0
5153	6/4	54° 50.02'	-158° 07.08'	56	6.0	652	46	756	107	0	60	10
5154	6/4	54° 49.97'	-158° 24.76'	108	6.0	1,089	65	516	67	15	0	5
5155	6/14	54° 50.03'	-158° 42.27'	53	6.0	396	23	587	92	0	65	0
5156	6/14	54° 50.02'	-159° 00.38'	37	6.0	65	5	462	82	0	110	0
5157	6/10	54° 49.87'	-159° 51.94'	30	6.0	158	6	176	32	0	75	0
5158	6/10	54° 49.97'	-160° 09.00'	37	6.0	275	14	335	64	0	80	0
5159	6/18	54° 50.02'	-160° 26.00'	44	6.0	61	4	358	65	0	100	0
5160	6/5	54° 59.93'	-158° 24.60'	110	6.0	1,083	67	344	41	55	40	10
5161	6/5	55° 00.03'	-158° 42.01'	68	6.0	477	31	605	89	0	65	0
5162	6/13	55° 00.01'	-158° 58.80'	45	6.0	152	9	501	85	0	80	0
5163	6/13	54° 59.00'	-159° 16.92'	22	6.0	367	13	102	18	0	45	0
5164	6/19	54° 59.95'	-160° 27.16'	61	6.0	592	31	322	48	5	45	0
5165	6/19	54° 59.98'	-160° 43.81'	49	6.0	405	16	226	45	0	25	0
5166	6/5	55° 09.96'	-158° 24.04'	98	6.0	234	14	349	45	5	5	0
5167	6/5	55° 09.99'	-158° 41.35'	111	6.0	474	33	378	45	40	10	0
5168	6/13	55° 09.98'	-158° 59.09'	75	6.0	261	19	463	69	0	35	0
5169	6/13	55° 09.98'	-159° 16.21'	39	6.0	386	21	233	38	0	100	0
5170	6/8	55° 20.00'	-158° 42.59'	98	6.0	335	19	53	7	10	5	0
5171	6/8	55° 19.88'	-158° 59.02'	100	6.0	180	8	42	6	5	0	0
5172	6/6	55° 19.84'	-159° 16.93'	96	6.0	745	49	521	67	5	0	0
5173	6/6	55° 20.11'	-159° 34.03'	75	6.0	299	20	498	68	0	0	0
5174	6/9	55° 20.08'	-159° 52.00'	44	6.0	559	26	311	56	0	25	0
5175	6/8	55° 30.05'	-158° 41.47'	88	6.0	365	21	119	18	0	0	0
5176	6/8	55° 29.99'	-158° 59.27'	59	6.0	96	8	696	107	0	25	0
5177	6/6	55° 29.81'	-159° 17.07'	65	6.0	247	17	642	96	0	70	0
5178	6/6	55° 29.93'	-159° 34.01'	90	6.0	695	38	629	82	5	0	0
5179	6/9	55° 29.95'	-159° 52.01'	91	6.0	374	23	303	41	0	5	0
5181	6/7	55° 39.97'	-158° 58.97'	82	6.0	496	27	263	38	0	5	0
5182	6/7	55° 39.99'	-159° 16.96'	56	6.0	515	32	463	67	0	45	0
5183	6/9	55° 40.08'	-159° 51.97'	70	6.0	1,131	55	240	33	5	35	0
5184	6/7	55° 50.00'	-158° 59.44'	66	6.0	1,332	62	489	67	0	40	0
5185	6/7	55° 49.95'	-159° 16.98'	29	6.0	534	20	311	54	0	35	0
5186	7/4	54° 00.03'	-163° 14.75'	46	6.0	399	22	398	61	0	150	5
5187	7/4	53° 59.99'	-163° 32.12'	54	6.0	259	13	294	51	0	105	0
5188	7/4	54° 00.09'	-163° 49.00'	50	6.0	80	6	278	48	0	120	0
5189	6/27	54° 09.98'	-161° 34.33'	69	6.0	254	18	566	76	0	225	0
5190	6/27	54° 10.39'	-161° 50.98'	44	6.0	1,426	82	509	68	0	10	20
5191	6/28	54° 10.23'	-162° 08.05'	45	6.0	301	18	253	38	0	40	20
5192	6/28	54° 10.36'	-162° 23.73'	67	6.0	196	13	347	50	0	175	5
5193	7/4	54° 10.04'	-163° 50.00'	47	6.0	185	12	559	89	0	75	0
5194	6/17	54° 20.12'	-160° 08.00'	172	6.0	64	5	38	5	20	0	5
5195	6/17	54° 20.07'	-160° 26.00'	68	6.0	429	26	542	79	0	110	0
5196	6/22	54° 19.91'	-160° 42.98'	58	6.0	353	23	604	80	0	130	0
5197	6/22	54° 19.95'	-161° 00.03'	70	6.0	218	16	483	74	0	100	0
5198	6/26	54° 20.00'	-161° 17.12'	58	6.0	576	39	617	86	0	100	5
5199	6/26	54° 19.99'	-161° 33.78'	78	6.0	431	27	552	79	0	15	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2016 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5200	6/27	54° 19.89'	-161° 50.98'	42	6.0	1,150	55	469	67	0	70	0
5201	6/28	54° 20.03'	-162° 08.99'	31	6.0	1,686	60	280	46	0	15	0
5202	7/2	54° 19.93'	-163° 17.01'	26	6.0	1,347	54	119	18	0	30	0
5203	7/2	54° 20.02'	-163° 33.98'	59	6.0	228	13	500	86	0	105	0
5204	7/3	54° 20.13'	-163° 51.02'	61	6.0	175	13	363	59	0	30	0
5205	7/3	54° 20.06'	-164° 09.09'	50	6.0	97	8	430	71	5	65	0
5206	6/17	54° 29.97'	-160° 26.04'	80	6.0	222	13	254	34	10	15	0
5207	6/22	54° 30.01'	-160° 43.03'	76	6.0	225	16	241	36	10	15	0
5208	6/22	54° 29.95'	-161° 00.01'	70	6.0	204	15	281	46	10	5	0
5209	6/26	54° 30.00'	-161° 18.16'	63	6.0	198	12	482	79	5	25	0
5210	6/26	54° 30.09'	-161° 34.95'	36	6.0	917	47	503	82	0	15	0
5211	6/29	54° 30.00'	-161° 52.20'	77	6.0	313	17	142	23	15	0	0
5212	6/29	54° 30.00'	-162° 09.09'	77	6.0	391	29	452	56	0	40	0
5213	6/29	54° 30.04'	-162° 25.55'	79	6.0	528	28	399	54	10	5	0
5214	7/2	54° 29.79'	-163° 18.00'	39	6.0	828	48	313	52	0	30	0
5215	7/2	54° 30.02'	-163° 34.98'	54	6.0	326	15	300	62	0	15	0
5216	7/3	54° 29.99'	-163° 53.35'	51	6.0	165	12	250	48	20	15	0
5217	7/3	54° 30.00'	-164° 10.26'	52	6.0	231	18	394	61	5	30	0
5218	6/18	54° 40.07'	-160° 26.00'	55	6.0	517	27	593	96	0	5	0
5219	6/18	54° 40.11'	-160° 42.98'	51	6.0	519	34	786	116	0	30	0
5220	6/25	54° 39.95'	-161° 01.00'	50	6.0	330	21	493	85	0	15	0
5221	6/25	54° 39.98'	-161° 18.07'	76	6.0	180	13	556	82	5	5	0
5222	6/23	54° 39.98'	-161° 35.05'	34	6.0	1,212	49	248	43	0	15	30
5223	6/23	54° 40.09'	-161° 52.87'	37	6.0	479	21	268	47	0	85	15
5224	7/5	54° 39.97'	-162° 44.15'	44	6.0	72	4	81	17	0	25	0
5225	6/19	54° 50.02'	-160° 43.98'	54	6.0	186	10	258	41	15	50	0
5226	6/25	54° 49.98'	-161° 01.19'	58	6.0	185	13	379	64	5	5	0
5227	6/25	54° 50.03'	-161° 17.51'	53	6.0	610	29	280	44	5	20	0
5228	6/23	54° 50.00'	-161° 36.02'	43	6.0	1,353	39	211	37	0	0	0
5229	7/5	54° 49.98'	-162° 46.01'	25	6.0	298	15	116	23	0	30	0
5230	7/5	54° 49.56'	-163° 03.01'	37	6.0	735	33	310	49	0	70	0
5231	6/24	55° 00.00'	-161° 00.83'	54	6.0	743	27	245	41	0	5	10
5232	6/24	55° 00.06'	-161° 19.04'	44	6.0	556	22	179	33	0	45	5
5233	6/24	55° 09.98'	-161° 02.17'	53	6.0	738	33	207	37	0	30	0
5234	6/8	55° 20.05'	-156° 03.11'	153	6.0	2,263	141	552	61	30	0	25
5235	6/8	55° 19.99'	-156° 21.01'	94	6.0	906	60	521	62	0	45	0
5236	6/8	55° 30.03'	-155° 45.03'	120	6.0	408	27	392	45	0	50	20
5237	6/9	55° 30.05'	-156° 02.95'	111	6.0	103	6	179	27	0	30	0
5238	6/9	55° 29.78'	-156° 19.96'	118	6.0	532	33	239	32	5	65	0
5239	6/10	55° 39.97'	-155° 26.01'	100	6.0	155	12	119	18	5	104	5
5240	6/10	55° 40.03'	-155° 44.31'	70	6.0	522	36	370	51	0	165	0
5241	6/9	55° 39.73'	-156° 01.90'	125	6.0	741	53	484	62	0	59	0
5242	6/7	55° 40.05'	-156° 19.13'	140	6.0	579	36	179	22	5	30	0
5243	6/6	55° 39.76'	-156° 37.08'	130	6.0	426	27	473	61	20	15	0
5244	6/11	55° 50.01'	-155° 06.73'	66	6.0	375	24	872	128	0	0	0
5245	6/10	55° 49.96'	-155° 24.95'	26	6.0	152	8	296	62	0	20	0
5246	6/7	55° 49.84'	-156° 01.09'	56	6.0	1,103	74	722	94	0	65	0
5247	6/7	55° 50.02'	-156° 19.00'	131	6.0	313	20	527	74	10	15	0
5248	6/6	55° 49.78'	-156° 35.91'	125	6.0	527	37	748	96	5	70	0
5249	6/6	55° 50.02'	-156° 53.77'	75	6.0	326	21	532	76	0	69	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2016 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5250	6/11	56° 00.07'	-155° 41.67'	26	6.0	188	9	214	39	0	35	0
5251	6/15	56° 00.03'	-155° 59.95'	41	6.0	287	19	497	78	0	45	0
5252	6/15	56° 00.00'	-156° 18.30'	115	6.0	601	38	198	25	5	75	5
5253	6/5	55° 59.75'	-156° 34.37'	105	6.0	1,100	63	358	45	15	40	0
5254	6/5	56° 00.01'	-157° 10.65'	62	6.0	380	25	614	96	0	40	0
5255	6/15	56° 09.64'	-155° 58.95'	114	6.0	566	31	455	63	0	74	0
5256	6/16	56° 09.99'	-156° 17.21'	125	6.0	656	42	373	47	15	64	0
5257	6/17	56° 10.03'	-156° 35.61'	97	6.0	187	12	333	51	0	54	0
5258	6/17	56° 09.96'	-156° 52.94'	43	6.0	219	11	413	70	0	5	0
5259	6/18	56° 10.02'	-157° 11.11'	54	6.0	1,111	48	348	54	0	40	0
5260	6/19	56° 10.01'	-157° 29.10'	84	6.0	560	33	191	27	0	10	0
5261	6/16	56° 19.99'	-155° 58.28'	114	6.0	386	23	144	19	10	5	0
5262	6/16	56° 19.98'	-156° 16.06'	152	6.0	91	6	172	23	25	35	0
5263	6/17	56° 19.97'	-156° 34.39'	99	6.0	663	42	472	62	5	50	0
5264	6/18	56° 19.99'	-156° 52.46'	63	6.0	410	26	485	74	0	35	0
5265	6/18	56° 19.95'	-157° 10.18'	93	6.0	1,343	79	592	70	0	10	0
5266	6/19	56° 19.97'	-157° 28.20'	36	6.0	1,004	45	534	79	0	0	10
5267	6/19	56° 20.03'	-157° 45.81'	27	6.0	656	34	241	37	0	10	0
5268	6/28	56° 29.91'	-155° 57.00'	134	6.0	97	8	39	5	25	0	0
5269	6/28	56° 29.82'	-156° 14.98'	142	6.0	109	7	195	27	25	35	0
5270	6/27	56° 30.02'	-156° 33.19'	106	5.9	398	21	192	27	5	5	0
5271	6/27	56° 30.04'	-156° 51.11'	54	6.0	222	14	430	68	0	35	0
5272	6/20	56° 29.97'	-157° 28.11'	86	6.0	243	12	75	10	0	10	0
5273	6/28	56° 40.00'	-156° 14.01'	115	6.0	315	20	203	29	0	30	0
5274	6/27	56° 39.99'	-156° 32.17'	84	6.0	812	43	385	53	5	15	5
5275	6/26	56° 40.01'	-156° 51.07'	58	6.0	455	21	457	69	5	15	0
5276	6/20	56° 40.01'	-157° 09.18'	65	6.0	408	17	229	34	0	20	0
5277	6/21	56° 49.96'	-156° 13.12'	105	6.0	605	35	571	76	5	15	0
5278	6/26	56° 50.03'	-156° 32.01'	63	6.0	403	24	526	77	0	30	0
5279	6/26	56° 49.98'	-156° 50.15'	60	6.0	601	30	270	40	0	89	0
5280	6/21	57° 00.03'	-156° 13.29'	82	6.0	741	40	397	55	0	45	0
231 Total Effective 3B Stations					Totals	113,330	6,388	99,432	14,677	1,298	9,422	468

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.