

2017 IPHC Fishery-Independent Setline Survey Regulatory Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2001	5/31	48° 20.09'	-125° 37.99'	76	5.0	0	0	0	0	0	0	0
2002	5/31	48° 20.41'	-125° 51.48'	100	5.0	0	0	0	0	0	0	0
2003	5/30	48° 30.06'	-125° 23.01'	79	5.0	264	19	191	21	0	0	0
2004	5/31	48° 30.14'	-125° 38.03'	55	5.0	113	7	93	11	3	0	0
2005	5/31	48° 29.98'	-125° 53.02'	57	4.2	257	14	45	5	0	0	1
2006	6/1	48° 30.24'	-126° 07.95'	107	5.0	0	0	0	0	7	0	0
2007	5/30	48° 40.04'	-125° 06.96'	33	5.0	283	9	0	0	0	1	10
2008	5/30	48° 39.88'	-125° 22.98'	37	5.0	628	27	107	12	0	0	12
2009	6/2	48° 40.15'	-125° 37.86'	68	5.0	35	2	8	1	4	0	0
2010	6/1	48° 40.00'	-125° 52.95'	40	5.0	214	11	155	20	0	0	0
2011	6/1	48° 39.96'	-126° 08.05'	78	5.0	0	0	10	1	0	0	0
2012	6/2	48° 50.03'	-125° 36.91'	25	5.0	298	8	0	0	0	0	19
2013	6/2	48° 49.75'	-125° 52.77'	32	5.0	410	10	0	0	0	0	9
2014	6/3	48° 50.03'	-126° 08.03'	58	5.0	0	0	54	7	0	2	0
2015	6/3	48° 50.12'	-126° 19.25'	90	5.0	141	7	25	3	2	0	0
2016	6/3	48° 59.84'	-126° 07.86'	38	5.0	150	6	45	6	0	0	1
2017	6/3	48° 59.88'	-126° 22.95'	76	5.0	64	5	42	5	0	0	0
2018	6/4	49° 02.27'	-126° 38.02'	83	5.0	0	0	0	0	0	0	0
2019	6/7	49° 09.98'	-126° 22.98'	46	4.9	18	1	10	1	0	0	0
2020	6/4	49° 09.97'	-126° 38.11'	67	5.0	0	0	74	9	0	0	0
2021	6/4	49° 10.14'	-126° 53.03'	95	5.0	11	1	19	2	0	0	0
2023	6/7	49° 19.91'	-126° 21.44'	21	5.0	163	6	8	1	0	0	0
2024	6/7	49° 19.21'	-126° 38.81'	51	5.0	55	3	29	4	0	0	2
2025	6/8	49° 20.09'	-126° 53.49'	76	5.0	0	0	18	2	0	0	0
2026	6/9	49° 20.50'	-127° 08.84'	97	5.0	302	21	117	13	5	2	1
2027	6/8	49° 30.07'	-126° 37.69'	21	5.0	253	8	0	0	0	0	0
2028	6/8	49° 30.14'	-126° 52.88'	48	5.0	22	1	40	6	0	0	3
2029	6/9	49° 30.00'	-127° 09.00'	79	5.0	24	2	65	8	0	0	0
2030	6/9	49° 39.73'	-127° 08.78'	62	5.0	25	2	162	21	0	2	0
2031	6/10	49° 40.25'	-127° 23.73'	91	5.0	196	9	90	11	0	1	1
2032	6/10	49° 49.73'	-127° 23.93'	44	5.0	101	7	81	9	0	0	0
2033	6/10	49° 50.01'	-127° 39.93'	92	5.0	0	0	25	3	1	0	0
2034	6/10	49° 59.89'	-127° 40.00'	45	5.0	340	16	99	12	0	0	1
2035	6/11	50° 19.98'	-128° 10.21'	84	5.0	279	17	126	15	1	2	4
2037	6/11	50° 30.07'	-128° 26.70'	100	5.0	249	12	25	3	13	0	13
2038	6/12	50° 39.93'	-128° 27.91'	48	5.0	128	9	151	20	0	0	0
2039	6/12	50° 40.09'	-128° 43.70'	102	5.0	113	5	64	7	0	0	7
2040	6/12	50° 49.63'	-128° 28.00'	32	5.0	378	13	77	8	0	0	2
2041	6/16	51° 00.36'	-127° 56.89'	60	5.0	475	13	27	4	6	0	0
2042	6/16	51° 00.05'	-128° 12.84'	56	5.0	214	11	6	1	2	0	10
2043	6/16	51° 10.04'	-127° 55.94'	68	5.0	229	16	186	22	8	0	1
2044	6/18	50° 50.00'	-129° 00.23'	47	5.0	189	8	40	6	0	0	8
2045	6/18	50° 50.16'	-129° 15.89'	66	5.0	1,340	45	60	8	0	0	30
2046	6/17	50° 59.85'	-128° 27.95'	53	5.0	43	2	49	7	0	0	1
2047	6/17	50° 59.81'	-128° 43.94'	37	5.0	466	15	66	8	0	0	0
2048	6/18	50° 59.88'	-129° 00.06'	45	5.0	171	7	32	4	0	0	0
2049	6/19	51° 00.07'	-129° 16.04'	87	5.0	24	2	40	5	10	1	0
2050	6/19	51° 00.19'	-129° 31.95'	135	5.0	498	18	50	5	7	0	21
2051	6/25	51° 10.00'	-128° 11.86'	53	5.0	314	11	103	14	4	0	1
2052	6/17	51° 09.79'	-128° 28.00'	105	5.0	29	2	15	2	16	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2017 IPHC Fishery-Independent Setline Survey Regulatory Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2053	6/20	51° 09.99'	-128° 43.94'	53	5.0	25	1	40	5	15	0	0
2054	6/20	51° 09.92'	-128° 59.72'	72	5.0	103	6	97	12	2	3	0
2055	6/19	51° 09.37'	-129° 15.99'	132	5.0	342	20	94	10	2	0	4
2056	6/21	51° 10.16'	-129° 32.07'	155	5.0	137	7	16	2	25	0	1
2057	6/25	51° 19.83'	-127° 55.05'	71	5.0	141	5	11	1	4	0	4
2058	6/25	51° 20.08'	-128° 11.06'	48	5.0	88	5	42	6	2	0	0
2059	6/26	51° 19.96'	-128° 26.91'	81	5.0	26	1	6	1	9	0	0
2060	6/20	51° 19.95'	-128° 40.53'	110	5.0	747	46	189	21	7	1	4
2061	6/20	51° 21.52'	-129° 00.27'	129	5.0	96	7	92	10	6	1	17
2062	6/21	51° 20.32'	-129° 14.87'	123	5.0	96	7	55	6	14	0	21
2063	6/21	51° 20.23'	-129° 30.66'	107	5.0	270	17	44	5	2	0	3
2064	7/7	51° 20.11'	-129° 45.84'	128	5.0	209	11	10	1	22	0	6
2065	6/26	51° 30.02'	-128° 14.55'	51	5.0	729	32	116	15	0	0	10
2066	6/26	51° 29.84'	-128° 26.83'	102	5.0	16	1	0	0	23	0	9
2067	7/5	51° 30.04'	-128° 42.81'	48	5.0	103	7	124	17	1	0	0
2068	7/5	51° 30.12'	-128° 58.90'	24	5.0	90	6	39	5	0	0	0
2069	7/6	51° 30.21'	-129° 14.99'	26	5.0	139	6	10	1	0	0	0
2070	7/6	51° 29.96'	-129° 32.56'	61	2.1	534	22	36	4	0	0	8
2071	7/7	51° 29.95'	-129° 47.22'	91	5.0	1,223	67	135	14	28	0	99
2072	7/7	51° 30.87'	-129° 59.32'	137	5.0	401	19	10	1	18	0	8
2073	6/28	51° 40.11'	-128° 25.89'	77	5.0	60	5	18	2	3	0	0
2074	7/5	51° 39.89'	-128° 58.91'	27	5.0	27	2	7	1	0	0	0
2075	7/6	51° 39.91'	-129° 14.97'	31	5.0	48	3	15	2	0	0	0
2076	7/6	51° 39.88'	-129° 30.95'	52	5.0	108	8	217	26	0	0	0
2077	7/9	51° 39.89'	-129° 46.00'	126	5.0	579	34	68	8	48	0	15
2078	6/28	51° 48.89'	-128° 27.91'	64	5.0	90	4	27	3	0	0	8
2079	6/28	51° 49.76'	-128° 41.57'	56	5.0	35	3	110	15	3	0	0
2080	7/10	51° 50.23'	-128° 59.45'	50	5.0	388	27	142	17	0	0	32
2081	7/10	51° 50.09'	-129° 13.90'	67	5.0	30	2	41	5	0	0	0
2082	7/9	51° 49.90'	-129° 31.15'	138	5.0	184	12	7	1	14	0	0
2083	7/27	52° 00.09'	-128° 42.23'	90	5.0	41	3	79	9	1	0	0
2084	7/27	52° 00.10'	-128° 58.14'	79	5.0	610	39	342	43	1	0	1
2085	7/10	51° 59.97'	-129° 11.68'	93	5.0	0	0	9	1	2	0	0
2086	7/27	52° 10.02'	-128° 40.80'	123	5.0	96	4	0	0	8	0	22
2087	7/8	51° 40.24'	-130° 03.37'	192	5.0	90	5	0	0	86	0	8
2088	7/8	51° 40.00'	-130° 19.54'	143	5.0	444	20	20	2	97	0	5
2089	7/9	51° 50.03'	-129° 46.99'	140	5.0	18	1	0	0	28	0	5
2090	7/8	51° 50.08'	-130° 03.22'	97	5.0	1,623	82	162	18	18	0	77
2091	7/8	51° 50.00'	-130° 18.98'	115	5.0	1,259	56	111	12	44	0	75
2092	7/17	51° 50.22'	-130° 35.50'	162	5.0	407	19	64	7	55	0	3
2093	7/17	51° 49.98'	-130° 50.70'	113	5.0	1,516	52	21	3	23	0	170
2095	7/28	51° 59.98'	-129° 47.21'	64	5.0	286	12	91	12	0	0	20
2096	7/28	51° 59.97'	-130° 02.94'	77	5.0	346	12	150	20	0	0	4
2097	7/18	52° 00.01'	-130° 17.91'	183	5.0	277	14	0	0	71	0	1
2098	7/17	52° 00.33'	-130° 35.40'	140	5.0	754	44	11	1	50	0	2
2099	7/17	52° 00.00'	-130° 52.77'	82	5.0	1,314	52	165	21	0	0	15
2100	7/27	52° 09.94'	-128° 56.75'	91	5.0	26	2	18	2	4	0	23
2101	7/26	52° 10.02'	-129° 14.14'	93	5.0	27	2	15	2	13	0	0
2103	7/28	52° 10.09'	-129° 46.02'	112	5.0	164	10	69	8	9	0	22
2104	7/28	52° 10.02'	-130° 02.80'	91	5.0	272	20	242	29	3	0	1

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2017 IPHC Fishery-Independent Setline Survey Regulatory Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2105	7/18	52° 10.16'	-130° 19.59'	214	5.0	28	1	0	0	71	0	1
2106	7/18	52° 09.99'	-130° 35.02'	106	5.0	2,411	145	408	48	1	0	7
2107	7/16	52° 10.10'	-130° 52.73'	122	5.0	750	31	61	7	16	0	13
2108	7/26	52° 20.02'	-129° 13.00'	75	5.0	555	28	248	26	0	1	21
2109	7/26	52° 20.03'	-129° 27.37'	83	5.0	629	29	70	8	0	0	9
2110	7/25	52° 20.34'	-129° 49.25'	111	5.0	88	6	118	14	2	0	0
2111	7/25	52° 19.93'	-130° 02.08'	110	5.0	403	23	87	10	3	0	0
2112	7/19	52° 19.99'	-130° 18.87'	197	5.0	148	4	0	0	63	0	9
2113	7/19	52° 20.00'	-130° 34.87'	90	5.0	1,200	65	283	32	0	0	30
2114	7/16	52° 20.04'	-130° 52.47'	80	5.0	105	6	48	5	1	0	0
2115	7/24	52° 30.02'	-129° 32.62'	53	5.0	542	28	87	11	0	0	27
2117	7/25	52° 29.98'	-130° 01.60'	146	5.0	137	6	0	0	27	0	4
2118	7/19	52° 29.95'	-130° 19.09'	143	5.0	304	9	10	1	41	0	1
2119	7/19	52° 30.04'	-130° 34.86'	67	5.0	585	38	331	39	0	0	1
2120	7/16	52° 29.97'	-130° 52.75'	55	5.0	617	19	7	1	0	0	15
2121	7/24	52° 39.99'	-129° 46.09'	103	5.0	285	11	0	0	5	0	33
2122	7/24	52° 39.98'	-130° 02.03'	145	5.0	0	0	0	0	41	0	11
2123	7/15	52° 39.95'	-130° 19.40'	118	5.0	258	10	0	0	21	0	0
2124	7/15	52° 39.94'	-130° 35.10'	79	5.0	862	38	94	10	0	0	12
2125	7/14	52° 50.01'	-130° 01.66'	141	5.0	12	1	0	0	26	0	13
2126	7/15	52° 49.97'	-130° 19.09'	115	5.0	169	7	10	1	10	0	1
2127	7/14	52° 59.37'	-129° 45.13'	72	5.0	492	21	53	6	11	0	33
2128	7/14	52° 59.98'	-130° 02.05'	106	5.0	115	7	0	0	11	0	2
2129	7/20	52° 30.01'	-131° 08.09'	44	5.0	563	27	43	5	0	0	20
2130	7/20	52° 30.00'	-131° 25.05'	68	5.0	1,141	47	56	6	1	0	4
2131	7/19	52° 39.98'	-130° 52.05'	51	5.1	653	33	260	32	0	0	0
2132	7/19	52° 40.01'	-131° 07.96'	39	5.0	657	18	78	9	0	0	10
2133	7/18	52° 50.01'	-130° 34.89'	63	5.0	263	17	114	14	0	0	0
2134	7/19	52° 50.02'	-130° 52.18'	26	5.0	75	3	10	1	7	0	0
2135	7/18	53° 00.02'	-130° 18.09'	115	5.0	195	7	9	1	34	0	1
2136	7/18	53° 00.00'	-130° 35.10'	50	5.0	52	3	42	5	0	3	0
2137	7/17	53° 08.32'	-130° 16.41'	112	5.0	0	0	0	0	3	0	35
2139	7/16	53° 09.98'	-130° 52.05'	58	5.1	115	8	16	2	0	0	2
2140	7/17	53° 19.99'	-130° 18.12'	60	5.0	1,386	67	162	18	0	0	6
2141	7/17	53° 19.99'	-130° 35.21'	57	5.1	1,969	75	270	31	1	2	19
2142	7/16	53° 21.51'	-130° 54.97'	67	5.0	281	17	67	7	2	1	0
2143	7/7	53° 20.00'	-132° 49.03'	77	5.0	1,054	31	249	33	0	0	5
2144	7/7	53° 20.04'	-133° 05.79'	129	5.0	1,569	62	29	3	22	0	10
2145	7/16	53° 30.01'	-130° 52.15'	51	5.0	51	4	102	13	0	4	0
2146	7/8	53° 30.30'	-133° 06.02'	199	5.0	422	17	14	2	24	0	65
2147	7/15	53° 40.01'	-130° 35.08'	23	5.0	86	5	22	4	4	0	0
2148	7/15	53° 40.00'	-130° 52.08'	26	5.1	504	21	154	21	0	0	2
2149	7/8	53° 40.00'	-133° 07.21'	77	5.0	1,304	52	300	35	0	0	48
2150	7/15	53° 49.99'	-130° 51.93'	47	5.0	645	39	462	54	0	1	0
2151	7/6	54° 00.00'	-133° 25.06'	41	5.0	2,333	122	378	41	0	0	23
2152	7/11	54° 10.04'	-130° 36.30'	59	5.0	89	7	31	4	1	1	1
2153	7/10	54° 09.98'	-132° 00.07'	39	5.0	46	4	409	59	0	8	0
2154	7/9	54° 10.00'	-132° 17.05'	50	5.0	132	10	303	40	0	6	0
2155	7/9	54° 10.01'	-132° 34.05'	46	5.0	37	3	250	40	0	4	0
2156	7/5	54° 10.03'	-133° 09.05'	34	5.1	1,326	45	171	21	0	0	24

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2017 IPHC Fishery-Independent Setline Survey Regulatory Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2157	7/6	54° 10.00'	-133° 25.98'	215	5.0	444	18	0	0	29	0	9
2158	7/11	54° 20.12'	-130° 35.05'	48	5.1	432	15	69	8	6	1	1
2159	7/14	54° 20.01'	-131° 08.93'	35	5.0	102	8	765	96	1	0	0
2160	7/14	54° 20.00'	-131° 25.92'	95	5.0	683	47	338	38	9	1	18
2161	7/10	54° 20.00'	-131° 42.94'	101	5.0	623	38	287	32	2	1	3
2162	7/10	54° 20.02'	-132° 01.12'	134	5.1	1,222	48	33	4	28	0	26
2163	7/9	54° 19.98'	-132° 18.09'	115	5.0	801	37	52	6	1	1	5
2164	7/9	54° 20.02'	-132° 35.05'	142	5.0	712	21	19	2	42	0	44
2165	7/5	54° 20.02'	-132° 52.11'	212	5.0	196	5	47	6	95	0	3
2166	7/5	54° 19.99'	-133° 08.92'	252	5.0	690	18	28	3	57	0	6
2167	7/6	54° 19.98'	-133° 26.22'	126	5.0	2,212	84	66	7	3	3	37
2168	7/6	54° 20.01'	-133° 43.22'	135	5.0	1,904	93	241	28	3	4	11
2169	7/11	54° 30.01'	-130° 35.04'	62	5.0	0	0	0	0	1	0	0
2170	7/14	54° 29.97'	-131° 08.99'	76	5.1	688	42	211	23	3	1	0
2171	7/14	54° 29.98'	-131° 25.81'	72	5.0	915	45	143	17	0	2	4
2172	7/10	54° 30.00'	-131° 43.93'	184	5.0	413	19	7	1	21	0	0
166 Total Effective 2B Stations					Totals	65,822	3,065	14,338	1,731	1,600	61	1,546

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.