

2017 IPHC Fishery-Independent Setline Survey Regulatory Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3001	8/14	54° 30.00'	-132° 01.00'	155	5.0	1,696	51	20	2	64	5	5
3002	8/14	54° 29.99'	-132° 18.11'	197	5.0	680	23	9	1	40	0	0
3003	8/15	54° 29.95'	-132° 35.01'	204	5.0	723	17	0	0	79	0	5
3005	8/20	54° 30.05'	-133° 10.04'	117	4.9	2,198	63	18	2	0	0	54
3006	8/19	54° 30.09'	-133° 27.01'	166	5.0	1,691	37	0	0	20	0	0
3007	8/19	54° 29.99'	-133° 43.96'	139	5.0	3,428	96	119	13	30	0	5
3008	8/5	54° 40.00'	-130° 49.99'	158	5.0	506	12	5	1	25	0	0
3009	8/5	54° 40.00'	-131° 08.04'	115	5.0	589	33	120	14	10	0	5
3010	8/5	54° 40.05'	-131° 25.01'	117	5.0	404	22	27	3	30	5	10
3011	8/4	54° 39.91'	-131° 42.00'	221	5.0	719	40	18	2	15	0	0
3012	8/4	54° 40.04'	-131° 59.02'	102	4.9	1,814	65	91	11	5	5	25
3013	8/14	54° 39.97'	-132° 17.01'	62	5.0	1,355	59	421	49	0	0	0
3014	8/15	54° 40.02'	-132° 34.00'	116	5.0	570	24	77	8	0	15	35
3015	8/20	54° 39.97'	-132° 50.99'	75	5.0	887	30	126	15	0	0	25
3016	8/20	54° 40.14'	-133° 08.98'	124	5.0	722	24	36	5	10	20	5
3017	8/16	54° 40.02'	-133° 25.90'	166	5.0	1,167	24	26	3	50	0	20
3018	8/19	54° 40.11'	-133° 43.02'	132	5.0	2,008	56	33	4	15	15	5
3019	8/18	54° 40.01'	-133° 59.97'	124	5.0	1,584	49	111	12	45	15	5
3020	8/6	54° 50.07'	-131° 07.01'	135	4.9	817	26	58	6	0	0	0
3021	8/4	54° 49.96'	-131° 42.01'	246	5.0	718	32	27	3	64	0	10
3022	8/15	54° 50.03'	-132° 34.00'	181	4.9	644	23	0	0	25	5	5
3023	8/16	54° 50.03'	-133° 08.95'	118	5.0	896	27	17	2	5	0	5
3024	8/16	54° 50.01'	-133° 26.00'	70	5.0	310	23	379	48	0	5	0
3025	8/18	54° 49.99'	-133° 42.86'	76	4.9	4,202	112	153	18	0	0	25
3026	8/18	54° 49.99'	-134° 01.19'	107	5.0	865	27	87	9	20	10	10
3027	8/6	54° 59.87'	-131° 06.00'	132	5.0	1,020	39	72	8	0	5	0
3028	8/7	54° 59.90'	-131° 41.00'	121	5.0	345	21	114	13	25	0	20
3029	8/17	55° 00.05'	-133° 26.00'	53	5.0	2,684	76	215	27	0	0	54
3030	8/17	55° 00.06'	-133° 43.00'	58	5.0	589	25	577	82	0	0	0
3031	8/6	55° 10.05'	-131° 06.00'	94	5.0	1,354	36	72	9	0	5	0
3032	8/7	55° 09.88'	-131° 41.00'	69	5.0	32	1	0	0	0	0	15
3033	8/8	55° 09.89'	-131° 55.99'	186	5.0	582	22	19	2	54	0	5
3034	8/17	55° 09.97'	-133° 26.00'	38	5.0	2,767	65	0	0	0	0	30
3035	8/8	55° 19.95'	-131° 58.01'	223	5.0	170	5	0	0	15	0	0
3036	8/8	55° 29.00'	-131° 57.99'	155	5.0	343	9	19	2	0	10	5
3037	8/3	55° 40.09'	-132° 15.03'	220	5.0	288	9	0	0	20	0	10
3038	8/3	55° 44.96'	-132° 27.01'	137	5.0	381	13	26	3	20	15	30
3039	8/3	55° 49.98'	-132° 15.00'	110	5.0	363	16	53	6	25	10	5
3040	8/9	56° 00.01'	-132° 32.00'	114	5.0	1,536	48	34	4	0	25	10
3041	8/9	56° 00.96'	-132° 45.00'	202	5.0	236	9	9	1	25	0	5
3042	8/9	56° 10.95'	-132° 49.99'	66	5.0	1,569	44	25	3	0	10	15
3043	7/1	55° 00.07'	-134° 00.80'	83	5.0	1,503	50	296	34	0	0	10
3044	7/1	55° 00.06'	-134° 17.81'	117	5.0	868	28	55	6	0	15	0
3045	6/30	55° 09.97'	-133° 42.97'	87	5.0	444	29	179	23	10	0	0
3046	7/1	55° 10.05'	-134° 00.84'	93	5.0	447	31	208	24	0	0	0
3047	6/30	55° 19.99'	-133° 44.05'	40	5.0	588	23	99	12	0	0	15
3048	6/30	55° 20.01'	-134° 01.02'	64	5.0	410	20	715	94	0	0	0
3049	6/23	55° 20.02'	-134° 18.99'	100	5.0	1,292	43	119	14	0	0	30
3050	6/23	55° 19.98'	-134° 36.01'	110	5.0	1,367	53	48	6	45	0	70
3051	6/29	55° 30.05'	-134° 00.90'	48	5.0	996	38	405	51	0	0	35

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2017 IPHC Fishery-Independent Setline Survey Regulatory Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3052	6/23	55° 30.04'	-134° 19.15'	90	5.0	1,183	66	308	36	0	0	5
3053	6/22	55° 29.92'	-134° 36.97'	111	5.0	1,520	75	253	30	45	0	0
3054	6/22	55° 29.98'	-134° 54.08'	158	5.0	1,953	83	51	6	59	0	0
3055	6/29	55° 40.04'	-134° 00.52'	104	5.0	1,625	81	265	30	0	0	55
3056	6/29	55° 40.07'	-134° 18.91'	114	5.1	575	28	26	3	5	0	35
3057	6/22	55° 40.03'	-134° 36.88'	111	5.0	1,565	58	81	10	5	5	0
3058	6/22	55° 40.00'	-134° 54.91'	108	5.0	2,567	85	176	21	30	0	50
3059	6/28	55° 49.96'	-133° 26.08'	42	5.0	89	3	27	3	0	0	0
3060	6/28	55° 50.01'	-133° 44.01'	68	5.0	726	33	74	9	0	0	30
3061	6/28	55° 49.99'	-134° 01.91'	146	5.1	1,586	59	14	3	30	5	30
3062	6/20	55° 49.99'	-134° 37.19'	84	5.0	2,011	54	113	13	0	0	30
3063	6/21	55° 49.97'	-134° 55.05'	101	5.0	2,114	61	102	13	0	0	25
3064	6/21	55° 50.07'	-135° 12.84'	126	5.0	2,433	94	116	13	25	0	20
3065	6/28	55° 55.03'	-133° 34.86'	42	5.0	357	12	17	2	0	0	30
3066	6/20	56° 00.00'	-134° 02.02'	54	5.1	1,122	59	378	47	0	0	5
3067	6/20	56° 00.03'	-134° 19.95'	49	5.1	1,566	48	436	57	0	5	20
3068	6/20	56° 00.01'	-134° 38.18'	207	5.0	2,953	89	81	10	65	0	10
3069	6/21	56° 00.02'	-134° 54.98'	196	5.0	1,600	50	17	2	25	0	25
3070	6/21	56° 00.01'	-135° 13.05'	199	5.0	1,562	55	104	11	55	0	30
3071	6/27	56° 10.13'	-133° 44.01'	180	5.0	628	30	96	10	10	0	0
3072	6/19	56° 09.99'	-134° 19.97'	75	5.0	2,229	112	372	45	0	15	10
3073	6/15	56° 09.92'	-134° 38.03'	140	5.0	1,523	57	111	12	25	10	5
3074	6/15	56° 09.98'	-134° 56.19'	101	5.0	1,982	88	409	50	60	0	10
3075	6/16	56° 10.01'	-135° 13.79'	155	5.0	1,057	41	21	3	80	0	0
3076	6/27	56° 20.06'	-133° 43.77'	108	4.9	113	2	0	0	5	0	5
3077	6/19	56° 20.01'	-134° 20.02'	87	5.0	774	31	190	24	0	30	10
3078	6/15	56° 20.03'	-134° 55.90'	56	5.0	2,290	45	170	24	0	0	35
3079	6/16	56° 19.97'	-135° 13.89'	86	5.0	867	42	212	26	0	0	5
3080	6/16	56° 19.99'	-135° 31.88'	110	5.0	986	53	174	21	35	20	0
3081	6/27	56° 29.12'	-133° 44.00'	43	5.1	531	18	0	0	0	25	5
3082	6/19	56° 30.15'	-134° 20.05'	53	5.0	676	36	498	64	0	0	0
3083	6/14	56° 29.98'	-135° 15.17'	58	5.0	1,142	54	513	67	0	0	10
3084	6/14	56° 30.01'	-135° 32.95'	81	5.0	1,238	56	133	17	0	0	95
3085	6/14	56° 39.99'	-135° 15.07'	22	5.1	1,522	38	20	2	0	0	0
3086	6/13	56° 39.98'	-135° 34.16'	73	5.1	2,117	69	206	27	0	0	61
3087	6/13	56° 40.01'	-135° 52.14'	130	5.1	1,151	54	83	9	30	0	20
3088	5/28	56° 50.00'	-132° 50.34'	113	5.1	351	12	60	8	10	0	0
3089	6/13	56° 50.02'	-135° 51.93'	103	5.1	685	35	167	19	5	0	10
3090	5/28	56° 57.01'	-132° 57.86'	72	5.0	395	15	82	10	0	0	0
3091	5/29	57° 00.00'	-134° 21.17'	189	5.0	1,660	105	251	30	20	10	0
3092	6/10	57° 00.01'	-136° 00.22'	55	5.0	1,614	55	424	52	0	0	25
3093	5/28	57° 03.03'	-133° 04.95'	75	5.0	296	10	17	2	0	0	0
3094	5/29	57° 10.01'	-133° 44.98'	181	5.0	1,906	113	387	44	10	0	0
3095	5/29	57° 09.97'	-134° 03.23'	158	5.0	1,718	94	258	31	10	25	0
3096	5/30	57° 09.91'	-134° 39.97'	194	5.0	522	15	52	6	0	0	20
3097	6/10	57° 10.01'	-135° 53.95'	36	5.1	1,098	27	118	17	0	0	35
3098	6/10	57° 10.01'	-136° 12.15'	115	5.0	1,565	88	222	25	0	15	0
3099	5/31	57° 20.01'	-133° 25.84'	74	5.0	60	2	0	0	0	0	0
3100	5/31	57° 19.98'	-133° 44.83'	194	5.0	2,438	127	260	29	5	10	0
3102	6/9	57° 19.91'	-135° 54.99'	46	5.0	580	16	22	4	0	15	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2017 IPHC Fishery-Independent Setline Survey Regulatory Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3103	6/9	57° 20.20'	-136° 12.98'	95	5.0	1,606	96	402	45	0	0	6
3104	5/31	57° 30.01'	-133° 45.14'	130	5.0	771	34	152	19	0	0	0
3105	5/30	57° 31.03'	-134° 37.85'	153	5.1	339	15	72	9	0	15	15
3106	6/9	57° 30.01'	-136° 13.99'	51	5.0	1,024	34	187	25	0	0	10
3107	6/1	57° 40.00'	-133° 44.86'	180	5.0	964	50	127	14	0	0	0
3108	6/8	57° 40.01'	-136° 33.10'	89	5.0	476	27	313	40	0	0	0
3109	6/1	57° 49.89'	-133° 53.93'	149	5.0	321	18	63	7	0	0	0
3110	6/8	57° 49.97'	-136° 34.01'	52	5.0	1,454	58	384	56	0	0	10
3111	6/8	57° 50.03'	-136° 52.94'	207	5.1	167	8	37	4	66	0	15
3112	6/1	57° 59.91'	-134° 03.97'	122	5.0	142	5	0	0	0	0	0
3113	6/7	58° 00.14'	-136° 39.92'	63	5.1	1,594	68	522	69	0	5	15
3114	6/6	58° 09.98'	-135° 01.18'	106	5.1	587	16	66	9	0	25	10
3115	6/6	58° 09.99'	-135° 19.82'	94	5.0	350	16	100	14	0	15	5
3116	6/7	58° 08.97'	-136° 36.00'	147	5.0	1,062	37	46	6	10	5	15
3117	6/2	58° 12.00'	-134° 23.94'	40	5.0	24	1	0	0	0	0	0
3118	6/2	58° 13.93'	-134° 41.01'	42	5.0	86	2	9	1	0	0	0
3119	6/6	58° 15.01'	-135° 40.07'	60	5.1	505	21	246	35	0	26	0
3120	6/7	58° 14.94'	-136° 25.81'	114	5.0	2,449	59	123	18	20	0	0
3121	6/2	58° 19.96'	-134° 42.94'	41	5.0	95	2	0	0	0	0	0
3122	6/5	58° 19.94'	-135° 01.77'	280	4.5	407	20	20	2	62	0	0
3123	6/5	58° 30.12'	-135° 02.12'	158	5.1	535	30	94	12	5	0	0
3124	6/5	58° 39.99'	-135° 02.67'	158	5.0	0	0	22	3	5	0	0
122 Total Effective 2C Stations					Totals	133,149	4,998	16,494	2,040	1,606	474	1,483

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.