

2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2001	7/28	48° 19.91'	-125° 38.00'	77	7.0	0	0	0	0	0	0	0
2002	7/28	48° 19.90'	-125° 52.94'	168	7.0	189	9	0	0	99	0	24
2003	7/29	48° 30.00'	-125° 23.06'	79	7.0	0	0	0	0	23	1	0
2004	7/28	48° 30.05'	-125° 37.99'	55	7.0	223	10	28	3	4	0	0
2005	7/28	48° 29.90'	-125° 53.03'	59	7.0	111	6	7	1	2	0	7
2006	7/31	48° 29.86'	-126° 07.97'	111	7.0	92	5	9	1	133	1	0
2007	7/30	48° 39.99'	-125° 07.53'	35	7.0	802	23	27	3	0	0	26
2008	7/30	48° 39.98'	-125° 23.23'	35	7.0	249	13	81	9	25	0	0
2009	7/27	48° 39.99'	-125° 38.11'	69	7.0	90	5	24	3	1	1	1
2010	7/27	48° 40.00'	-125° 53.11'	41	7.0	54	4	34	5	0	0	0
2011	7/31	48° 40.05'	-126° 07.91'	78	7.0	60	3	26	3	11	0	4
2012	7/27	48° 50.00'	-125° 37.11'	25	7.0	964	24	14	2	0	0	20
2013	7/27	48° 50.11'	-125° 52.98'	33	7.0	1,294	45	19	3	0	0	18
2014	8/8	48° 50.09'	-126° 07.99'	59	7.0	0	0	0	0	27	0	0
2015	8/1	48° 49.89'	-126° 22.98'	98	7.0	215	13	55	6	48	1	13
2016	8/8	49° 00.08'	-126° 07.99'	39	7.0	60	5	73	9	0	0	0
2017	8/7	49° 00.01'	-126° 23.14'	77	7.0	136	8	128	15	1	1	0
2018	8/6	49° 00.01'	-126° 37.85'	129	7.0	661	40	81	9	32	0	2
2019	8/7	49° 10.01'	-126° 23.00'	48	7.0	0	0	0	0	1	0	0
2020	8/6	49° 10.01'	-126° 38.12'	69	7.0	172	11	195	22	7	5	0
2021	8/6	49° 09.97'	-126° 53.01'	97	7.0	194	14	158	18	0	5	4
2023	7/24	49° 20.01'	-126° 22.85'	23	7.0	535	22	24	3	0	0	0
2024	7/24	49° 18.51'	-126° 38.01'	54	7.0	103	5	137	18	2	0	1
2025	8/5	49° 20.10'	-126° 53.10'	77	7.0	90	7	245	32	1	9	1
2026	8/5	49° 19.89'	-127° 09.01'	105	7.0	553	38	74	8	35	1	4
2027	7/24	49° 30.02'	-126° 38.00'	24	7.0	545	18	19	2	0	0	3
2028	8/5	49° 29.99'	-126° 53.03'	52	7.0	49	3	83	11	0	3	0
2029	8/5	49° 30.01'	-127° 08.99'	81	7.0	245	16	306	37	1	4	0
2030	7/22	49° 40.03'	-127° 09.00'	64	7.0	334	19	600	76	0	2	0
2031	7/22	49° 39.98'	-127° 23.99'	112	7.0	1,769	112	291	30	40	0	26
2032	7/22	49° 50.00'	-127° 23.93'	44	7.0	890	40	193	22	0	0	0
2033	7/21	49° 49.97'	-127° 40.00'	102	7.0	170	10	42	5	26	2	14
2034	7/21	50° 00.09'	-127° 40.00'	48	7.0	153	8	159	19	0	0	2
2035	7/20	50° 19.88'	-128° 10.99'	89	7.0	1,436	81	333	37	4	11	78
2037	7/11	50° 29.99'	-128° 26.95'	103	7.0	102	7	51	6	68	0	51
2038	7/12	50° 39.97'	-128° 28.01'	49	7.0	110	7	216	29	0	0	0
2039	7/11	50° 40.05'	-128° 44.15'	104	7.0	44	2	19	2	26	0	18
2040	7/12	50° 50.13'	-128° 28.00'	36	7.0	909	40	133	16	0	0	0
2041	7/13	51° 00.01'	-127° 57.13'	62	7.0	34	2	32	4	11	0	0
2042	7/13	51° 00.00'	-128° 13.33'	57	7.0	40	2	37	5	12	0	4
2043	7/13	51° 10.07'	-127° 56.05'	68	7.0	85	5	27	3	44	0	0
2044	6/24	50° 50.02'	-129° 00.02'	45	7.0	619	19	92	13	1	0	38
2045	6/24	50° 49.97'	-129° 16.00'	67	7.0	858	30	96	13	0	0	42
2046	7/3	50° 59.95'	-128° 28.03'	51	7.0	320	10	46	6	1	0	8
2047	7/8	51° 00.01'	-128° 44.14'	36	7.0	614	20	158	20	0	0	2
2048	6/25	50° 59.96'	-128° 59.91'	44	7.0	125	6	94	13	0	0	0
2049	6/25	50° 59.97'	-129° 15.93'	87	7.0	30	2	25	3	14	0	0
2050	6/26	50° 59.97'	-129° 31.73'	131	7.0	623	32	47	5	12	0	48
2051	7/3	51° 09.98'	-128° 11.90'	57	7.0	315	10	10	1	0	0	2
2052	7/3	51° 10.01'	-128° 28.11'	105	7.0	32	2	9	1	9	1	0

¹ Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

² Weight calculated from length-weight tables.

2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2053	7/8	51° 09.99'	-128° 44.14'	54	7.0	161	11	659	87	0	0	0
2054	7/8	51° 10.00'	-129° 00.37'	74	7.0	430	23	425	52	2	11	1
2055	6/25	51° 10.00'	-129° 15.94'	146	7.0	745	45	209	24	32	0	14
2056	6/27	51° 10.01'	-129° 32.06'	155	7.0	546	35	124	13	38	0	1
2057	7/16	51° 19.97'	-127° 55.25'	75	7.0	50	3	7	1	21	0	3
2058	7/16	51° 19.98'	-128° 11.04'	45	7.0	100	5	35	6	0	0	4
2059	7/4	51° 19.99'	-128° 27.07'	83	6.9	37	3	49	6	15	0	0
2060	7/4	51° 20.84'	-128° 40.59'	114	7.0	204	12	44	5	16	0	14
2061	7/7	51° 21.51'	-129° 00.58'	130	7.0	65	4	82	9	3	0	14
2062	7/7	51° 22.62'	-129° 14.97'	72	7.0	93	8	709	94	0	0	0
2063	6/27	51° 19.98'	-129° 30.98'	108	7.0	268	16	79	9	34	0	12
2064	6/28	51° 20.06'	-129° 46.91'	132	7.0	166	7	19	2	50	0	12
2065	7/16	51° 30.00'	-128° 12.60'	50	7.0	399	16	74	10	0	0	66
2066	7/4	51° 30.03'	-128° 27.05'	103	7.0	13	1	8	1	12	0	23
2067	7/4	51° 30.22'	-128° 42.99'	39	7.0	317	13	64	8	0	0	0
2068	7/7	51° 30.07'	-128° 58.91'	25	7.0	460	21	122	15	0	0	5
2069	7/7	51° 30.09'	-129° 14.87'	27	7.0	1,651	57	164	20	0	0	11
2070	7/6	51° 30.03'	-129° 31.34'	58	7.0	2,948	118	328	37	0	0	25
2071	6/29	51° 30.03'	-129° 46.96'	92	7.0	1,313	63	11	1	29	0	71
2072	6/29	51° 30.06'	-130° 02.87'	150	7.0	530	22	0	0	98	0	11
2073	7/15	51° 40.02'	-128° 25.88'	77	7.0	39	3	19	2	8	0	1
2074	7/5	51° 39.81'	-128° 59.03'	27	7.0	0	0	50	6	0	0	0
2075	7/6	51° 40.00'	-129° 14.55'	32	7.0	62	5	57	7	0	0	0
2076	7/6	51° 40.03'	-129° 30.95'	55	7.0	15	1	17	2	0	0	0
2077	6/29	51° 38.73'	-129° 43.97'	96	7.0	891	52	76	8	70	0	28
2078	7/15	51° 49.98'	-128° 26.25'	72	7.0	427	17	101	12	10	0	12
2079	7/15	51° 49.99'	-128° 42.00'	54	7.0	97	7	195	25	0	0	0
2080	7/5	51° 49.99'	-128° 58.09'	46	7.0	283	12	359	47	1	0	13
2081	7/11	51° 50.00'	-129° 14.23'	66	7.0	24	2	52	7	0	7	10
2082	7/11	51° 49.98'	-129° 30.77'	138	7.0	75	4	9	1	32	0	12
2083	7/12	51° 59.95'	-128° 42.05'	88	7.0	138	8	68	8	12	0	0
2084	7/12	52° 00.05'	-128° 57.89'	74	7.0	732	45	283	34	0	0	11
2085	7/11	51° 59.97'	-129° 11.82'	94	7.0	14	1	0	0	0	0	0
2086	7/12	52° 10.06'	-128° 41.02'	119	7.0	42	1	0	0	11	0	6
2087	6/3	51° 39.98'	-130° 03.03'	194	7.0	154	7	6	1	99	0	4
2088	6/3	51° 39.99'	-130° 18.88'	140	7.0	1,163	42	42	4	50	0	8
2089	6/2	51° 49.99'	-129° 47.27'	140	7.0	221	12	45	5	5	0	3
2090	6/3	51° 49.98'	-130° 02.96'	100	7.0	547	26	30	3	1	0	21
2091	6/7	51° 50.15'	-130° 18.94'	117	7.0	1,593	74	36	4	46	0	18
2092	6/8	51° 50.21'	-130° 34.74'	165	7.0	970	48	45	5	39	0	0
2093	6/8	51° 50.03'	-130° 51.84'	101	7.0	833	46	63	7	13	0	136
2095	6/2	52° 00.34'	-129° 47.17'	64	7.0	1,265	60	556	71	0	0	18
2096	6/2	52° 00.02'	-130° 03.08'	77	7.0	671	35	266	31	0	0	1
2097	6/7	52° 00.06'	-130° 19.03'	194	7.0	692	26	21	2	48	0	3
2098	6/7	52° 00.11'	-130° 35.01'	136	7.0	1,677	95	116	12	27	0	2
2099	6/8	51° 59.94'	-130° 52.01'	103	7.0	232	11	94	11	1	0	4
2100	5/28	52° 09.98'	-128° 56.97'	91	7.0	453	23	131	16	8	0	2
2101	5/28	52° 10.00'	-129° 14.11'	94	7.0	119	7	45	5	8	0	4
2103	6/1	52° 09.98'	-129° 45.98'	112	7.0	326	18	66	7	4	0	9
2104	6/1	52° 10.01'	-130° 02.98'	89	7.0	87	6	28	3	0	0	0

¹ Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

² Weight calculated from length-weight tables.

2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2105	5/31	52° 09.93'	-130° 19.03'	221	7.1	227	7	0	0	58	0	3
2106	5/31	52° 09.98'	-130° 34.89'	105	7.0	1,981	98	133	14	1	0	4
2107	6/10	52° 09.98'	-130° 51.95'	122	7.0	2,440	141	238	25	4	1	7
2108	5/29	52° 20.00'	-129° 13.25'	73	7.0	1,171	63	1,073	129	0	0	6
2109	5/29	52° 20.01'	-129° 29.98'	93	7.0	1,135	55	221	28	1	0	0
2110	6/1	52° 20.01'	-129° 45.94'	100	7.0	908	55	157	17	0	0	2
2111	5/30	52° 20.02'	-130° 03.03'	126	7.0	267	15	48	5	1	0	10
2112	5/30	52° 20.00'	-130° 18.94'	195	7.0	1,054	41	16	2	67	0	1
2113	5/31	52° 19.98'	-130° 34.92'	90	7.0	1,397	57	135	16	1	0	6
2114	6/10	52° 19.99'	-130° 52.12'	79	7.0	637	36	157	18	2	0	0
2115	6/13	52° 30.09'	-129° 32.13'	47	7.0	769	28	155	19	0	0	30
2117	5/30	52° 29.99'	-130° 01.92'	147	7.0	802	40	27	3	3	0	15
2118	6/19	52° 30.01'	-130° 19.05'	144	7.1	337	10	9	1	19	0	1
2119	6/11	52° 29.98'	-130° 35.14'	64	7.0	1,268	86	527	61	0	0	4
2120	6/11	52° 30.02'	-130° 52.05'	60	7.0	751	31	149	20	2	0	8
2121	6/21	52° 39.96'	-129° 46.02'	104	7.0	376	18	10	1	8	0	18
2122	6/19	52° 40.00'	-130° 01.96'	147	7.0	62	3	6	1	26	0	1
2123	6/19	52° 40.00'	-130° 19.08'	121	7.0	239	12	0	0	2	0	12
2124	6/11	52° 40.00'	-130° 35.11'	79	7.0	1,106	58	213	24	1	0	5
2125	6/20	52° 49.99'	-130° 01.92'	142	7.0	171	10	10	1	11	0	6
2126	6/20	52° 49.98'	-130° 18.96'	114	7.0	86	2	9	1	0	0	0
2127	6/21	53° 00.00'	-129° 45.07'	123	7.0	219	11	27	3	35	0	14
2128	6/20	52° 59.99'	-130° 01.92'	103	7.0	1,089	53	96	12	11	0	3
2129	7/10	52° 30.02'	-131° 08.07'	48	7.0	876	38	52	6	0	0	22
2130	7/10	52° 30.01'	-131° 25.10'	69	7.0	680	29	11	1	0	0	15
2131	7/2	52° 39.81'	-130° 51.91'	54	7.0	1,143	41	272	33	0	0	0
2132	7/2	52° 39.84'	-131° 07.98'	40	7.0	300	15	87	11	0	0	5
2133	7/9	52° 50.01'	-130° 35.34'	63	7.0	470	19	168	22	0	3	9
2134	7/2	52° 49.94'	-130° 51.91'	31	7.0	122	7	0	0	0	0	0
2135	7/9	52° 59.97'	-130° 18.16'	114	7.0	361	14	18	2	18	0	10
2136	7/9	52° 59.99'	-130° 35.14'	54	7.0	63	4	41	5	2	0	0
2137	6/17	53° 08.24'	-130° 16.20'	108	7.0	64	3	17	2	16	0	22
2139	7/8	53° 09.99'	-130° 52.00'	58	7.0	12	1	8	1	0	0	0
2140	6/17	53° 19.90'	-130° 17.98'	59	7.0	760	31	78	9	0	1	7
2141	7/1	53° 19.78'	-130° 34.86'	40	7.0	1,234	58	277	35	0	0	52
2142	7/1	53° 20.03'	-130° 53.67'	70	7.0	819	41	100	12	2	5	1
2143	6/3	53° 20.00'	-132° 49.18'	79	7.0	679	27	115	14	0	0	9
2144	6/3	53° 20.09'	-133° 06.03'	133	7.0	1,206	52	62	7	36	0	15
2145	7/4	53° 30.08'	-130° 52.03'	53	7.0	264	20	468	54	0	3	0
2146	6/3	53° 30.03'	-133° 06.00'	212	7.0	381	13	8	1	36	0	159
2147	7/5	53° 39.99'	-130° 35.06'	26	7.0	679	36	222	28	0	0	3
2148	7/5	53° 40.00'	-130° 52.12'	27	7.0	583	29	148	19	0	0	4
2150	7/5	53° 50.07'	-130° 52.01'	50	7.0	235	14	170	20	2	2	0
2151	6/8	54° 00.11'	-133° 24.98'	43	6.9	4,088	153	684	87	0	0	40
2152	6/26	54° 09.86'	-130° 34.98'	59	7.0	285	12	80	9	11	0	3
2153	6/13	54° 09.99'	-132° 00.01'	39	7.0	66	4	208	30	1	11	0
2154	6/13	54° 10.01'	-132° 17.01'	50	7.0	25	2	47	6	0	0	0
2155	6/12	54° 09.98'	-132° 33.79'	46	7.0	106	3	155	28	0	5	0
2156	6/8	54° 10.13'	-133° 08.99'	41	7.0	662	21	116	14	0	0	28
2157	6/8	54° 10.07'	-133° 26.01'	218	7.0	411	17	15	2	59	0	3

¹ Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

² Weight calculated from length-weight tables.

2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2158	6/22	54° 19.99'	-130° 34.78'	59	7.0	881	26	71	10	9	0	21
2159	6/24	54° 19.87'	-131° 08.73'	38	7.0	688	45	413	48	1	0	0
2160	6/25	54° 19.83'	-131° 25.93'	93	7.0	548	33	125	14	12	0	8
2161	6/23	54° 20.14'	-131° 41.50'	104	7.0	1,036	64	342	39	6	1	20
2162	6/13	54° 20.05'	-132° 00.84'	135	7.0	703	29	8	1	36	0	10
2163	6/12	54° 20.00'	-132° 18.40'	117	7.0	647	31	89	11	5	1	3
2164	6/12	54° 20.01'	-132° 35.24'	146	7.0	1,020	33	80	10	59	2	26
2165	6/6	54° 20.05'	-132° 52.01'	214	7.0	809	25	67	8	120	0	7
2166	6/6	54° 20.01'	-133° 09.65'	254	7.0	1,773	50	8	1	73	0	4
2167	6/7	54° 20.00'	-133° 25.78'	130	7.0	2,363	103	133	17	18	4	39
2168	6/7	54° 20.04'	-133° 43.03'	136	7.0	945	39	82	9	12	1	10
2169	6/22	54° 29.99'	-130° 35.00'	65	7.0	322	10	24	3	16	0	0
2170	6/24	54° 30.11'	-131° 08.91'	77	7.0	1,435	88	275	31	15	1	1
2171	6/23	54° 30.15'	-131° 25.85'	59	7.0	3,795	175	664	82	0	2	30
2172	6/23	54° 30.18'	-131° 44.01'	186	7.0	827	32	0	0	54	0	0
2201	8/11	48° 19.55'	-123° 18.95'	46	7.0	92	4	0	0	0	0	0
2202	8/11	48° 17.66'	-123° 37.22'	85	3.0	45	1	0	0	0	0	0
2203	8/12	48° 19.96'	-123° 51.60'	78	7.0	32	1	0	0	0	0	0
2204	8/12	48° 22.19'	-124° 06.45'	77	7.0	0	0	0	0	0	0	0
2205	7/31	48° 20.00'	-126° 07.98'	330	7.0	17	1	10	1	68	0	1
2206	8/13	48° 30.07'	-124° 22.62'	31	7.0	27	1	7	1	0	2	0
2207	8/13	48° 30.42'	-124° 35.34'	109	7.0	22	1	0	0	0	0	0
2208	7/29	48° 30.00'	-125° 07.93'	75	7.0	54	3	0	0	10	0	0
2209	7/29	48° 39.28'	-124° 51.92'	15	7.0	0	0	0	0	0	0	0
2210	8/1	48° 39.97'	-126° 22.21'	347	7.0	0	0	0	0	99	0	2
2211	8/10	48° 49.68'	-123° 06.04'	98	7.0	0	0	0	0	0	0	0
2212	8/10	48° 48.61'	-123° 20.02'	50	6.9	0	0	0	0	0	0	0
2213	7/30	48° 49.98'	-125° 23.03'	37	7.0	218	8	6	1	0	0	11
2214	8/1	48° 49.80'	-126° 37.91'	297	7.0	0	0	0	0	103	0	4
2215	8/10	48° 58.97'	-123° 20.25'	113	7.0	0	0	0	0	0	0	0
2216	8/9	48° 59.63'	-123° 36.05'	25	7.0	0	0	0	0	0	0	0
2217	8/8	49° 00.01'	-125° 53.03'	24	7.0	406	10	5	1	0	0	25
2218	8/6	48° 59.95'	-126° 52.99'	339	7.0	0	0	0	0	76	0	0
2219	8/9	49° 09.64'	-123° 18.63'	53	7.0	0	0	0	0	0	0	0
2220	8/9	49° 09.90'	-123° 34.99'	178	7.0	0	0	0	0	1	0	1
2221	8/7	49° 10.01'	-126° 07.99'	25	7.0	512	17	0	0	0	0	3
2222	8/6	49° 19.93'	-123° 24.04'	60	7.0	0	0	0	0	0	0	0
2223	8/6	49° 19.61'	-123° 35.34'	91	7.0	0	0	0	0	0	0	0
2224	8/5	49° 19.97'	-123° 50.78'	202	7.0	0	0	0	0	0	0	0
2225	8/5	49° 19.98'	-124° 05.51'	203	7.0	0	0	0	0	4	0	2
2226	8/6	49° 30.66'	-123° 20.41'	79	7.0	0	0	0	0	0	0	11
2227	8/5	49° 30.04'	-124° 03.72'	79	7.0	0	0	0	0	1	0	0
2228	8/2	49° 30.04'	-124° 33.93'	67	7.0	0	0	0	0	0	0	1
2229	8/4	49° 40.95'	-123° 50.87'	108	7.0	29	1	0	0	0	0	4
2230	8/2	49° 40.00'	-124° 36.28'	145	7.0	0	0	0	0	1	0	2
2231	8/1	49° 39.98'	-124° 48.58'	39	7.0	53	1	0	0	0	0	0
2232	7/23	49° 39.97'	-126° 07.62'	183	7.0	0	0	0	0	0	0	0
2233	7/21	49° 39.82'	-127° 40.01'	324	7.0	0	0	0	0	40	0	3
2234	8/3	49° 49.28'	-124° 04.56'	108	7.0	0	0	0	0	1	0	10
2235	8/1	49° 49.96'	-124° 48.35'	117	6.9	0	0	0	0	0	0	2

¹ Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

² Weight calculated from length-weight tables.

2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2236	8/1	49° 50.01'	-124° 38.45'	85	7.0	0	0	0	0	0	0	0
2237	7/22	49° 49.99'	-127° 08.97'	21	7.0	206	6	0	0	0	0	7
2238	7/31	50° 00.19'	-124° 50.95'	140	7.0	0	0	0	0	2	0	0
2239	7/31	49° 59.65'	-125° 06.66'	63	7.0	0	0	0	0	0	0	0
2242	7/20	50° 09.97'	-127° 55.34'	28	7.0	1,560	40	119	14	0	0	98
2243	7/30	50° 19.76'	-125° 05.53'	128	6.8	104	1	0	0	2	0	13
2244	7/30	50° 29.72'	-125° 05.02'	313	7.0	0	0	0	0	4	0	0
2245	7/27	50° 30.59'	-126° 21.91'	114	6.9	0	0	0	0	0	0	6
2246	7/27	50° 30.13'	-126° 37.30'	140	7.0	0	0	0	0	0	0	0
2247	7/19	50° 29.98'	-127° 39.55'	55	7.0	179	3	0	0	1	0	7
2249	7/26	50° 39.95'	-126° 05.98'	91	7.0	0	0	0	0	0	0	0
2250	7/24	50° 40.33'	-126° 39.06'	37	7.0	227	7	0	0	0	0	0
2251	7/23	50° 40.78'	-126° 52.32'	97	7.0	44	1	0	0	0	0	5
2252	7/23	50° 41.47'	-127° 09.25'	53	7.0	55	4	32	4	1	0	1
2254	7/23	50° 50.08'	-127° 09.65'	81	7.0	0	0	0	0	0	0	0
2255	7/22	50° 50.09'	-127° 24.91'	92	7.0	58	1	0	0	2	1	3
2258	6/26	50° 50.16'	-129° 32.40'	226	7.0	384	17	20	2	95	0	100
2259	7/25	50° 59.77'	-125° 33.92'	169	7.0	0	0	0	0	12	0	1
2260	7/22	50° 59.78'	-127° 41.03'	86	6.9	511	16	35	4	6	0	28
2261	6/26	51° 00.26'	-129° 48.00'	310	7.0	0	0	0	0	71	0	15
2262	6/28	51° 09.94'	-130° 02.63'	333	7.0	0	0	0	0	75	0	10
2263	6/27	51° 10.21'	-129° 46.49'	283	7.0	75	3	0	0	83	0	49
2264	7/2	51° 18.97'	-127° 38.69'	64	7.0	547	18	9	1	4	0	7
2265	6/28	51° 19.95'	-130° 02.81'	177	7.0	878	42	11	1	62	0	20
2266	7/2	51° 39.95'	-127° 22.71'	135	7.0	327	7	0	0	0	0	1
2267	7/14	51° 40.05'	-127° 54.90'	183	7.0	345	18	50	5	13	0	0
2268	7/14	51° 39.98'	-128° 11.46'	30	7.0	307	12	74	9	0	0	23
2269	7/5	51° 39.97'	-128° 43.07'	20	7.0	255	9	37	4	0	0	0
2270	7/14	51° 49.92'	-127° 54.89'	173	7.0	470	24	20	2	17	0	0
2271	6/9	52° 00.02'	-131° 08.23'	31	7.0	4,441	108	50	7	0	0	117
2272	7/13	52° 10.30'	-126° 51.97'	131	7.0	474	10	0	0	7	0	3
2273	6/9	52° 10.13'	-131° 08.09'	20	7.0	491	11	9	1	0	0	1
2274	6/9	52° 10.12'	-131° 25.39'	185	7.0	115	4	9	1	53	0	130
2275	7/13	52° 19.88'	-127° 06.34'	190	7.0	228	8	6	1	13	0	22
2276	5/28	52° 20.01'	-128° 57.22'	25	7.0	1,845	64	195	23	0	0	25
2277	6/10	52° 20.00'	-131° 08.00'	35	7.0	1,371	32	18	2	0	0	21
2278	5/29	52° 29.93'	-129° 12.82'	65	7.0	1,065	41	51	6	0	0	26
2279	6/12	52° 39.89'	-128° 56.53'	51	7.0	963	26	30	3	0	1	14
2280	6/13	52° 39.89'	-129° 15.61'	54	7.0	561	15	71	8	2	0	20
2283	6/12	52° 49.90'	-129° 12.98'	58	7.0	1,902	100	357	42	1	0	0
2284	6/12	52° 50.05'	-129° 29.50'	110	7.0	1,470	57	54	6	12	0	7
2285	7/3	52° 50.02'	-131° 24.52'	70	7.0	2,397	42	0	0	0	0	20
2286	6/21	52° 49.97'	-129° 46.05'	49	7.0	1,769	83	290	34	1	0	60
2287	7/3	52° 49.92'	-131° 08.00'	17	7.0	186	4	9	1	0	0	10
2288	7/3	52° 59.78'	-131° 24.53'	12	7.0	231	3	0	0	0	0	0
2289	7/8	52° 59.97'	-131° 09.06'	16	7.0	138	5	0	0	0	0	4
2290	6/2	53° 00.26'	-132° 15.78'	50	7.0	802	21	31	5	1	0	34
2291	6/18	52° 59.90'	-129° 28.24'	42	7.0	1,135	48	53	7	7	0	2
2292	7/8	52° 59.99'	-130° 52.00'	25	7.0	326	16	80	10	0	0	0
2293	6/2	52° 59.98'	-132° 32.26'	228	7.0	561	25	25	3	22	0	34

¹ Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

² Weight calculated from length-weight tables.

2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)			
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish	
2294	6/17	53° 09.94'	-128° 38.39'	107	7.0	181	6	0	0	11	0	19	
2295	6/16	53° 09.91'	-131° 39.41'	10	7.0	62	1	0	0	0	0	0	
2296	6/16	53° 09.94'	-131° 25.25'	16	7.0	232	7	9	1	0	0	0	
2297	6/16	53° 09.97'	-131° 08.62'	20	7.0	343	13	8	1	0	1	1	
2298	6/18	53° 10.00'	-129° 45.04'	33	7.0	885	21	21	2	1	0	15	
2299	6/17	53° 10.25'	-130° 01.86'	50	7.0	1,947	68	179	21	0	0	39	
2301	6/17	53° 19.95'	-128° 54.86'	244	7.0	1,077	49	16	2	25	0	1	
2302	6/15	53° 19.96'	-131° 42.41'	12	7.0	0	0	0	0	0	0	0	
2303	6/16	53° 19.88'	-129° 11.54'	253	7.0	524	19	9	1	53	0	0	
2304	6/15	53° 19.93'	-131° 25.38'	16	7.0	424	10	20	3	0	0	0	
2305	7/1	53° 19.84'	-131° 08.52'	23	7.0	375	13	10	1	0	0	3	
2306	6/18	53° 20.04'	-129° 45.08'	111	7.0	278	9	0	0	6	0	2	
2307	6/16	53° 29.81'	-129° 11.60'	195	7.0	215	10	26	3	40	0	6	
2308	6/15	53° 29.95'	-131° 42.30'	14	7.0	215	4	10	1	0	0	0	
2309	6/15	53° 29.94'	-131° 25.47'	15	7.0	268	7	0	0	0	0	0	
2311	7/4	53° 30.19'	-131° 08.96'	24	7.0	451	18	27	3	0	0	0	
2312	6/14	53° 39.98'	-131° 25.73'	11	7.0	437	15	58	7	0	0	0	
2313	7/4	53° 40.12'	-131° 08.89'	27	7.0	417	22	59	8	0	0	0	
2314	6/14	53° 40.02'	-131° 42.96'	12	7.0	377	11	0	0	0	0	0	
2315	6/18	53° 49.97'	-130° 01.13'	89	7.0	148	3	0	0	10	0	0	
2316	6/14	53° 49.97'	-131° 25.81'	11	7.0	403	14	19	2	0	0	0	
2317	6/18	53° 49.93'	-130° 18.05'	107	7.0	181	6	4	1	2	0	1	
2318	6/30	53° 49.91'	-131° 08.95'	26	7.0	533	28	172	20	3	0	0	
2320	6/14	53° 49.94'	-131° 42.76'	10	7.0	116	4	9	1	0	0	0	
2321	6/4	53° 50.11'	-133° 25.02'	149	6.9	1,361	48	29	3	24	0	46	
2322	6/30	54° 00.06'	-131° 09.03'	21	7.0	403	24	272	35	0	0	0	
2323	6/4	54° 00.09'	-133° 09.97'	16	7.0	1,253	37	51	6	0	0	1	
2324	6/30	53° 59.45'	-130° 53.14'	41	7.0	857	27	238	29	1	0	1	
2326	6/6	54° 09.99'	-132° 51.77'	26	7.0	173	12	187	26	0	1	0	
2327	6/26	54° 09.98'	-130° 51.71'	47	7.0	452	25	347	41	2	0	2	
2328	6/26	54° 09.77'	-131° 04.98'	32	2.3	523	34	420	51	0	1	0	
2329	6/25	54° 10.07'	-131° 26.00'	13	7.0	321	14	29	3	0	0	0	
2330	6/7	54° 10.18'	-133° 43.02'	135	7.0	1,390	67	156	20	42	1	28	
2331	6/11	54° 19.97'	-130° 17.90'	29	7.0	238	4	0	0	0	0	0	
2332	6/24	54° 20.01'	-130° 51.05'	63	7.0	904	36	59	8	0	2	42	
2333	6/22	54° 31.07'	-130° 47.46'	46	7.0	330	7	24	3	8	0	4	
2334	6/21	54° 40.03'	-130° 35.15'	135	7.0	403	21	116	14	14	3	1	
2335	6/21	54° 59.95'	-130° 00.64'	74	7.0	394	15	23	3	1	3	0	
2336	6/18	53° 54.86'	-130° 11.37'	86	7.0	327	10	0	0	3	1	6	
2337	6/21	54° 48.80'	-130° 15.81'	259	7.0	1,472	79	184	20	41	0	4	
2338	7/2	51° 28.91'	-127° 35.08'	172	7.0	358	9	0	0	1	0	0	
2339	7/25	50° 51.79'	-125° 39.41'	271	7.0	0	0	0	0	23	0	0	
2340	7/26	50° 37.95'	-126° 21.32'	106	7.0	0	0	0	0	0	0	0	
2341	7/23	49° 38.53'	-126° 25.93'	61	7.0	76	2	11	1	5	0	1	
2342	7/19	50° 27.30'	-127° 56.69'	73	7.0	185	7	0	0	0	0	20	
2343	6/25	54° 00.05'	-131° 25.98'	10	7.0	280	8	33	5	0	0	0	
292 Total Effective 2B Stations						Totals	146,381	6,233	24,645	2,994	3,599	125	3,061

¹ Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

² Weight calculated from length-weight tables.