

2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3001	7/4	54° 30.24'	-132° 01.29'	150	7.0	901	28	19	3	149	0	45
3002	7/3	54° 29.97'	-132° 18.01'	197	7.0	411	13	0	0	30	0	10
3004	7/2	54° 30.57'	-132° 52.12'	208	5.9	557	14	11	1	49	0	0
3005	7/14	54° 30.00'	-133° 09.81'	105	7.0	1,564	61	64	7	0	0	145
3006	7/14	54° 30.01'	-133° 27.14'	162	7.0	1,155	34	42	5	20	0	0
3007	7/13	54° 29.95'	-133° 44.16'	137	6.9	1,791	66	373	43	25	10	5
3008	7/6	54° 40.06'	-130° 50.34'	165	6.9	343	13	0	0	15	5	0
3009	7/6	54° 40.06'	-131° 07.30'	97	7.0	480	32	184	22	10	0	10
3010	7/5	54° 40.14'	-131° 25.51'	127	7.0	239	16	43	5	40	0	5
3011	7/4	54° 39.95'	-131° 42.48'	219	6.0	355	17	18	2	34	0	0
3012	7/4	54° 40.01'	-131° 59.47'	99	7.0	1,384	62	133	17	5	25	25
3013	7/3	54° 40.05'	-132° 17.07'	59	7.0	1,168	53	278	37	0	10	5
3014	7/2	54° 39.90'	-132° 33.95'	99	7.0	1,940	74	223	26	10	20	54
3015	7/2	54° 40.00'	-132° 51.47'	77	7.0	935	30	93	14	0	0	10
3016	7/15	54° 40.09'	-133° 09.17'	117	7.0	1,026	27	17	2	0	5	40
3017	7/14	54° 40.06'	-133° 26.50'	165	7.0	816	25	19	3	40	5	54
3018	7/13	54° 40.03'	-133° 43.02'	128	7.0	2,749	84	83	10	10	5	5
3019	7/17	54° 40.05'	-133° 59.94'	121	7.0	1,609	70	233	27	20	0	5
3020	7/6	54° 50.03'	-131° 06.52'	131	7.0	784	33	40	5	15	0	0
3021	7/5	54° 50.04'	-131° 41.85'	224	7.0	351	20	27	3	64	0	0
3022	7/1	54° 50.05'	-132° 33.96'	175	6.9	308	6	8	1	54	0	10
3023	7/15	54° 49.95'	-133° 09.46'	108	7.0	823	37	46	6	0	15	35
3024	7/15	54° 49.98'	-133° 25.88'	64	7.0	234	17	400	54	0	0	60
3025	7/17	54° 50.09'	-133° 42.82'	75	7.0	1,738	111	639	77	0	0	10
3026	7/17	54° 49.96'	-134° 01.54'	106	7.0	1,006	33	104	13	10	0	40
3027	6/28	55° 00.00'	-131° 05.73'	140	7.0	1,611	52	26	4	25	0	0
3028	6/27	55° 00.25'	-131° 40.82'	104	7.0	534	28	147	17	25	0	35
3029	7/16	54° 59.93'	-133° 25.90'	51	7.0	1,132	32	119	18	0	0	70
3030	7/16	55° 00.08'	-133° 42.65'	56	7.0	548	19	294	45	0	0	0
3031	6/28	55° 09.98'	-131° 05.87'	85	7.0	1,002	32	89	12	0	0	10
3032	6/27	55° 09.97'	-131° 40.77'	54	7.0	789	22	62	8	0	10	30
3034	7/16	55° 09.96'	-133° 26.59'	37	6.9	872	19	20	2	5	0	44
3035	6/26	55° 19.81'	-131° 57.90'	222	7.0	70	3	0	0	15	0	0
3036	6/26	55° 29.14'	-131° 57.99'	134	7.0	186	9	14	2	25	5	40
3037	6/25	55° 40.25'	-132° 14.48'	175	7.0	159	7	18	2	84	0	5
3038	6/25	55° 44.90'	-132° 27.02'	127	7.0	311	9	22	3	35	5	40
3039	6/25	55° 49.97'	-132° 15.13'	124	7.0	929	39	18	2	20	5	20
3040	6/24	56° 00.00'	-132° 31.35'	106	7.0	930	29	37	4	10	5	54
3041	6/24	56° 01.11'	-132° 44.40'	192	7.0	145	7	29	3	15	0	10
3042	6/23	56° 10.99'	-132° 49.99'	89	7.0	1,157	30	44	5	0	10	0
3043*	7/23	54° 59.58'	-134° 00.82'	82	7.0	3,368	127	451	57	1	2	49
3044*	7/23	54° 59.56'	-134° 17.38'	116	7.0	2,347	78	42	5	22	4	9
3045*	7/22	55° 09.48'	-133° 42.53'	87	7.0	416	25	126	15	9	0	0
3046*	7/22	55° 09.30'	-134° 00.55'	94	6.9	2,121	119	156	17	1	0	9
3047*	7/22	55° 19.88'	-133° 43.99'	40	7.0	1,183	34	232	34	0	0	5
3048*	7/24	55° 19.82'	-134° 00.77'	64	7.0	788	50	1,075	141	0	0	0
3049*	7/17	55° 19.11'	-134° 18.98'	102	7.0	3,034	125	145	17	2	0	71
3050*	7/17	55° 19.88'	-134° 36.17'	112	7.0	3,502	131	149	16	16	7	33
3051*	7/24	55° 29.79'	-134° 00.78'	49	7.0	999	33	349	49	0	0	26
3052*	7/25	55° 29.56'	-134° 18.66'	91	7.0	1,927	105	385	41	0	3	22

¹ Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

² Weight calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample except stations with * which are whole hauled.

2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3053*	7/16	55° 29.87'	-134° 36.47'	109	7.0	2,020	79	178	20	4	4	1
3054*	7/16	55° 29.14'	-134° 53.32'	156	7.0	4,385	166	55	6	33	1	7
3055*	7/24	55° 39.82'	-134° 00.78'	100	7.0	1,250	61	147	16	4	12	57
3056*	7/25	55° 39.77'	-134° 18.88'	114	7.0	291	13	17	2	26	0	1
3057*	7/25	55° 39.75'	-134° 36.92'	111	7.0	1,289	46	55	6	11	7	0
3058*	7/16	55° 39.76'	-134° 54.44'	111	7.0	4,225	110	73	8	78	2	60
3059	8/2	55° 49.57'	-133° 25.77'	42	7.0	119	5	6	1	0	0	0
3060	8/3	55° 49.82'	-133° 43.47'	91	7.0	736	26	37	4	0	5	69
3061	8/3	55° 49.82'	-134° 02.28'	157	7.0	1,209	43	10	1	64	25	0
3062*	7/26	55° 50.17'	-134° 36.97'	87	7.0	1,272	38	55	7	5	10	44
3063*	7/26	55° 49.80'	-134° 54.73'	100	7.0	2,276	66	106	13	4	7	49
3064*	7/15	55° 50.07'	-135° 12.68'	132	6.9	6,110	205	50	6	45	0	35
3065	8/2	55° 54.41'	-133° 35.18'	54	7.0	360	9	7	1	0	0	5
3066	8/4	55° 59.59'	-134° 01.75'	45	7.0	2,022	70	229	29	0	0	0
3067	8/12	55° 59.78'	-134° 37.85'	37	7.0	2,323	55	36	6	0	0	65
3068	8/12	55° 59.53'	-134° 37.85'	198	6.9	3,882	91	8	1	152	0	74
3069*	7/26	55° 59.54'	-134° 55.06'	199	7.0	1,969	46	0	0	55	0	42
3071	8/1	56° 09.47'	-133° 43.81'	171	7.0	2,203	59	35	5	20	30	5
3072*	8/15	56° 09.78'	-134° 19.82'	76	6.8	8,181	370	257	28	0	1	16
3073*	8/15	56° 09.55'	-134° 37.87'	137	6.9	4,821	136	45	5	21	3	25
3076	8/1	56° 19.46'	-133° 43.70'	93	7.0	547	14	21	3	10	5	10
3077	8/11	56° 19.54'	-134° 19.74'	83	7.0	1,661	60	65	9	5	5	40
3078*	7/14	56° 20.09'	-134° 55.77'	60	7.0	1,220	30	38	5	8	2	41
3079*	7/11	56° 19.49'	-135° 14.15'	89	6.9	2,193	91	161	19	3	3	15
3080*	7/11	56° 20.02'	-135° 31.35'	108	7.0	1,879	92	132	16	13	1	2
3081	8/1	56° 28.78'	-133° 43.73'	51	7.0	2,130	53	17	2	20	35	10
3082	8/11	56° 29.82'	-134° 19.80'	55	6.9	1,429	64	400	46	0	0	24
3083*	7/10	56° 30.02'	-135° 14.53'	58	7.0	1,378	57	321	42	2	1	24
3084*	7/10	56° 29.80'	-135° 32.68'	84	7.0	3,013	105	100	13	0	1	105
3085*	7/10	56° 39.58'	-135° 14.77'	21	6.9	1,354	24	40	4	0	0	20
3086*	7/9	56° 39.49'	-135° 33.67'	74	6.9	2,894	112	282	37	0	0	59
3088*	8/17	56° 49.79'	-132° 50.07'	112	7.0	206	8	35	4	6	0	0
3089*	7/9	56° 49.48'	-135° 51.81'	102	7.0	1,607	76	82	9	12	2	17
3090*	8/17	56° 56.48'	-132° 57.45'	73	7.0	138	8	18	2	12	0	0
3091	8/10	56° 59.80'	-134° 20.78'	190	7.0	1,344	55	10	2	104	0	0
3092*	7/8	57° 00.16'	-135° 59.53'	55	7.0	1,320	44	244	31	0	0	85
3093*	8/17	57° 02.80'	-133° 05.10'	78	6.8	448	16	15	2	9	2	0
3094*	8/16	57° 10.20'	-133° 44.80'	178	7.0	1,140	49	9	1	88	9	0
3095	8/10	57° 09.96'	-134° 02.36'	162	7.0	1,968	79	88	11	35	15	0
3096	8/9	57° 10.08'	-134° 39.78'	182	7.0	835	29	28	3	35	5	35
3097*	7/8	57° 09.78'	-135° 53.82'	35	6.9	994	23	205	34	0	0	33
3098*	7/8	57° 09.80'	-136° 11.42'	113	6.9	927	46	38	4	23	9	12
3099*	8/16	57° 19.76'	-133° 25.71'	71	6.7	1,481	48	89	13	3	4	1
3100*	8/16	57° 20.33'	-133° 44.80'	174	7.0	1,495	74	29	3	51	5	1
3102*	7/7	57° 19.76'	-135° 55.52'	60	6.8	743	16	68	8	6	8	26
3103*	7/7	57° 19.65'	-136° 13.71'	98	7.0	1,790	75	46	5	8	3	92
3104*	8/18	57° 29.74'	-133° 44.44'	114	7.0	1,262	54	162	18	7	18	4
3105	8/8	57° 31.04'	-134° 37.82'	115	7.0	604	25	80	12	25	15	25
3106	7/1	57° 29.22'	-136° 13.33'	51	7.0	794	30	327	42	0	0	50
3107*	8/18	57° 40.02'	-133° 44.59'	180	7.0	1,068	58	297	35	4	0	3

¹ Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

² Weight calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample except stations with * which are whole hauled.

2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3108	6/30	57° 40.04'	-136° 32.87'	89	7.0	3,795	240	705	78	0	0	0
3110	6/30	57° 49.28'	-136° 33.81'	53	7.0	1,673	78	528	74	0	0	69
3111	6/30	57° 49.75'	-136° 52.72'	214	6.9	95	7	11	1	59	0	5
3112*	8/19	57° 59.80'	-134° 03.76'	122	7.0	441	20	79	9	0	0	0
3113*	8/27	57° 59.84'	-136° 39.73'	44	6.9	1,339	73	707	91	0	0	34
3114*	8/25	58° 09.75'	-135° 02.32'	112	7.0	2,700	86	120	14	7	16	17
3115*	8/26	58° 09.81'	-135° 19.81'	94	7.0	649	24	82	9	8	5	2
3116*	8/27	58° 07.70'	-136° 35.62'	171	7.0	3,267	102	22	3	32	9	25
3117*	8/22	58° 11.76'	-134° 23.33'	39	6.9	470	10	26	3	0	0	0
3118*	8/22	58° 13.57'	-134° 40.84'	41	7.0	227	10	22	3	0	3	0
3119*	8/26	58° 14.83'	-135° 39.83'	58	7.0	1,246	52	298	38	2	11	0
3120*	8/27	58° 13.91'	-136° 25.38'	79	7.0	2,760	64	118	20	11	14	3
3121*	8/22	58° 20.32'	-134° 42.89'	45	7.0	296	12	52	6	0	0	0
3122*	8/24	58° 19.83'	-135° 01.77'	313	6.9	304	14	7	1	27	0	0
3123*	8/24	58° 29.63'	-135° 01.78'	155	7.0	846	38	107	13	4	4	2
3124*	8/24	58° 39.48'	-135° 02.53'	158	7.0	595	34	79	8	14	0	0
3202	7/5	54° 49.97'	-131° 25.70'	22	7.0	2,690	74	237	29	0	0	35
3204	7/7	54° 59.78'	-130° 15.37'	72	6.9	492	13	5	1	0	0	5
3205	7/1	54° 59.98'	-132° 51.99'	80	7.0	866	22	11	1	0	5	59
3206	6/27	54° 59.93'	-131° 55.49'	229	7.0	17	1	10	1	30	0	0
3207	6/28	54° 59.85'	-131° 23.82'	35	6.9	302	11	32	4	0	0	20
3208*	7/20	55° 08.80'	-134° 14.66'	278	5.0	210	5	0	0	62	0	47
3209	6/26	55° 10.02'	-131° 56.59'	113	6.9	486	16	44	5	20	0	20
3210	7/7	55° 19.81'	-130° 00.55'	148	7.0	2,082	77	114	13	0	0	0
3211*	7/21	55° 19.79'	-133° 25.80'	54	7.0	2,646	77	52	6	0	2	28
3212*	7/21	55° 30.41'	-133° 07.88'	30	7.0	168	3	0	0	0	0	0
3213*	7/21	55° 30.72'	-133° 27.25'	25	7.0	340	10	9	2	0	0	0
3214	8/3	55° 40.04'	-133° 42.74'	16	4.5	1,073	21	21	3	0	0	0
3215*	7/15	55° 59.35'	-135° 30.63'	314	7.0	341	10	0	0	73	0	4
3216	8/2	56° 00.31'	-133° 24.59'	37	7.0	978	16	0	0	0	0	30
3217	8/4	56° 09.55'	-134° 03.22'	67	7.0	731	23	11	1	10	0	0
3218*	7/11	56° 09.98'	-135° 31.08'	227	7.0	238	8	0	0	64	0	62
3219*	8/15	56° 19.34'	-134° 37.76'	53	7.0	2,088	56	193	24	0	2	49
3221	6/23	56° 20.83'	-132° 32.00'	108	6.9	746	30	59	7	10	0	0
3222	8/11	56° 29.53'	-134° 37.31'	184	7.0	2,004	52	16	2	66	0	61
3223	7/31	56° 40.34'	-133° 08.81'	16	7.0	716	15	17	2	0	0	0
3224	8/9	56° 50.15'	-134° 39.13'	373	7.0	1,331	21	0	0	208	0	0
3225	7/4	56° 48.66'	-135° 33.75'	44	7.0	480	12	41	7	0	0	40
3226	7/4	56° 58.79'	-135° 33.75'	26	7.0	525	13	63	9	0	0	25
3227	8/10	56° 59.18'	-134° 02.39'	56	7.0	2,726	89	139	16	0	0	15
3228	8/9	57° 00.12'	-134° 39.78'	319	6.9	502	6	0	0	152	0	5
3230	7/4	57° 10.46'	-135° 35.30'	38	7.0	125	4	5	1	0	0	10
3231	8/8	57° 19.41'	-134° 39.75'	312	7.0	575	15	0	0	45	0	15
3232*	7/7	57° 29.71'	-135° 54.68'	73	7.0	913	24	6	1	4	1	7
3233	7/1	57° 29.35'	-136° 32.56'	341	6.9	0	0	0	0	88	0	10
3234*	8/18	57° 40.32'	-134° 00.72'	72	7.0	1,459	58	224	30	1	5	1
3235	7/1	57° 39.46'	-136° 16.47'	24	6.9	805	15	35	4	0	0	39
3236*	8/19	57° 50.12'	-133° 44.94'	42	6.8	688	13	10	1	0	1	8
3237*	8/25	57° 50.81'	-134° 56.98'	100	7.0	1,684	58	69	8	8	14	14
3238*	8/19	57° 59.79'	-133° 45.01'	93	7.0	1,812	43	23	3	0	2	0

¹ Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

² Weight calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample except stations with * which are whole hauled.

2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3239*	8/26	58° 19.90'	-135° 57.84'	31	7.0	827	22	109	16	0	1	0
3242*	8/23	59° 00.10'	-135° 21.51'	59	7.0	57	2	8	1	0	0	0
3243*	8/23	59° 19.53'	-135° 22.20'	214	6.8	793	21	25	3	0	2	0
3244	7/7	55° 10.29'	-130° 07.29'	178	7.0	1,180	59	55	6	10	0	5
3245	7/31	56° 29.74'	-133° 02.23'	33	7.0	396	13	74	8	0	0	0
3246*	8/25	58° 00.52'	-134° 52.65'	315	7.0	792	41	35	4	61	0	0
3248*	8/23	59° 09.35'	-135° 18.31'	75	7.0	313	13	55	8	0	19	0
84 Total Effective 2C Stations					Totals	203,433	7,295	16,760	2,100	2,990	524	3,209

¹ Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

² Weight calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample except stations with * which are whole hauled.