

## 2018 IPHC Fishery-Independent Setline Survey

## Regulatory Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5001	8/17	56° 00.18'	-153° 36.02'	52	7.0	2,169	136	893	107	0	0	10
5002	8/17	56° 00.01'	-153° 53.96'	71	7.1	631	44	647	79	0	45	5
5003	8/23	56° 00.09'	-154° 12.91'	59	7.0	484	33	548	69	0	0	40
5004	8/23	56° 00.24'	-154° 29.99'	238	7.0	0	0	0	0	50	0	10
5005	8/22	56° 00.02'	-154° 47.99'	122	7.0	55	1	45	6	84	10	0
5006	8/22	55° 59.94'	-155° 05.99'	32	6.9	174	5	179	31	0	78	0
5007	7/9	56° 09.98'	-153° 35.98'	83	7.0	319	24	536	65	0	0	0
5008	7/9	56° 10.01'	-153° 52.30'	126	7.0	1,368	96	361	38	25	0	0
5009	8/16	56° 10.03'	-154° 09.89'	69	7.1	356	24	446	62	0	5	0
5010	8/23	56° 10.10'	-154° 28.98'	51	6.9	466	26	390	53	0	0	0
5011	8/22	56° 10.02'	-154° 46.99'	45	7.0	204	12	264	36	0	5	0
5013	8/21	56° 10.07'	-155° 22.95'	20	7.0	147	5	123	19	0	0	0
5014	8/21	56° 09.94'	-155° 41.02'	32	7.0	286	14	332	52	0	15	0
5015	7/9	56° 19.95'	-153° 50.74'	47	7.0	67	5	362	48	0	0	0
5016	8/16	56° 20.00'	-154° 10.12'	51	7.0	0	0	13	3	0	10	0
5017	8/16	56° 20.02'	-154° 28.22'	33	7.0	299	16	257	37	0	0	0
5018	8/8	56° 20.17'	-155° 21.97'	26	7.0	73	3	148	21	0	0	0
5019	8/21	56° 20.09'	-155° 40.03'	39	6.9	93	4	193	28	0	137	0
5020	8/8	56° 30.08'	-155° 20.94'	28	7.0	301	15	227	38	0	20	0
5021	8/20	56° 30.24'	-155° 39.07'	67	7.0	59	4	136	17	25	15	0
5022	8/7	56° 40.07'	-155° 02.20'	22	7.0	823	28	84	12	0	0	0
5023	8/8	56° 40.11'	-155° 20.04'	52	7.1	123	7	283	39	15	56	0
5024	8/20	56° 40.19'	-155° 38.05'	131	7.0	340	22	223	24	15	5	0
5025	8/20	56° 40.02'	-155° 56.11'	160	7.0	174	12	291	35	45	0	0
5026	8/5	56° 49.97'	-154° 24.31'	33	6.8	838	36	272	36	0	44	0
5027	8/5	56° 49.98'	-154° 41.50'	26	7.0	540	26	219	32	0	0	0
5028	8/7	56° 50.00'	-155° 00.60'	41	7.0	193	10	376	51	10	30	0
5029	8/7	56° 49.95'	-155° 18.56'	123	7.0	513	26	146	17	30	0	0
5030	7/29	56° 49.97'	-155° 37.25'	152	6.8	245	18	299	35	39	5	0
5031	7/29	56° 49.98'	-155° 55.04'	163	7.0	922	60	455	50	35	10	0
5032	8/5	56° 59.93'	-154° 41.59'	24	7.0	998	31	235	35	0	0	0
5033	8/6	56° 59.99'	-154° 58.91'	59	3.5	101	5	158	23	25	7	0
5034	8/6	57° 00.02'	-155° 17.29'	137	7.0	178	13	281	33	25	5	0
5036	7/29	56° 59.98'	-155° 53.72'	163	7.0	1,584	98	324	34	20	10	0
5037	8/4	57° 09.49'	-154° 40.04'	31	7.0	761	27	107	15	0	0	0
5038	8/6	57° 10.03'	-154° 58.07'	105	7.1	408	26	266	33	40	56	0
5039	7/28	57° 09.98'	-155° 15.78'	134	7.0	374	25	423	48	55	5	0
5040	7/28	57° 09.95'	-155° 34.41'	148	7.0	312	22	272	31	60	0	0
5041	7/30	57° 09.95'	-155° 52.39'	137	7.0	845	51	180	19	35	25	0
5042	8/4	57° 19.91'	-154° 57.40'	112	7.1	253	15	81	10	61	76	0
5043	7/27	57° 20.00'	-155° 15.26'	134	7.0	372	21	226	28	54	0	10
5044	7/27	57° 20.00'	-155° 34.01'	154	7.0	685	36	391	44	40	0	0
5045	7/30	57° 20.02'	-155° 51.86'	58	7.0	784	47	494	57	0	104	0
5046	7/30	57° 20.04'	-156° 10.40'	100	6.9	450	17	79	9	0	49	0
5047	7/26	57° 29.99'	-155° 13.71'	141	7.0	305	20	194	23	25	0	0
5096	6/11	54° 49.99'	-157° 33.79'	222	7.5	41	3	16	2	75	0	5
5097	6/11	54° 50.01'	-157° 50.13'	89	7.0	24	2	340	45	40	79	5
5098	6/7	55° 00.03'	-157° 15.02'	106	7.0	11	1	0	0	15	64	0
5099	6/7	55° 00.03'	-157° 32.01'	52	7.0	700	42	750	95	0	135	5
5100	6/10	55° 00.15'	-157° 50.05'	45	7.1	1,388	73	699	88	0	10	15

<sup>1</sup> Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.<sup>2</sup> Weight calculated from length-weight tables.<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

## Regulatory Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5101	6/10	55° 00.07'	-158° 06.89'	71	7.0	147	8	279	39	0	95	0
5102	6/8	55° 09.97'	-156° 22.19'	280	7.0	0	0	0	0	15	0	5
5103	6/8	55° 10.00'	-156° 39.03'	287	6.9	52	3	18	2	34	0	0
5104	6/8	55° 10.00'	-156° 57.26'	84	7.0	236	18	356	45	15	135	0
5105	6/7	55° 10.01'	-157° 14.01'	61	7.0	291	23	1,042	143	5	79	0
5106	6/7	55° 09.91'	-157° 32.00'	47	7.1	870	56	677	84	0	76	0
5107	6/10	55° 09.99'	-157° 49.03'	43	6.9	627	31	378	58	0	83	0
5108	6/10	55° 10.00'	-158° 06.94'	55	7.0	342	23	589	88	0	104	0
5109	6/25	55° 19.99'	-156° 38.87'	65	7.0	246	12	181	24	0	248	0
5110	6/9	55° 20.23'	-156° 56.00'	51	6.9	1,015	69	887	111	0	25	0
5111	6/9	55° 20.00'	-157° 13.96'	49	7.0	423	25	573	85	0	35	0
5112	5/30	55° 19.99'	-157° 31.01'	46	7.0	534	34	562	79	0	135	0
5113	5/30	55° 20.01'	-157° 49.14'	44	7.0	261	14	347	61	0	89	0
5114	5/31	55° 19.85'	-158° 06.01'	58	7.1	347	23	474	74	0	152	0
5115	5/31	55° 20.07'	-158° 24.03'	79	7.0	94	5	262	43	10	71	0
5116	6/25	55° 29.99'	-156° 38.12'	97	7.0	127	9	135	15	59	59	10
5117	6/9	55° 30.01'	-156° 55.09'	49	7.0	481	31	520	65	0	0	20
5118	6/9	55° 30.00'	-157° 13.23'	48	7.0	703	41	904	127	0	25	0
5119	5/30	55° 29.84'	-157° 31.07'	51	7.0	137	8	348	52	0	300	0
5120	5/30	55° 30.02'	-157° 48.18'	52	7.0	337	21	619	91	0	160	0
5121	5/31	55° 29.99'	-158° 06.18'	71	7.0	136	9	415	61	10	178	0
5122	5/31	55° 30.00'	-158° 23.83'	79	7.0	251	14	226	31	50	94	0
5123	6/25	55° 40.08'	-156° 55.01'	48	7.0	318	20	950	149	0	20	0
5124	6/26	55° 40.08'	-157° 13.02'	46	7.0	329	19	480	68	0	100	0
5125	6/26	55° 40.17'	-157° 30.01'	55	7.0	40	2	295	52	0	104	0
5126	5/29	55° 40.05'	-157° 48.02'	73	7.0	226	14	484	71	0	40	0
5127	5/29	55° 40.01'	-158° 06.13'	69	7.0	117	7	306	53	5	104	15
5128	6/28	55° 40.02'	-158° 23.02'	70	7.1	12	1	89	14	10	15	0
5129	6/28	55° 39.90'	-158° 40.98'	50	7.0	97	7	615	83	0	64	0
5130	6/26	55° 49.96'	-157° 11.99'	55	7.0	81	3	290	48	0	155	0
5131	6/26	55° 49.99'	-157° 30.02'	55	7.0	11	1	310	51	0	203	0
5132	5/29	55° 49.85'	-157° 48.05'	65	7.0	318	19	490	79	0	89	0
5133	5/29	55° 50.01'	-158° 04.98'	44	6.9	226	10	412	70	0	98	0
5134	6/28	55° 49.94'	-158° 22.99'	59	7.0	148	9	286	42	5	104	0
5135	6/27	55° 59.99'	-157° 28.93'	65	7.0	81	5	560	84	0	105	0
5136	6/27	56° 00.01'	-157° 47.09'	67	7.0	83	6	387	56	0	84	0
5137	6/27	56° 00.00'	-158° 05.03'	49	7.0	119	6	120	16	0	45	0
5138	6/29	56° 09.96'	-157° 46.77'	84	7.0	1,104	51	348	47	0	198	5
5139	6/29	56° 09.98'	-158° 05.12'	36	7.0	300	15	143	20	0	20	0
5140	6/29	56° 20.01'	-158° 04.01'	31	7.0	690	22	38	5	0	0	0
5141	6/13	54° 29.86'	-159° 00.00'	158	7.0	71	5	43	5	69	0	25
5142	6/19	54° 30.19'	-159° 17.01'	78	7.0	108	9	300	41	10	109	0
5143	6/19	54° 30.19'	-159° 34.01'	61	7.0	597	37	607	75	0	170	0
5144	6/20	54° 30.14'	-159° 51.00'	65	7.0	48	4	88	11	45	50	0
5145	6/20	54° 30.08'	-160° 08.97'	66	7.0	87	7	485	71	0	165	0
5146	6/12	54° 39.99'	-158° 24.91'	114	7.0	748	53	410	48	109	25	0
5147	6/12	54° 39.99'	-158° 42.01'	56	7.1	770	49	763	93	0	177	25
5148	6/13	54° 39.98'	-159° 00.01'	49	7.0	1,147	66	819	100	0	64	15
5149	6/19	54° 39.86'	-159° 17.01'	41	7.0	606	33	445	66	0	40	0
5150	6/19	54° 39.99'	-159° 34.33'	34	7.0	583	18	437	67	0	35	0

<sup>1</sup> Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.<sup>2</sup> Weight calculated from length-weight tables.<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

## 2018 IPHC Fishery-Independent Setline Survey Regulatory Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5151	6/21	54° 40.05'	-159° 51.99'	41	7.0	1,142	48	501	66	0	50	5
5152	6/20	54° 40.00'	-160° 09.00'	49	7.0	211	14	539	73	0	99	0
5153	6/11	54° 50.01'	-158° 06.96'	58	7.0	620	46	595	81	0	213	10
5154	6/12	54° 49.72'	-158° 24.99'	109	7.0	448	31	457	56	30	0	0
5155	6/12	54° 49.98'	-158° 42.00'	54	7.0	728	33	751	111	0	59	0
5156	6/13	54° 49.72'	-158° 59.98'	39	7.0	214	15	415	63	0	65	0
5157	6/21	54° 50.09'	-159° 51.99'	30	7.0	207	7	88	15	0	45	0
5158	6/21	54° 49.98'	-160° 09.02'	38	7.0	217	8	230	33	0	20	0
5159	6/22	54° 50.09'	-160° 25.98'	46	7.0	247	12	327	46	0	220	0
5160	6/1	55° 00.00'	-158° 24.92'	112	7.0	349	22	472	59	55	20	0
5161	6/1	55° 00.00'	-158° 41.88'	69	7.0	137	9	453	65	0	210	0
5162	6/18	54° 59.99'	-158° 58.89'	46	7.0	94	6	440	67	0	210	0
5163	6/18	54° 59.99'	-159° 16.97'	22	7.0	1,338	41	106	15	0	40	0
5164	6/22	54° 59.97'	-160° 27.01'	62	7.0	138	7	418	55	0	99	0
5165	6/22	55° 00.06'	-160° 44.01'	47	7.0	235	8	329	51	0	50	0
5166	6/1	55° 09.99'	-158° 24.01'	101	7.1	65	4	160	23	35	10	0
5167	6/1	55° 10.01'	-158° 41.98'	111	7.0	145	9	126	15	25	5	0
5168	6/18	55° 09.99'	-158° 58.99'	77	7.0	81	6	222	30	25	64	0
5169	6/18	55° 09.99'	-159° 17.12'	40	7.0	479	18	296	45	0	50	0
5170	6/2	55° 19.98'	-158° 41.80'	102	6.9	440	22	30	3	29	0	0
5171	6/2	55° 19.98'	-158° 59.00'	101	7.1	31	2	80	9	0	0	0
5172	6/3	55° 19.99'	-159° 17.00'	97	7.1	501	29	219	28	30	0	0
5173	6/3	55° 20.16'	-159° 33.97'	76	7.0	396	23	652	91	0	10	0
5174	6/4	55° 20.05'	-159° 52.03'	46	7.1	154	6	182	28	0	101	0
5175	6/2	55° 30.17'	-158° 41.00'	88	7.0	114	8	187	23	10	0	0
5176	6/2	55° 29.81'	-158° 59.02'	60	7.0	347	19	563	94	0	65	0
5177	6/3	55° 29.94'	-159° 17.01'	67	7.0	182	11	661	100	0	101	0
5178	6/3	55° 30.17'	-159° 34.03'	90	7.0	412	23	495	71	0	59	0
5179	6/4	55° 30.11'	-159° 52.00'	92	7.0	395	21	447	56	0	104	0
5181	6/17	55° 40.03'	-158° 58.97'	83	7.0	583	33	536	73	20	64	0
5182	6/17	55° 40.00'	-159° 16.93'	54	7.0	318	16	345	50	0	170	0
5183	6/4	55° 40.07'	-159° 52.03'	70	7.0	643	25	216	29	0	208	0
5184	6/17	55° 49.99'	-158° 59.09'	68	7.0	457	20	426	60	0	104	0
5185	6/17	55° 49.93'	-159° 17.01'	30	6.9	417	12	62	10	0	206	0
5186	6/22	54° 00.01'	-163° 15.04'	46	7.0	58	2	187	29	0	101	5
5187	6/22	54° 00.01'	-163° 32.05'	55	6.9	0	0	73	14	0	83	0
5188	6/22	54° 00.00'	-163° 49.02'	51	7.0	0	0	66	13	0	80	0
5189	6/7	54° 10.00'	-161° 34.04'	73	7.0	78	3	66	11	40	64	0
5190	6/7	54° 09.99'	-161° 51.02'	45	7.0	108	7	249	33	0	124	0
5191	6/8	54° 10.01'	-162° 08.00'	46	7.0	563	24	356	50	0	119	5
5192	6/8	54° 09.99'	-162° 25.07'	90	7.0	28	2	66	13	30	139	0
5193	6/24	54° 10.00'	-163° 49.98'	49	7.0	41	2	282	49	0	188	0
5195	6/2	54° 20.01'	-160° 26.07'	69	7.0	88	6	216	36	0	140	0
5196	6/3	54° 20.05'	-160° 43.02'	59	7.0	193	12	337	50	0	224	7
5197	6/3	54° 20.03'	-160° 59.98'	71	7.0	30	2	367	60	0	139	0
5198	6/4	54° 20.00'	-161° 17.05'	59	7.0	119	6	147	23	0	183	15
5199	6/4	54° 20.00'	-161° 34.02'	79	6.9	23	1	71	9	29	74	5
5200	6/7	54° 19.98'	-161° 51.00'	47	7.0	131	7	286	45	0	109	0
5201	6/8	54° 20.03'	-162° 09.00'	31	7.0	728	23	129	24	0	25	0
5202	6/21	54° 19.99'	-163° 17.06'	27	7.0	280	15	200	32	0	10	0

<sup>1</sup> Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

<sup>2</sup> Weight calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

## 2018 IPHC Fishery-Independent Setline Survey Regulatory Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5203	6/21	54° 20.01'	-163° 34.04'	60	7.0	28	2	274	48	10	54	0
5204	6/23	54° 20.01'	-163° 50.96'	62	7.0	50	2	402	70	15	30	0
5205	6/23	54° 19.96'	-164° 09.00'	52	7.0	12	1	192	36	0	80	0
5206	6/2	54° 30.13'	-160° 26.00'	81	6.9	54	4	105	16	11	137	0
5207	6/3	54° 29.99'	-160° 43.05'	77	6.9	21	1	83	11	29	78	0
5208	6/1	54° 30.01'	-161° 00.02'	71	7.0	43	3	86	14	25	40	0
5209	6/4	54° 30.00'	-161° 18.03'	66	6.9	29	2	124	23	10	34	0
5210	6/4	54° 29.99'	-161° 34.99'	37	6.9	320	10	305	53	0	25	0
5211	6/6	54° 30.00'	-161° 51.97'	77	7.0	51	4	240	34	10	84	0
5212	6/6	54° 29.99'	-162° 09.00'	78	7.0	90	5	222	33	0	79	0
5213	6/6	54° 30.00'	-162° 26.04'	80	7.0	144	9	266	45	0	74	0
5214	6/21	54° 30.02'	-163° 17.99'	40	6.9	252	13	219	35	0	59	0
5215	6/21	54° 30.05'	-163° 35.02'	54	6.9	65	4	176	29	0	29	0
5216	6/23	54° 30.01'	-163° 53.05'	51	6.9	0	0	153	30	0	64	0
5217	6/23	54° 30.01'	-164° 09.97'	53	7.0	62	4	254	45	0	89	0
5218	5/30	54° 39.95'	-160° 26.00'	57	7.0	57	4	250	41	0	114	0
5219	5/30	54° 39.95'	-160° 43.00'	52	6.9	176	8	313	48	0	195	0
5220	6/1	54° 39.99'	-161° 01.00'	50	7.0	239	13	398	63	0	102	0
5221	6/1	54° 39.99'	-161° 18.00'	77	7.0	87	5	220	37	20	45	0
5222	6/5	54° 39.99'	-161° 35.01'	36	7.0	293	11	313	54	0	30	15
5223	6/5	54° 40.02'	-161° 53.00'	32	7.0	613	18	66	15	0	54	5
5224	6/20	54° 39.98'	-162° 44.00'	47	7.0	162	1	115	21	0	40	0
5225	5/30	54° 50.05'	-160° 43.99'	54	6.9	39	2	199	36	0	108	0
5226	5/31	54° 50.00'	-161° 01.00'	56	7.0	79	5	327	60	0	90	0
5227	5/31	54° 50.00'	-161° 18.01'	55	7.0	59	2	156	25	5	35	0
5228	6/5	54° 49.97'	-161° 36.02'	41	7.0	936	24	126	20	0	40	0
5229	6/20	54° 49.97'	-162° 44.99'	30	7.0	0	0	47	8	0	30	0
5230	6/20	54° 49.99'	-163° 02.97'	44	7.0	111	7	170	23	0	94	0
5231	5/29	55° 00.02'	-161° 01.00'	49	7.0	146	6	136	22	0	84	0
5232	5/31	55° 00.05'	-161° 19.00'	46	6.9	814	21	65	11	0	43	0
5233	5/29	55° 10.08'	-161° 01.98'	73	6.9	90	5	109	17	0	54	0
5234	7/29	55° 20.01'	-156° 03.82'	144	6.8	1,081	60	44	5	34	0	24
5235	7/29	55° 20.24'	-156° 20.95'	95	6.9	467	33	253	27	10	59	0
5236	7/30	55° 30.21'	-155° 45.01'	120	7.0	37	2	11	1	54	10	0
5237	7/29	55° 29.86'	-156° 02.95'	110	7.2	56	4	55	7	15	5	0
5238	7/28	55° 29.93'	-156° 19.97'	117	4.9	570	29	76	9	10	10	0
5239	7/31	55° 40.28'	-155° 26.04'	93	6.8	22	1	9	1	44	24	0
5240	7/30	55° 40.00'	-155° 44.31'	68	7.1	184	11	125	17	0	71	0
5241	7/30	55° 39.55'	-156° 01.90'	126	7.0	394	27	156	17	50	15	0
5242	7/28	55° 40.01'	-156° 19.30'	138	7.0	2,059	118	295	32	20	0	0
5243	7/28	55° 39.94'	-156° 36.97'	130	6.9	524	36	83	9	10	0	0
5244	7/31	55° 50.03'	-155° 09.21'	62	7.0	166	11	515	70	0	10	0
5245	7/31	55° 49.62'	-155° 24.99'	29	6.8	98	5	107	14	0	0	0
5246	7/23	55° 50.01'	-156° 01.24'	56	6.9	189	14	269	33	5	59	0
5247	7/23	55° 49.90'	-156° 19.01'	132	7.0	115	9	263	30	40	0	0
5248	7/27	55° 50.00'	-156° 35.98'	124	7.0	300	22	309	34	20	15	0
5249	7/27	55° 50.05'	-156° 53.69'	72	7.0	37	3	226	29	20	59	0
5250	7/24	56° 00.02'	-155° 42.56'	24	6.9	39	2	175	29	0	0	0
5251	7/24	56° 00.12'	-156° 00.04'	41	7.1	19	1	132	24	0	51	0
5252	7/23	55° 59.73'	-156° 17.98'	116	7.0	489	32	75	8	50	94	0

<sup>1</sup> Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

<sup>2</sup> Weight calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

## 2018 IPHC Fishery-Independent Setline Survey Regulatory Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5253	7/27	55° 59.29'	-156° 31.93'	106	7.0	858	58	359	40	10	124	5
5254	7/15	56° 00.02'	-157° 11.05'	62	7.0	45	3	125	17	0	30	0
5255	7/24	56° 09.83'	-155° 59.03'	114	7.0	656	43	469	54	30	105	0
5256	7/22	56° 09.99'	-156° 17.47'	127	7.0	476	33	126	14	35	89	0
5257	7/22	56° 10.01'	-156° 34.60'	101	7.0	156	11	269	37	35	25	0
5258	7/15	56° 10.00'	-156° 53.64'	44	6.9	49	3	88	13	0	0	0
5259	7/15	56° 10.03'	-157° 10.99'	54	7.0	220	10	296	45	0	69	0
5260	7/14	56° 10.05'	-157° 28.99'	85	6.9	189	11	109	14	0	0	0
5261	7/21	56° 20.00'	-155° 58.11'	116	7.0	188	12	220	26	35	5	0
5262	7/21	56° 20.00'	-156° 15.83'	153	7.0	207	15	231	26	35	5	0
5263	7/22	56° 19.98'	-156° 34.09'	99	7.0	372	25	381	45	25	69	0
5264	7/16	56° 19.97'	-156° 52.07'	63	6.8	305	14	504	68	5	44	0
5265	7/14	56° 19.97'	-157° 09.92'	95	6.9	401	23	108	13	0	44	0
5266	7/14	56° 20.00'	-157° 27.61'	39	7.1	363	10	165	23	0	20	0
5267	7/13	56° 19.94'	-157° 45.99'	28	7.0	249	10	121	17	0	0	0
5268	7/21	56° 30.01'	-155° 56.86'	133	7.0	284	18	230	26	45	5	0
5269	7/20	56° 29.99'	-156° 15.31'	139	6.9	272	20	172	20	64	20	0
5270	7/16	56° 30.01'	-156° 33.20'	107	6.9	561	35	414	50	44	10	0
5271	7/16	56° 29.95'	-156° 50.68'	59	7.1	278	17	300	41	0	5	0
5272	7/13	56° 29.98'	-157° 28.12'	86	7.0	406	25	241	28	0	45	0
5273	7/20	56° 40.02'	-156° 14.13'	111	6.9	580	35	336	40	20	15	0
5274	7/20	56° 40.01'	-156° 31.71'	84	7.0	798	38	389	46	5	10	0
5275	7/12	56° 40.14'	-156° 50.98'	53	7.0	301	17	426	52	5	50	0
5276	7/12	56° 40.00'	-157° 08.79'	67	7.0	217	10	136	16	0	15	0
5277	7/19	56° 50.18'	-156° 13.05'	106	6.7	1,152	67	323	38	14	43	0
5278	7/19	56° 50.03'	-156° 31.59'	63	7.0	785	41	419	55	15	45	0
5279	7/12	56° 49.98'	-156° 49.96'	63	7.0	211	12	423	51	0	50	0
5280	7/19	56° 59.98'	-156° 13.04'	82	6.9	520	24	148	19	0	186	0
<b>228 Total Effective 3B Stations</b>					<b>Totals</b>	<b>77,578</b>	<b>4,244</b>	<b>66,993</b>	<b>9,313</b>	<b>2,684</b>	<b>13,878</b>	<b>325</b>

<sup>1</sup> Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

<sup>2</sup> Weight calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.